

80490-2

7/24/2008

1/25

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
PREVENTION, PESTICIDES,
AND TOXIC SUBSTANCES

July 24, 2008

Bosco Wang
Fort Dodge Animal Health
PO Box 5366
Princeton, NJ 08543-5366

Dear Dr. Wang:

Subject: Submission of amended label
ProMeris™ for Dogs
EPA Registration No. 80490-2
Your submission dated November 30, 2007
Your resubmission dated July 23, 2008

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable. A stamped copy is enclosed for your records. Submit two copies of your final printed labeling before you release the product for shipment. If you have any questions, please contact Julie Chao at (703) 308-8735 or chao.julie@epa.gov.

Regards,

A handwritten signature in black ink, appearing to read "John Hebert", written over a horizontal line.

John Hebert
Insecticide-Rodenticide Branch
Registration Division (7505P)


Enclosure

ACCEPTED

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under:

JUL 24 2008

EPA Reg. No.: 80490-2



Fort Dodge Animal Health
A Division of Wyeth
KEEP OUT OF REACH OF CHILDREN
CAUTION
For first aid and other precautionary measures, refer to product package insert.

ACTIVE INGREDIENTS:
Methoprene (CAS No. 13989-49-3) 14.24%
OTHER INGREDIENTS 85.76%
TOTAL 100.00%
Net Content: 3.023 fl oz (88.1 mL)
Net Weight: 11.23 oz (316.8 g)

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older
For dogs 11 pounds and under (≤ 11 lbs) XS

For dogs 11 pounds and under (≤ 11 lbs) XS



C Fold flap back against the printed side of applicator. Hold applicator in one hand using thumb to hold flap back against the printed side of applicator.

D Push the open tip through dog's fur onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.

ProMeris for dogs XS For dogs 11 pounds and under (≤ 11 lbs)

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older

EPA Reg. No. 80490-2
EPA Est. No. 61052-ITA-001
Net Contents:
3 applicators of 0.023 fl oz each

3 pack

Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.


For control of fleas (*Ctenocephalides* sp.) and ticks, apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin.

Place empty applicator in trash. Monthly application is recommended for effective control of fleas and ticks and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the ProMeris for dogs Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225
MADE IN ITALY

©2006 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.



A Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with printed side facing the user and narrow end pointing upward and away from the user.

B To open, bend the tip of applicator towards the rear and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

ProMeris for dogs Calendar Reminder

Apply the first reminder sticker to your calendar on the (blank) day you treat your dog with ProMeris for dogs. Immediately apply all the remaining stickers to your calendar at one-month intervals, or track treatments by writing the dates of each treatment in the spaces provided. Do not apply more than once a month.



Lot No.



OPEN HERE

CAUTION
 For use on dogs only. Do not use on cats.
 KEEP OUT OF REACH OF CHILDREN.
 Contains 3 applicators of 0.046 fl oz each.
 OTHER INGREDIENTS: 14.24%
 TOTAL 100.00%


ACTIVE INGREDIENTS:
 Permethrin (CAS No. 12958-93-3)
 S-methoprene (CAS No. 23082-91-1)
 Pyrethrins (CAS No. 13544-92-2)
 Piperonyl Butoxide (CAS No. 13544-92-2)
 This product contains a repellent to help prevent fleas and ticks from reaching the dog's skin.
 This product is for use on dogs only. Do not use on cats.
 This product is for use on dogs only. Do not use on cats.
 This product is for use on dogs only. Do not use on cats.

S For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)



Promeris® for dogs

S For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)



C Fold tip back against the printed side of applicator. Hold applicator in one hand, using thumb to hold tip back against the printed side of applicator.



D Push the open tip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.

Promeris® for dogs

S For dogs over 11 pounds and up to 22 pounds (> 11-22 lbs)

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older

EPA Reg. No. 80490-2
 EPA Est. No. 91052-11A-001
 Net Contents:
 3 applicators of 0.046 fl oz each.



Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* sp.) and ticks, apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and ticks and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the **Promeris® for dogs** Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)


Fort Dodge Animal Health
 P.O. Box 25945
 Overland Park, KS 66225
 MADE IN ITALY



©2006 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.



A Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with index and thumb. Avoid touching applicator opening.



B To open, bend the tip of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

Promeris® for dogs

Calendar Reminder

Apply the first reminder sticker to your calendar on the first day you treat your dog with Promeris for dogs. Immediately apply all the remaining stickers to your calendar at one-month intervals, or track treatments by marking the dates of each treatment in the spaces provided. Do not apply more than once a month.

Date of first treatment: _____ Date of last treatment: _____ Date of last treatment: _____



Lot No.

OPEN HERE

CAUTION
KEEP OUT OF REACH OF CHILDREN.
Contents: 0.113 fl oz applicators
TOTAL 100.00%
OTHER MEMBERSHIPS
14.24%
14.24%
14.24%
ACTIVE MEMBERSHIPS
14.24%
14.24%
14.24%

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older
For dogs over 22 pounds and up to 55 pounds (> 22-55 lbs)
M

PROMERIS[®] for dogs

For dogs over 22 pounds and up to 55 pounds (> 22-55 lbs) M

PROMERIS[®] for dogs

For dogs over 22 pounds and up to 55 pounds (> 22-55 lbs) M

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older

EPA Reg. No. 80490-2
EPA Est. No. 81052-ITA-001
Net Contents:
3 applicators of 0.113 fl oz each

3 pack

Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

DO NOT USE ON CATS

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* sp.) and ticks, apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and ticks and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the **PROMERIS[®] for dogs** Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225
MADE IN ITALY

Fort Dodge Animal Health
a division of Wyeth. All rights reserved.




Diagram C: Fold up back against the pointed side of applicator. Hold applicator in one hand using thumb to hold up back against the pointed side of applicator.




Diagram D: Push the open lip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.




Diagram A: Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with pressure when opening. Avoid touching applicator opening.



Diagram B: To open, bend the lip of applicator towards the user and break along the fracture line. Do not expose applicator when opening. Avoid touching applicator opening.

PROMERIS[®] for dogs

Calendar Reminder

Apply the first reminder sticker to your calendar on the first day you treat your dog with PROMERIS[®] for dogs. Immediately apply all the remaining stickers to your calendar at one-month intervals to mark treatments by writing the dates of each treatment in the spaces provided. Do not apply more than once a month.

Date of first treatment _____ Date of last treatment _____ Date of next treatment _____



Lot No. _____

OPEN HERE

CAUTION
KEEP OUT OF REACH OF CHILDREN.
Contains 0.160 fl oz applicator.
TOTAL 100.000Z
OTHER INGREDIENTS
Methoprene (CAS No. 139961-453)
14.54%
Permethrin (CAS No. 20089-61-1)
21.22%
Limonene (CAS No. 59-89-6)
14.24%

ACTIVE INGREDIENTS
Methoprene
Permethrin
Limonene
Other Ingredients
Total Weight
Net Weight
Gross Weight


For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

PROMERIS
for dogs

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)



3 pack



Fold tip back against the printed side of applicator. Fold applicator so one hand will be able to hold tip back against the printed side of applicator.



Push the open tip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

PROMERIS
for dogs

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older.

EPA Reg. No. 90490-2
EPA Est. No. 01052-17A-001

Not Contents:
3 applicators of 0.160 fl oz each

3 pack

Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.
Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

DO NOT USE ON CATS

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* sp.) and ticks, apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin.

Place empty applicator in trash. Monthly application is recommended for effective control of fleas and ticks and to prevent reinestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the **PROMERIS** for dogs Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)


Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225
MADE IN ITALY



©2006 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.



Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with second side facing the user and narrow end pointing upward and away from the user.



To open, bend the tip of applicator towards the user and tick along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

PROMERIS
for dogs

Calendar Reminder

Apply the first reminder sticker to your calendar on the first day you treat your dog with PROMERIS for dogs. Immediately apply all the remaining stickers in your calendar at the month intervals, or track treatments by writing the dates of each treatment in the spaces provided. Do not apply more than once a month.

Date of first treatment Date of 2nd treatment Date of last treatment



8 6 2 0 0 2 9



8 714015 005043

Lot No.

5/25

NEW HERE

Fort Dodge Animal Health
A Division of Wyeth

CAUTION
For this use and the prescription
contents, refer to product package insert.

KEEP OUT OF REACH OF CHILDREN.

Contains 3 0.225 fl oz applicators
TOTAL: 100.00%
OTHER INGREDIENTS
FEMA No. 30007-01-11
14.24%
Methylparathion (CAS No. 13988-49-3)
1.23%
ACTIVE INGREDIENTS



Single spot application for control of fleas and ticks on dogs 8 weeks of age and older.
For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)

TX

PROMERIS[®]
for dogs

TX For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)



Fold lip back against the printed side of applicator, using thumb to hold lip back against the printed side of applicator.

Push the spot up through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.

PROMERIS[®]
for dogs

XL For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)

PROMERIS[®]
for dogs

XL For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)

PROMERIS[®]
for dogs

XL For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)

3 pack

ProMeris[®]
for dogs

XL For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older

EPA Reg. No. 80490-2
EPA Est. No. 81052-ITA-001
Net Contents:
3 applicators of 0.225 fl oz each

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* sp.) and ticks, apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and ticks and to prevent reinfestation. Do not apply more than once monthly.


Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

For more information, contact your veterinarian or call the **ProMeris[®] for dogs Consumer Helpline** at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 26945
Overland Park, KS 66225
MADE IN ITALY

©2008 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.



Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with printed side facing the user and squeeze and pointing upward and away from the user.

To open, bend the tip of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

PROMERIS[®]
for dogs

Calendar Reminder

Date of last treatment _____ Date of last treatment _____ Date of last treatment _____

Apply the first reminder sticker to your calendar on the first day you treat your dog with ProMeris[®] for dogs. Immediately apply all the remaining stickers to your calendar at one-month intervals, or track treatments by writing the date of each treatment in the spaces provided. Do not apply more than once a month.



Lot No. _____

6/25

OPEN HERE

CAUTION
KEEP OUT OF REACH OF CHILDREN
For first aid and other precautionary information, refer to product packaging insert.

Fort Dodge Animal Health
A Division of Wyeth
ACTIVE INGREDIENTS:
Methoprene
Permethrin
Piperonyl Butoxide
Other Inert Ingredients
Total: 100.00%

Mode of action - Kills fleas and ticks on contact. Kills flea eggs and larvae on contact. Kills flea pupae on contact. Kills flea adults on contact. Kills flea eggs and larvae on contact. Kills flea pupae on contact. Kills flea adults on contact.

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older
For dogs 11 pounds and under (≤ 11 lbs)

6 pack

PROMERIS
for dogs


XS
For dogs 11 pounds and under (≤ 11 lbs)



PROMERIS
for dogs
XS
For dogs 11 pounds and under (≤ 11 lbs)



Fold lip back against the printed side of applicator. Hold applicator in one hand using thumb to hold lip back against the printed side of applicator.



Push the open lip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.

XS
For dogs 11 pounds and under (≤ 11 lbs)

PROMERIS
for dogs

For dogs 11 pounds and under (≤ 11 lbs)

XS

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older

EPA Reg. No. 80490-2
EPA Est. No. 81052-17A-001
Net Contents:
6 applicators of 0.023 fl oz each.

6 pack

Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

DO NOT USE ON CATS

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* sp.) and ticks, apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin.

Place empty applicator in trash. Monthly application is recommended for effective control of fleas and ticks and to prevent reinfestation. Do not apply more than once monthly.


For more information, contact your veterinarian or call the **PROMERIS** for dogs Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225
MADE IN ITALY

Fort Dodge
Fort Dodge Animal Health,
a division of Wyeth. All rights reserved.



Remove one applicator from the lot pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with printed side facing the user and narrow end pointing upward and away from the user.



To open, bend the lip of applicator towards the user and treat along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

PROMERIS
for dogs

Calendar Reminder

Apply the first reminder sticker to your calendar on the first day you treat your dog with **PROMERIS** for dogs. Immediately notify all the remaining stickers to your calendar at one-month intervals, or track treatments by writing the dates of each treatment in the spaces provided. Do not apply more than once a month.

Date of first treatment Date of first treatment Date of first treatment Date of first treatment Date of first treatment Date of first treatment



8 6 2 0 0 3 2



8 714015 005302

Lot No.
88 00000

PROMERIS[®] for dogs

6 pack

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not use on cats.

ACTIVE INGREDIENTS:
Methoprene 0.045% (w/v)
S-methoprene 0.045% (w/v)
Other Ingredients 11.91% (w/v)
TOTAL 12.00% (w/v)

Net Content:
6 applicators of 0.045 fl oz each

Directions for Use:
For control of fleas (*Ctenocephalides* sp.) and ticks, apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and ticks and to prevent reinfestation. Do not apply more than once monthly.



For dogs over 11 pounds and up to 22 pounds (>11-22 lbs)

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older

**EPA Reg. No: 80490-2
EPA Est. No: 81062-1A-001**

Net Content:
6 applicators of 0.045 fl oz each

**Fort Dodge Animal Health
Owensboro, KY 40366
MADE IN ITALY**



PROMERIS[®] for dogs

6 pack

For dogs over 11 pounds and up to 22 pounds (>11-22 lbs)

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older

**EPA Reg. No: 80490-2
EPA Est. No: 81062-1A-001**

Net Content:
6 applicators of 0.045 fl oz each

Directions for Use:
For control of fleas (*Ctenocephalides* sp.) and ticks, apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and ticks and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the ProMeris[®] for dogs Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

**Fort Dodge Animal Health
P.O. Box 26946
Owensboro, KY 40366
MADE IN ITALY**

Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

DO NOT USE ON CATS

PROMERIS[®] for dogs

PROMERIS[®] for dogs

Calendar Reminder

Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment

Lot No. _____

8 714015 005180

9/25

PROMERIS[®] for dogs

6 pack

M For dogs over 22 pounds and up to 55 pounds (> 22-55 lbs)

CAUTION KEEP OUT OF REACH OF CHILDREN

© 2006 Fort Dodge Animal Health

PROMERIS[®] for dogs

M For dogs over 22 pounds and up to 55 pounds (> 22-55 lbs)

Single spot application for control of fleas and ticks on dogs 6 weeks of age and older

DIRECTIONS FOR USE
 (It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.)

For control of fleas (*Ctenocephalides* sp.) and ticks, apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and ticks and to prevent reinestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the **ProMeris[®] for dogs Consumer Helpline** at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
 P.O. Box 26945
 Overland Park, KS 66225
 MADE IN ITALY

© 2006 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.


DO NOT USE ON CATS




Hold tip back against the printed side of applicator. Fold applicator at one level using thumb to hold tip back against the printed side of applicator.



Push the open tip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.



Remove one applicator from the 6 pack pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with printed side facing the user and remove and pointing upward and away from the user.



To open, bend the tip of applicator opposite the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

PROMERIS[®] for dogs

Calendar Reminder

Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment

Apply the text reminder sticker to your calendar on the 15th day you treat your dog with ProMeris[®] for dogs. Immediately apply all the remaining stickers to your calendar at one-month intervals, or track treatments by writing the dates of each treatment in the spaces provided. Do not apply more than once a month.



Lot No.

6 pack

ProMeris[®] for dogs

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

CAUTION
KEEP OUT OF REACH OF CHILDREN
Contains 6 (6) single spot applications for control of fleas and ticks on dogs 6 weeks of age and older.

Net Contents: 6 applications of 0.180 fl oz each

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

ProMeris[®] for dogs

For dogs over 55 pounds and up to 88 pounds (> 55-88 lbs)

Single spot application for control of fleas and ticks on dogs 6 weeks of age and older

EPA Reg. No. 90490-2
EPA Est. No. 61062-IT-001

Net Contents:
6 applications of 0.180 fl oz each

6 pack

Fort Dodge Intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.



For more information, contact your veterinarian or call the ProMeris[®] for dogs Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225
MADE IN ITALY

©2006 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.

Directions for Use:
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on dogs only.

For control of fleas (*Ctenocephalides* sp.) and ticks, apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and ticks and to prevent reinfestation. Do not apply more than once monthly.



ProMeris[®] for dogs


Calendar Reminder

Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment

Apply the first reminder sticker to your calendar on the first day you feed your dog with ProMeris for dogs. Immediately apply all the remaining stickers to your calendar at one-month intervals or track treatments by verifying the dates of each treatment in the spaces provided. Do not apply more than once a month.

Lot No. _____

8 714015 005067



9 pack

PROMERIS[®]
for dogs

XL For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)


CAUTION
KEEP OUT OF REACH OF CHILDREN.
DO NOT USE ON CATS.

ACTIVE INGREDIENTS: Methoprene (CAS No. 13588-19-3) 11.25%
INERT INGREDIENTS 88.75%
Net Content: 0.225 fl. oz. (6.62 mL) per applicator
Total: 1.98 fl. oz. (56.97 mL)

For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)



C
Fold flap back against the printed side of applicator. Hold applicator to one hand using thumb to hold to back against the printed side of applicator.



D
Push the open tip through dog's hair and into dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.

PROMERIS[®]
for dogs

XL For dogs over 88 pounds and up to 110 pounds (> 88-110 lbs)

6 pack

Single spot application for control of fleas and ticks on dogs 8 weeks of age and older

EPA Reg. No. 60490-2
EPA Est. No. 81052-17A-001

Net Contents:
6 applicators of 0.225 fl. oz. each

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply," instructions before using the product each time. For use on dogs only.


For control of fleas (*Ctenocephalides* sp.) and ticks, apply the entire contents of the applicator to a single spot on the skin of the dog between the shoulder blades. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and ticks and to prevent reinfestation. Do not apply more than once monthly.

For more information, contact your veterinarian or call the **ProMeris[®] for dogs Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)**


Fort Dodge Animal Health
P.O. Box 26045
Overland Park, KS 66225
MADE IN ITALY

©2006 Fort Dodge Animal Health, a division of Wyeth. All rights reserved.

DO NOT USE ON CATS



A
Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid spillage while opening. Use two hands to hold both ends of applicator with printed side facing the user and narrow end pointing upward and away from the user.



B
To open, bend the tip of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

PROMERIS[®]
for dogs

Calendar Reminder

Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment	Date of last treatment


Apply the first reminder sticker to your calendar on the first day you treat your dog with ProMeris[®] for dogs. Immediately apply all the remaining stickers to your calendar at one-month intervals or track treatments by writing the dates of each treatment in the spaces provided. Do not apply more than once a month.

Lot No. _____


8 714015 005241



ProMeris for dogs



ProMeris for dogs





CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs



Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs




Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth



CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs




Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs



Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth



CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs



Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth


CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs




Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth



CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs




Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs



Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth



CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs



Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs



Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth



CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs




Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

Promeris
for dogs



Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz (14.34% Mefenbutolone 614.34% Amitraz)
EPA Reg. No. 80490-2

FOR DOG USE
Fort Dodge Animal Health
A Division of Wyeth

17/25



CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.

Promeris[®]
 for dogs



Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)

EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.

Promeris[®]
 for dogs



Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)


EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth



CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.

Promeris[®]
 for dogs




Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)

EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.

Promeris[®]
 for dogs



Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)

EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth



CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.

Promeris[®]
 for dogs



Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)

EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.

Promeris[®]
 for dogs



Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)


EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth



CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.

Promeris[®]
 for dogs




Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)

EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.

Promeris[®]
 for dogs



Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)

EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth



CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.

Promeris[®]
 for dogs



Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)

EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.


Promeris[®]
 for dogs



Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)


EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth



CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.

Promeris[®]
 for dogs



Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)

EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Do not remove applicator until ready to use.


Promeris[®]
 for dogs




Extra large dogs > 88-110 lbs
 Contains 0.225 fl oz
 (14.34% Meprobizone
 614.34% Amitraz)

EPA Reg. No. 80490-2

FORT DODGE[®]
 Fort Dodge Animal Health
 A Division of Wyeth







7.7



6.5



CAUTION
KEEP OUT OF
REACH OF CHILDREN

Read the entire label before use

ProMeris[®]
for dogs

XS Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz
(14.34% Metflumizone
& 14.34% Amitraz)
EPA Reg. No. 80490-2

LOT NO. 012345678

FORT DOBBS[®]

Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF
REACH OF CHILDREN

Read the entire label before use


ProMeris[®]
for dogs

XS Extra small dogs ≤ 11 lbs
Contains 0.023 fl oz
(14.34% Metflumizone
& 14.34% Amitraz)
EPA Reg. No. 80490-2

LOT NO. 012345678


FORT DOBBS[®]

Fort Dodge Animal Health
A Division of Wyeth




7.4



8.3



52/02



7.4



+	+
+	+
+	+
+	+
+	+
+	+

CAUTION
KEEP OUT OF
REACH OF CHILDREN
Read the entire label before use

ProMeris[®]
for dogs

M Medium dogs > 22-55 lbs
Contains 0.113 fl oz
(14.34% Metafiumizone
& 14.34% Amitraz)
EPA Reg. No. 80490-2

LOT NO. 012345678

FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF
REACH OF CHILDREN
Read the entire label before use


ProMeris[®]
for dogs

M Medium dogs > 22-55 lbs
Contains 0.113 fl oz
(14.34% Metafiumizone
& 14.34% Amitraz)
EPA Reg. No. 80490-2

LOT NO. 012345678


FORT DODGE
Fort Dodge Animal Health
A Division of Wyeth

2/25




7.4

13.10



R5.0



CAUTION
KEEP OUT OF
REACH OF CHILDREN

Read the entire label before use
ProMeris[®]
for dogs

L Large dogs > 55-88 lbs
Contains 0.180 fl oz
(14.34% Metflumizone
& 14.34% Amitraz)
EPA Reg. No. 80490-2

LOT NO. 012345678



CAUTION
KEEP OUT OF
REACH OF CHILDREN



Read the entire label before use
ProMeris[®]
for dogs

L Large dogs > 55-88 lbs
Contains 0.180 fl oz
(14.34% Metflumizone
& 14.34% Amitraz)
EPA Reg. No. 80490-2




LOT NO. 012345678



2/25



7.4



CAUTION
KEEP OUT OF
REACH OF CHILDREN

Read the entire label before use
ProMeris[®]
for dogs

XL Extra large dogs > 88-110 lbs
Contains 0.225 fl oz
(14.34% Metaflumizone
& 14.34% Amitraz)
EPA Reg. No. 80490-2

LOT NO. 012345678



CAUTION
KEEP OUT OF
REACH OF CHILDREN

Read the entire label before use
ProMeris[®]
for dogs

XL Extra large dogs > 88-110 lbs
Contains 0.225 fl oz
(14.34% Metaflumizone
& 14.34% Amitraz)
EPA Reg. No. 80490-2

LOT NO. 012345678



23/25

Promeris[®] for dogs



Promeris[®] for dogs Customer Helpline
at 1-888-PROMERIS (1-888-776-6374)

 For Dogs, Animal Health
A Division of Pfizer

ProMeris[®] for dogs



Fort Dodge Animal Health
A division of Wyeth

ProMeris[®]
for dogs



Fort Dodge Animal Health

Single spot application for control of fleas and ticks on dogs and puppies 8 weeks of age and older.

ACTIVE INGREDIENTS:

Metafumizone (CAS No. 139968-49-3)	14.34%
Amitraz (CAS No. 33089-61-1)	14.34%
OTHER INGREDIENTS	71.32%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

READ ENTIRE LABEL BEFORE USE

For control of fleas (*Ctenocephalides* sp.) and ticks on dogs and puppies 8 weeks of age and older. ProMeris[®] for dogs is a convenient single spot application that provides control of existing flea and tick infestations, and protects against reinfestation. It may also be used to prevent infestation in flea free dogs and puppies 8 weeks of age and older taken into a flea-contaminated environment. Kills fleas that may cause flea allergy dermatitis. Kills and controls the following ticks:

- Black-legged or deer ticks (*Ixodes scapularis*), which can transmit Lyme disease
- Brown dog ticks (*Rhipicephalus sanguineus*), which can transmit *Ehrlichia canis*
- American dog ticks (*Dermacentor variabilis*), which can transmit Rocky Mountain Spotted Fever
- Lone star ticks (*Amblyomma americanum*), which can transmit *Ehrlichia cheffeensis*

ProMeris[®] for dogs can be used in breeding males, as well as breeding and pregnant bitches. Do not use

on lactating/nursing bitches until at least 5 days after delivery.

A single dose of ProMeris[®] for dogs is effective for up to 6 weeks in controlling fleas and up to 4 weeks for ticks. Apply a single dose prior to exposure. Monthly application is recommended for effective control of fleas and ticks and to prevent reinfestation. Do not apply more than once monthly. ProMeris[®] for dogs contains two active ingredients – metafumizone and amitraz. Metafumizone provides a high level of control of fleas by blocking gated sodium channels. Amitraz provides control of ticks by affecting octopamine receptors.

Benefits of ProMeris[®] for dogs include:

- Stops and controls infestations of fleas and ticks
- Prevents reinfestation of fleas and ticks
- Up to 6 weeks of flea control with a single treatment
- Kills the fleas that may cause flea allergy dermatitis
- Up to 4 weeks of tick control with a single treatment
- Kills ticks that may transmit Lyme disease, canine ehrlichiosis or Rocky Mountain Spotted Fever including brown dog ticks, American dog ticks, lone star ticks, and black-legged or deer ticks
- Convenient and easy to use applicator
- Waterproof
- Effective on indoor or outdoor dogs
- Available only from a licensed veterinary professional
- Pleasant eucalyptus smell

DIRECTIONS FOR USE


It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For external use on dogs and puppies 8 weeks of age and older. DO NOT USE ON ANY ANIMALS OTHER THAN DOGS.

PACKAGING

ProMeris[®] for dogs is available in five packaging presentations for different body weights of dogs and puppies 8 weeks of age and older (see table below). Each package contains three or six individual applicator tubes to provide monthly treatments. The dog body weight limits and product volume sizes are specified on individual labels of cartons, foil pouches and applicators.

Package	Dog Size (lbs)	Size (lb) FL. oz./applicator
XS	Dogs 11 pounds and under (≤ 11)	0.023
S	Dogs over 11 and up to 22 pounds ($> 11-22$)	0.045
M	Dogs over 22 and up to 55 pounds ($> 22-55$)	0.113
L	Dogs over 55 and up to 88 pounds ($> 55-88$)	0.180
XL	Dogs over 88 and up to 110 pounds ($> 88-110$)	0.225

HOW TO APPLY



1. Remove one applicator from the foil pouch.
2. Hold applicator upright for three seconds to avoid splash when opening.
3. Use two hands to hold both ends of applicator with printed side facing the user and narrow end pointing upward and away from the user.
4. To open, bend the tip of applicator towards the user and break along the fracture line.
5. Do not squeeze applicator when opening. Avoid touching applicator opening.
6. Fold tip back against the printed side of applicator. Hold applicator in one hand using thumb to hold tip back against the printed side of applicator.

7. Push the open tip through dog's hair coat onto dog's skin between the shoulder blades. Squeeze applicator to apply the entire contents to the dog's skin. Do not apply on the surface of dog's hair coat. Avoid contact with treated area until dry.
8. Avoid allowing the product to come in contact with your skin.
9. Place empty applicator in trash.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage:

Store in a cool dry place.

Container Disposal:

If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

FIRST AID FOR HUMANS

Have the product applicator, carton or this product label with you when contacting a poison control center or medical professional. If swallowed, call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do by a poison control center or medical professional. Do not give anything to an unconscious person.

PRECAUTIONARY STATEMENTS

Hazards to Humans

CAUTION

Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Hazards to Domestic Animals

For external use only. For use on dogs only. DO NOT USE ON ANY ANIMALS OTHER THAN DOGS. Do not use on puppies younger than 8 weeks of age. Certain medications can interact with pesticides. Consult a veterinarian before using this product on aged, debilitated or medicated animals. Individual sensitivities, while rare, may occur after the use of any pesticide product. If skin irritation, change in behavior, vomiting or diarrhea is observed and persists after the use of the product, call your veterinarian immediately. For further product information, call 1-888-PROMERIS (1-888-776-6374).

Physical and Chemical Hazards

Combustible. Do not use or store near heat or open flame.

LIMITED WARRANTY AND DISCLAIMER

Directions for use of this product are based upon tests believed to be reliable. The use of this product being beyond control of the seller, no guarantee, express or implied, is made as to the effects of use or the results to be obtained if not used in accordance with printed directions and established practice. To the extent consistent with applicable law, buyer's exclusive remedy and seller's exclusive liability for any and all claims, losses, damages or injuries resulting from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort or otherwise shall be limited, at the seller's option, to replacement of, or the repayment of the purchase price for, the quantity of product with respect to which damages are claimed.

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225

MADE IN ITALY

EPA Reg. No. 80490-2
EPA Est. No. 81052-ITA-001

©2006 Fort Dodge Animal Health, a division of Wyeth. All rights reserved