

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



OFFICE OF
PREVENTION, PESTICIDES,
AND TOXIC SUBSTANCES

January 28, 2008

Bosco Wang
Fort Dodge Animal Health
PO Box 5366
Princeton, NJ 08543-5366

Dear Dr. Wang:

Subject: Submission of revised label
ProMeris for Cats
EPA Registration No. 80490-3
Your submission dated December 5, 2007

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable with the following comments:

- The proposed uses of "exclusive," "novel," "unique," and/or "innovative" to replace the word "new" are not acceptable. The phrase "The only metaflumizone-based product for flea control in cats" is not acceptable. These qualifiers imply that the product possesses unique characteristics because of its composition, and are only permissible during the 6 months following approval of the labeling for a new composition. Therefore, remove the word "new" from the label. The phrase "Mode of Action - voltage dependent sodium channel blocker" may be retained.

A stamped copy is enclosed for your records. Submit two copies of your final printed labeling before you release the product for shipment. If you have any questions, please Julie Chao at (703) 308-8735 or chao.julie@epa.gov.

Regards,

A handwritten signature in black ink, appearing to read "John Hebert", written over a large, stylized circular flourish.

John Hebert
Insecticide-Rodenticide Branch
Registration Division (7505P)

Enclosure



CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promerts
 for citrus
 (1.5% Methidathion)
 (1.5% Spinosad)
 (1.5% Lambda-cyhalothrin)
 LOT NO. 80234578

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promerts
 for citrus
 (1.5% Methidathion)
 (1.5% Spinosad)
 (1.5% Lambda-cyhalothrin)
 LOT NO. 80234578



CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promerts
 for citrus
 (1.5% Methidathion)
 (1.5% Spinosad)
 (1.5% Lambda-cyhalothrin)
 LOT NO. 80234578

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promerts
 for citrus
 (1.5% Methidathion)
 (1.5% Spinosad)
 (1.5% Lambda-cyhalothrin)
 LOT NO. 80234578

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promerts
 for citrus
 (1.5% Methidathion)
 (1.5% Spinosad)
 (1.5% Lambda-cyhalothrin)
 LOT NO. 80234578

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promerts
 for citrus
 (1.5% Methidathion)
 (1.5% Spinosad)
 (1.5% Lambda-cyhalothrin)
 LOT NO. 80234578

A0008-02 Cit S-USA



23/75 mm

77

65

ACCEPTED with COMMENTS
In EPA Letter Dated:

JAN 28 2008

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 80490-3



CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promeris
 For Cats
 Keep out of the reach of children.
 Contains 1.5% w/v (15.5% w/w) Promeris.
 LOT NO. 08234578

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promeris
 For Cats
 Keep out of the reach of children.
 Contains 1.5% w/v (15.5% w/w) Promeris.
 LOT NO. 08234578


CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promeris
 For Cats
 Keep out of the reach of children.
 Contains 1.5% w/v (15.5% w/w) Promeris.
 LOT NO. 08234578

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promeris
 For Cats
 Keep out of the reach of children.
 Contains 1.5% w/v (15.5% w/w) Promeris.
 LOT NO. 08234578

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promeris
 For Cats
 Keep out of the reach of children.
 Contains 1.5% w/v (15.5% w/w) Promeris.
 LOT NO. 08234578

CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promeris
 For Cats
 Keep out of the reach of children.
 Contains 1.5% w/v (15.5% w/w) Promeris.
 LOT NO. 08234578

A0009-02 Cat L USA





CAUTION
 KEEP OUT OF REACH OF CHILDREN
 Read the entire label before use.
Promeris
 For Cats
 Keep out of the reach of children.
 Contains 1.5% w/v (15.5% w/w) Promeris.
 LOT NO. 08234578

77

83



237/26 rev



CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

ProMeris[®]
for cats

LOT NO. 012345678

Large cats 9 lbs and over
Contains 0.054 fl oz (18.53% Metaflumizone)
EPA Reg No. 80490-3

FORT DODGE[®]
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

ProMeris[®]
for cats

LOT NO. 012345678

Large cats 9 lbs and over
Contains 0.054 fl oz (18.53% Metaflumizone)
EPA Reg No. 80490-3

FORT DODGE[®]
Fort Dodge Animal Health
A Division of Wyeth

CAUTION
KEEP OUT OF REACH OF CHILDREN
Do not remove applicator until ready to use

ProMeris[®]
for cats

LOT NO. 012345678

Large cats 9 lbs and over
Contains 0.054 fl oz (18.53% Metaflumizone)
EPA Reg No. 80490-3


FORT DODGE[®]
Fort Dodge Animal Health
A Division of Wyeth


FOLD ON LINE TO OPEN AT SLIT

CUT ALONG DOTTED LINE

9/30

ProMeris for cats -Blister card/Cold Form x3 appls.





4 135 10 135 4

288
 Rollenbreite
 web width


Maße in mm
 measurements in mm

12/30

ProMeris[®]
for cats

ProMeris[™] for cats. Consumer Helpline
at 1-888-PROMERIS (1-888-776-6331)

FOR DOGS
Fort Dodge Animal Health
A Division of Wyeth



13/30


ProMeris™
for cats

ProMeris™ for cats Consumer Helpline
at 1-888-PROMERIS (1-888-776-6374)

FOR DOGS
Fort Dodge Animal Health
A division of Wyeth



- 1st choice:** • Exclusive mode of action - voltage dependent sodium channel blocker
- 2nd choice:** • Novel mode of action - voltage dependent sodium channel blocker
- 3rd choice:** • Unique mode of action - voltage dependent sodium channel blocker
- 4th choice:** • Innovative mode of action - voltage dependent sodium channel blocker
- 5th choice:** • The only metaflumizone-based product for flea control in cats



15/30



C
Fold tip back against the pruned side of applicator. Hold applicator in one hand using thumb to hold tip back against the pruned side of applicator.

D
Push the open tip through cat's hair coat onto cat's skin below the back of the head. Squeeze applicator to apply the entire contents to the cat's skin. Do not apply on the surface of cat's hair coat. Avoid contact with treated area until dry.



Small cats*
less than 9 lbs

ProMeris™
for cats

8620038-02
13/11/07



ProMeris™
for cats

Small cats*
less than 9 lbs



ProMeris™
for cats

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on cats only.

For control of fleas (*Ctenocephalides* sp.) apply the entire contents of the applicator to a single spot on the skin of the cat below the back of the head. Do not apply on the surface of cat's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation where there is a high risk of reinfestation or if the cat is susceptible to flea allergy dermatitis.

* Use the Small Cat applicator for all kittens between 8 weeks and 6 months of age.

For more information, contact your veterinarian or call the **ProMeris™ for cats** Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 26945
Overland Park, KS 66225
MADE IN ITALY




Fort Dodge Animal Health
A division of Wyeth



Small cats*
less than 9 lbs



HOW TO APPLY




Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with thumb side facing the user and nearest end pointing upward and away from the user.



To open, bend the tip of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

ProMeris™
for cats
**Calendar
Reminder**

Apply the first reminder sticker to your calendar on the first day you treat your cat with ProMeris™ for cats. A single dose of ProMeris™ for cats is effective for up to 7 weeks in controlling fleas. Reapplication at monthly intervals may be appropriate depending upon the level of flea challenge and animal susceptibility. Apply the remaining stickers at monthly intervals or as needed (but not more frequently than once a month), or track treatments by writing the dates of each treatment in the spaces provided.



Ends of first treatment

Ends of last treatment

Ends of last treatment




8 714015 004985


Lot No.



Ask for more ProMeris for cats



C
Fold tip back against the printed side of applicator. Hold applicator in one hand using thumb to hold tip back against the printed side of applicator.



D
Push the open tip through cat's hair coat onto cat's skin below the back of the head. Squeeze applicator to apply the entire contents to the cat's skin. Do not apply on the surface of cat's hair coat. Avoid contact with treated area until dry.

ProMeris™ for cats

Small cats*
less than 9 lbs




ProMeris™
for cats



Small cats*
less than 9 lbs

ProMeris™
for cats

For control of fleas on cats
less than 9 lbs and older



Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on cats only.

For control of fleas (*Ctenocephalides* sp.) apply the entire contents of the applicator to a single spot on the skin of the cat below the back of the head. Do not apply on the surface of cat's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation where there is a high risk of reinfestation or if the cat is susceptible to flea allergy dermatitis.

* Use the Small Cat applicator for all kittens between 8 weeks and 6 months of age.

For more information, contact your veterinarian or call the ProMeris™ for cats Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225
MADE IN ITALY



Fort Dodge Animal Health
A division of Wyeth

Small cats*
less than 9 lbs




8620040-02
13/11/07



8 6 2 0 0 4 0


20/30

02/16



HOW TO APPLY

A Remove one applicator from the foil pouch. Hold applicator upright by the top. Do not squeeze applicator when opening. Use two hands to hold both ends of applicator with thumb and index finger pointing upward and away from the ear.




B To open, bend the tip of applicator towards the user and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator tip to the user and any surface.

ProMeris[™] for cats Calendar Reminder



Ask for
more
ProMeris[™]
for cats

Apply the first reminder sticker to your calendar on the first day you treat your cat with ProMeris[™] for cats. A single dose of ProMeris[™] for cats is effective for up to 7 weeks in controlling fleas. Reapplication at monthly intervals may be appropriate depending upon the local climate challenge and animal sensitivities. Apply the remaining stickers at monthly intervals or as needed (but not more frequently than once a month), or track treatments by writing the dates of each treatment in the spaces provided.





8 714015 005005




Lot No.


- 1st choice:** • *Exclusive mode of action - voltage dependent sodium channel blocker*
- 2nd choice:** • *Novel mode of action - voltage dependent sodium channel blocker*
- 3rd choice:** • *Unique mode of action - voltage dependent sodium channel blocker*
- 4th choice:** • *Innovative mode of action - voltage dependent sodium channel blocker*
- 5th choice:** • *The only metaflumizone-based product for flea control in cats*



23/30



C
Fold tip back against the printed side of applicator. Hold applicator in one hand using thumb to hold tip back against the printed side of applicator.



D
Push the open tip through cat's hair coat onto cat's skin below the back of the head. Squeeze applicator to apply the entire contents to the cat's skin. Do not apply on the surface of cat's hair coat. Avoid contact with treated area until dry.



Large cats
9 lbs and over

ProMeris™
for cats

ProMeris™ for cats

Large cats
9 lbs and over



ProMeris™
for cats

For control of fleas (*Ctenocephalides* sp.) apply the entire contents of the applicator to a single spot on the skin of the cat below the back of the head. Do not apply on the surface of cat's hair coat. Avoid contact with treated area until dry.

Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on cats only.

For control of fleas (*Ctenocephalides* sp.) apply the entire contents of the applicator to a single spot on the skin of the cat below the back of the head. Do not apply on the surface of cat's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation where there is a high risk of reinfestation or if the cat is susceptible to flea allergy dermatitis. Use the Small Cat applicator for all kittens between 8 weeks and 6 months of age.

For more information, contact your veterinarian or call the **ProMeris™ for cats** Consumer Helpline at 1-888-**PROMERIS** (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225
MADE IN ITALY



Fort Dodge Animal Health
A division of Wyeth

Large cats
9 lbs and over




8620039-02
13/11/07




8 6 2 0 0 3 9

24/30

HOW TO APPLY



Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use two hands to hold both ends of applicator with pruned side facing the ear and narrow end pointing upward and away from the ear.



To open, bend the tip of applicator towards the ear and break along the fracture line. Do not squeeze applicator when opening. Avoid touching applicator opening.

ProMeris[™] for cats Calendar Reminder

Apply the first reminder sticker to your calendar on the first day you treat your cat with ProMeris[™] for cats. A single dose of ProMeris[™] for cats is effective for up to 7 weeks in controlling fleas. Reapplication at monthly intervals may be appropriate depending upon the level of flea challenge and animal susceptibility. Apply the remaining stickers at monthly intervals or as needed (but not more frequently than once a month), or track treatments by writing the dates of each treatment in the spaces provided.



Cats of first treatment

Cats of first treatment

Cats of first treatment





8 1714015 004923




Lot No.


- 1st choice:** • *Exclusive mode of action - voltage dependent sodium channel blocker*
- 2nd choice:** • *Novel mode of action - voltage dependent sodium channel blocker*
- 3rd choice:** • *Unique mode of action - voltage dependent sodium channel blocker*
- 4th choice:** • *Innovative mode of action - voltage dependent sodium channel blocker*
- 5th choice:** • *The only metaflumizone-based product for flea control in cats*



27/30



C
Fold tip back against the pointed side of applicator. Hold applicator in one hand using thumb to hold tip back against the printed side of applicator.



D
Push the open tip through cat's hair coat onto cat's skin below the back of the head. Squeeze applicator to apply the entire contents to the cat's skin. Do not apply on the surface of cat's hair coat. Avoid contact with treated area until dry.

ProMeris™ for cats



Large cats
9 lbs and over

ProMeris™
for cats

Large cats
9 lbs and over



ProMeris™
for cats

Indicated for application to cats 6 weeks of age and older.

Fort Dodge intends this product to be sold only by veterinarians and used in established veterinarian/client/patient relationships.

Fort Dodge may institute appropriate legal action if this product is sold by persons outside this veterinarian/client/patient relationship.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See inside pamphlet for label information and directions for use. Read the entire label, directions for use and "How to Apply" instructions before using the product each time. For use on cats only.

For control of fleas (*Ctenocephalides* sp.) apply the entire contents of the applicator to a single spot on the skin of the cat below the back of the head. Do not apply on the surface of cat's hair coat. Avoid contact with treated area until dry. Avoid allowing the product to come in contact with your skin. Place empty applicator in trash. Monthly application is recommended for effective control of fleas and to prevent reinfestation where there is a high risk of reinfestation or if the cat is susceptible to flea allergy dermatitis. Use the Small Cat applicator for all kittens between 8 weeks and 6 months of age.

For more information, contact your veterinarian or call the ProMeris™ for cats Consumer Helpline at 1-888-PROMERIS (1-888-776-6374)

Fort Dodge Animal Health
P.O. Box 25945
Overland Park, KS 66225
MADE IN ITALY



Fort Dodge Animal Health
A Division of Wyeth

Large cats
9 lbs and over




8620041-03
15/1107




28/30

03/29



Remove one applicator from the foil pouch. Hold applicator upright for three seconds to avoid splash when opening. Use top teeth to hold both ends of applicator with profiled side facing the user and narrow end pointing upward and away from the user.



To open, bend the tip of applicator towards the user and break along the fracture line. Do not separate applicator when opening. Avoid touching applicator casing.

Promeris[™] for cats

Calendar Reminder

Apply the first reminder sticker to your calendar on the first day you treat your cat with Promeris[™] for cats. A single dose of Promeris[™] for cats is effective for up to 7 weeks in controlling fleas. Reapplication at monthly intervals may be appropriate depending upon the level of flea challenge and animal sensitivities. Apply the remaining stickers at monthly intervals or as needed (but not more frequently than once a month), or track treatments by writing the dates of each treatment in the spaces provided.



Ask for more Promeris[™] for cats

Date of next treatment Date of next treatment Date of next treatment




- 1st choice: • Exclusive mode of action - voltage dependent sodium channel blocker
- 2nd choice: • Novel mode of action - voltage dependent sodium channel blocker
- 3rd choice: • Unique mode of action - voltage dependent sodium channel blocker
- 4th choice: • Innovative mode of action - voltage dependent sodium channel blocker
- 5th choice: • The only metaflumizone-based product for flea control in cats

ProMeris™ for cats



Fort Dodge Animal Health
A division of Wyeth



Page 2

Benefits of ProMeris™ for cats include:

- Stops and controls infestations of fleas
- Prevents reinfestation of fleas
- Long-lasting control for up to 7 weeks
- New mode of action - voltage dependent sodium channel blocker
- Kills fleas that may cause flea allergy dermatitis
- Convenient and easy to use applicator
- Available only from a licensed veterinary professional

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For external use on cats and kittens 8 weeks of age and older*. DO NOT USE ON ANY ANIMALS OTHER THAN CATS.

PACKAGING

ProMeris™ for cats is available in two packaging presentations for different body weights of cats or kittens 8 weeks of age and older (see table below). Each package contains one, three or six individual applicator tubes to provide monthly treatments. The cat body weight limits and product volume sizes are specified on individual labels of cartons, foil pouches and applicators.

Package Size	Cat Size (lb)	Fl. oz/applicator
S	Small cats* less than 9	0.027
L	Large cats 9 and over	0.054

*Use the Small Cat applicator for all kittens between 8 weeks and 6 months of age

Page 4

Container Disposal:

If empty: Do not reuse this container. Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instruction. Never place unused product down any indoor or outdoor drain.

FIRST AID FOR HUMANS

Have the product applicator, carton or this product label with you when contacting a poison control center or medical professional. If in eyes, hold eyes open and rinse with water for 15 to 20 minutes. If contact lens is present, remove contact lens after the first five minutes of rinsing, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

Hazards to Humans

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

Hazards to Domestic Animals

For external use only. FOR USE ON CATS ONLY. Do not use on kittens younger than 8 weeks of age. Care should be taken to apply as directed to minimize the chance of accidental ingestion by the cat. Exposure or ingestion may result in temporary salivation; this response should disappear without treatment. Correct application of the product will reduce the chances of oral exposure. Certain medications can interact with pesticides. Consult a veterinarian before using this product on aged, debilitated, medicated, pregnant or nursing animals. Individual sensitivities, while rare, may occur after the use of any pesticide product. If skin irritation, change in behavior, vomiting or diarrhea is observed and persists after the use of the product, call your veterinarian immediately.

For further product information, call 1-888-PROMERIS (1-888-776-6374).

Physical and Chemical Hazards

Combustible. Do not use or store near heat or open flame.

LIMITED WARRANTY AND DISCLAIMER

Directions for use of this product are based upon tests believed to be reliable. The use of this product being beyond control of the seller, no guarantee, express or implied, is made as to the effects of such use or the results to be obtained if not used in accordance with printed directions and established safe practice. To the extent consistent with applicable law, buyer's exclusive remedy and seller's exclusive liability for any and all claims, losses, damages or injuries resulting from the use or handling of this product, whether or not based in contract, negligence, strict liability in tort or otherwise shall be limited, at the seller's option, to replacement of, or the repayment of the purchase price for, the quantity of product with respect to which damages are claimed.

Fort Dodge Animal Health
P.O. Box Z5945
Overland Park, KS 66225

MADE IN ITALY

EPA Reg. No. 80490-3
EPA Est. No. 81052-ITA-001

© 2006 Fort Dodge Animal Health, a division of Wyeth. All rights reserved

82007
© 2001/12 7

Page 12 of 12

ProMeris™
for cats



Fort Dodge Animal Health

Single spot application for control of fleas on cats and kittens 8 weeks of age and older.

ACTIVE INGREDIENT:

Metaflumizone (CAS No. 139968-49-3)18.53%
OTHER INGREDIENTS81.47%
TOTAL100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

READ ENTIRE LABEL BEFORE USE


For control of fleas (*Ctenocephalides* sp.) on cats and kittens 8 weeks of age and older. ProMeris™ for cats is a convenient single spot application that provides control of existing flea infestations, and protects against reinfestation. It may also be used to prevent infestation in flea-free cats and kittens 8 weeks of age and older taken into a flea-contaminated environment. Kills fleas that may cause flea allergy dermatitis.

A single dose of ProMeris™ for cats is effective for up to 7 weeks in controlling fleas. Apply a single dose prior to exposure. Reapplication at monthly intervals may be appropriate depending upon the level of flea challenge and animal sensitivities (i.e. flea allergy dermatitis). Do not apply more than once monthly.

ProMeris™ for cats contains the active ingredient, metaflumizone, which provides a high level of control of fleas by blocking gated sodium channels.

Page 1

HOW TO APPLY



1. Remove one applicator from the foil pouch.
2. Hold applicator upright for three seconds to avoid splash when opening.
3. Use two hands to hold both ends of applicator with printed side facing the user and narrow end pointing upward and away from the user.
4. To open, bend the tip of applicator towards the user and break along the fracture line.
5. Do not squeeze applicator when opening. Avoid touching applicator opening.
6. Fold tip back against the printed side of applicator. Hold applicator in one hand using thumb to hold tip back against the printed side of applicator.
7. Push the open tip through cat's hair coat onto cat's skin below the back of the head. Squeeze applicator to apply the entire contents to the cat's skin. Do not apply on the surface of cat's hair coat. Avoid contact with treated area until dry.
8. Avoid allowing the product to come in contact with your skin.
9. Place empty applicator in trash.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage:
Store in a cool dry place.

Page 3

Page 5

30/30