

80967-12

6/14/2012

1029



U S ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave N W
Washington D C 20460

NOTICE OF PESTICIDE

Registration
 Reregistration

(under FIFRA, as amended)

EPA Reg Number

80967-12

Date of Issuance

6-14-12

Term of Issuance

Unconditional

Name of Pesticide Product

Revolution G N GO Herbicide

Name and Address of Registrant (include ZIP Code)

Mey Corporation
121 S Estes Drive, Ste 101
Chapel Hill, NY 27514

Note Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant the above named pesticide is hereby registered/reregistered under the Federal Insecticide Fungicide and Rodenticide Act

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency In order to protect health and the environment the Administrator on his motion may at any time suspend or cancel the registration of a pesticide in accordance with the Act The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others

This product is registered in accordance with FIFRA section 3(c)(5) provided that you

- 1 Submit and/or cite all data required for registration/reregistration /registration review of your product when the Agency requires all registrants of similar products to submit such data

Signature of Approving Official

Kable Bo Davis
Product Manager 25
Herbicide Branch, Registration Division (7505P)

Date

6-14-12

Page 2
EPA Reg 80967-12

- 2 Submit one copy of the final printed label for the record before you release the product for shipment
- 3 Change the EPA Reg # to 80967-12
- 4 Submit the results of the storage stability and corrosion characteristics studies within 18 months from the date of this registration

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e) Your release for shipment of the product constitutes acceptance of these conditions

A stamped copy of the label is enclosed for your records If you have any questions please contact Erik Kraft at 703-308-9358 or kraft.erik@epa.gov

Master Label containing
Sublabel A Complete Booklet Label
Sublabel B Container Label
Sublabel C N Go Component Label

Restricted Use Pesticide
Ground and Surface Water Concerns
For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification
Users must read and follow all precautionary statements and instructions for use in order to minimize potential for atrazine to reach ground and surface water

REVOLUTION G N GO™ HERBICIDE

Active Ingredients

*N-(phosphonomethyl) glycine	46 1%
**Atrazine	35 1%
Dicamba	15 1%
Other Ingredients	3 7%
Total	100 0%

*Contains 7 6 lb of glyphosate acid per bag (46 lb glyphosate acid per lb of product)
** This product contains 5 9 lbs of atrazine a i per bag and 2 5 lbs of dicamba a i per bag

WARNING
Keep Out Of Reach Of Children
Read entire label before using this product

AVISO


Si usted no entiende la etiqueta busque a alguien para que se la explique a usted en detalle (If you do not understand the label find someone to explain it to you in detail)

EPA Reg No 80967-X

EPA Est No 19713-TN-003

Net Weight 16 5 lbs bags, Bulk

Manufactured in China for
MEY Corporation
121 S Estes Drive, Ste 101
Chapel Hill NC 27514
USA
Tel (919) 932-5800



Sublabel A Complete Booklet Label

Restricted Use Pesticide
Ground and Surface Water Concerns
For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification Users must read and follow all precautionary statements and instructions for use in order to minimize potential for atrazine to reach ground and surface water

REVOLUTION G N GO HERBICIDE

Complete Directions for Use IN ROUNDUP READY or GLYPHOSATE RESISTANT CORN

REVOLUTION G N GO HERBICIDE MUST BE USED WITH N GO™ WATER CONDITIONER/BUFFER DO NOT USE THIS PRODUCT WITH ANY OTHER SURFACTANTS CONDITIONERS OR BUFFERING AGENTS DO NOT USE THIS PRODUCT WITHOUT N GO™ WATER CONDITIONER/BUFFER OR *EQUIVALENT PRODUCT

Avoid Contact Of Herbicide With Foliage Green Stems Exposed Non-Woody Roots Or Fruit Of Crops (Except As Specified For Individual Roundup Ready® or glyphosate resistant corn Crops Avoid application to Desirable Plants And Trees Because Severe Injury Or Destruction May Result

*Equivalent brands of N GO include N Tense Hel-Fire N Tank Gunsmoke En-Act and Brimstone

Read the entire label before using this product Use only according to label instructions

Active Ingredients

Active Ingredients	
*N-(phosphonomethyl) glycine	46 1%
**Atrazine	35 1%
Dicamba	15 1%
Other Ingredients	<u>3 7%</u>
Total	100 0%

*Contains 7 6 lb of glyphosate acid per bag (46 lb glyphosate acid per lb of product)
** This product contains 5 9 lbs of atrazine a l per bag and 2 5 lbs of dicamba a l per bag

WARNING

Keep Out Of Reach Of Children
Read entire label before using this product

AVISO

Si usted no entiende la etiqueta busque a alguien para que se la explique a usted en detalle (If you do not understand the label find someone to explain it to you in detail)

EPA Reg No 80967-X

EPA Est No 19713-TN-003

Net Weight 16.5 lbs Bulk

Manufactured in China for
MEY Corporation
121 S Estes Drive Ste 101
Chapel Hill NC 27514
USA
Tel (919) 932-5800

FIRST AID	
If on skin	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for treatment advice
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes • Remove contact lenses if present after the first 5 minutes then continue rinsing eye • Call a poison control center or doctor for treatment advice
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing call 911 or an ambulance then give artificial respiration preferably by mouth-to-mouth if possible • Call a poison control center or doctor for further treatment advice
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to do so by the poison control center or doctor • Do not give anything by mouth to an unconscious person
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. This product is identified as REVOLUTION G N GO™ HERBICIDE EPA Reg No 80967-X. You may also contact 1-800-222-1222 for emergency treatment information.</p>	
<p>NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gastric lavage.</p>	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER Corrosive Causes skin irritation Causes substantial but temporary eye injury
 Harmful if absorbed through skin Harmful if inhaled Harmful if swallowed Do not get on skin or
 on clothing Avoid contact with skin eyes and clothing Avoid breathing spray mist

Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are barrier laminate >14 mils neoprene rubber >14 mils polyvinyl chloride (PVC) > 14 mils or viton > 14 mils
 If you want more options follow the instructions for Category A on an EPA chemical resistance category selection chart

Applicators using spray equipment mounted on their backs must wear

- 1 Coveralls over long-sleeved shirt and long pants
- 2 Chemical-resistant footwear plus socks and
- 3 Chemical-resistant gloves such as barrier laminate >14 mils neoprene rubber >14 mils polyvinyl chloride (PVC) > 14 mils or viton > 14 mils and
- 4 Face shield or goggles and
- 5 A NIOSH approved respirator equipped with a dust/mist filter with MSHA/ NIOSH approval prefix TC-21C or any R P or HE filter

Mixers loaders applicators, flaggers and other handlers must wear

- 1 Long sleeved shirt and long pants
- 2 Chemical-resistant gloves such as barrier laminate >14 mils neoprene rubber >14 mils polyvinyl chloride (PVC) > 14 mils or viton > 14 mils
- 3 Shoes plus socks and
- 4 Chemical resistant apron when mixing/loading cleaning up spills or cleaning equipment or otherwise exposed to concentrate
- 5 Face shield or goggles and
- 6 A NIOSH approved respirator equipped with a dust/mist filter with MSHA/ NIOSH approval prefix TC-21C or any R P or HE filter

See engineering controls for additional requirements

Follow manufacturer's instructions for cleaning/maintaining PPE If there are no such instructions for washables exist use detergent and hot water Keep and wash PPE separately from other laundry

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate Do not reuse them

User Safety Recommendations

- 1 Users must wash hands before eating drinking chewing gum using tobacco or using the toilet
- 2 Users must remove clothing/PPE immediately if pesticide gets inside Then wash thoroughly and put on clean clothing
- 3 Users must remove PPE immediately after handling this product Wash the outside of gloves before removing As soon as possible wash thoroughly and change into clean clothing

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark Do not contaminate water when disposing of equipment wash waters or rinsate

Atrazine in REVOLUTION HERBICIDE can travel (seep or leach) through soil and can enter ground water which may be used as drinking water Atrazine has been found in ground water Users are advised not to apply atrazine to sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable i.e. well-drained Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water

Product must not be mixed or loaded within 50 feet of intermittent streams and rivers natural or impounded lakes and reservoirs Product must not be applied within 66 feet of points where field surface water runoff enters perennial or intermittent streams and rivers within 200 feet of natural or impounded lakes and reservoirs If this product is applied to highly erodible land the 66 foot buffer or setback from runoff entry points must be planted to crop or seeded with grass or other suitable crop

Product must not be mixed/loaded or used within 50 feet of any wells including abandoned wells drainage wells and sinkholes Operations that involve mixing, loading rinsing or washing of this product into or from pesticide handling or application equipment or containers within 50 ft of any well are prohibited unless conducted on an impervious pad constructed to withstand the weight of the heaviest load that may be positioned on or moved across the pad Such a pad shall be designed and maintained to contain any product spills or equipment leaks container or equipment rinse or washwater and rainwater that may fall on the pad Surface water shall not be allowed to either flow over or from the pad which means the pad must be self contained The pad shall be sloped to facilitate material removal An unroofed pad shall be of sufficient capacity to contain at a minimum of 110% of the capacity of the largest pesticide container or application equipment of the pad A pad that is covered by a roof of sufficient size to completely exclude precipitation from contact with the pad shall have a minimum containment capacity of 100% of the capacity of the largest pesticide container or application equipment on the pad Containment capabilities as described above shall be maintained at all times The above specified minimum containment capacities do not apply to vehicles when delivering pesticides shipments to the mixing/loading sites

Additional State imposed requirements regarding well-head setbacks and operational area containment must be observed

One of the following restrictions must be used in applying atrazine to tile-outletted fields containing standpipes

- Do not apply within 66 feet of standpipes in tile-outletted fields
- Apply this product to the entire tile-outletted field and immediately incorporate it to a depth of 2-3 inches in the entire field
- Apply this product to the entire tile-outletted field under a no-till practice only when a high crop residue management practice is practiced. High crop residue management is described as a crop management practice where little or no crop residue is removed from the field during and after harvest

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwater.

PHYSICAL OR CHEMICAL HAZARDS

Solutions of this product must be mixed and used only in stainless steel, fiberglass, plastic, and plastic-lined containers.

DO NOT MIX, STORE, OR UTILIZE THIS PRODUCT OR SOLUTIONS OF THIS PRODUCT IN GALVANIZED STEEL OR UNLINED STEEL (EXCEPT STAINLESS STEEL) CONTAINERS OR TANKS. This product or solutions of this product react with such containers and tanks to produce hydrogen gas, which may form a highly combustible gas mixture. This mixture could flash or explode, causing serious personal injury if ignited by open flame, spark, welder's torch, lighted cigarette, or other ignition source.

DOMESTIC ANIMALS This product is considered to be relatively nontoxic to dogs and other domestic animals; however, ingestion of this product or large amounts of freshly sprayed vegetation may result in temporary gastrointestinal irritation (vomiting, diarrhea, colic, etc.). If such symptoms are observed, provide the animal with plenty of fluids to prevent dehydration. Call a veterinarian if symptoms persist for more than 24 hours.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. This product can only be used in accordance with the Directions for Use on this label or in separately published MEY Corporation Supplemental Labeling.

ANY USE OF THIS PRODUCT IN AN AREA WHERE USE IS PROHIBITED IS A VIOLATION OF FEDERAL LAW. Before using this product, you must consult the Atrazine Watershed Information Center (AWIC) to determine whether the use of this product is prohibited in your watershed. AWIC can be accessed through www.atrazine-watershed.info or 1-866-365-3014. If use of this product is prohibited in your watershed, you may return this product to your point of purchase or contact MEY Corporation for a refund.

This product is a restricted use herbicide due to ground and surface water concerns. Users must read and follow all precautionary statements and instructions for use in order to minimize potential for Atrazine to reach ground and surface water.

Groundwater contamination may be reduced by diking and flooring of permanent liquid bulk storage sites with an impermeable material.

Do not apply this product through any type of irrigation system.

When tank mixing or sequentially applying atrazine or products containing atrazine to corn, the total pounds of atrazine applied (lbs ai/A) must not exceed 2.5 pounds active ingredient per year.

Check valves or anti-siphoning devices must be on all mixing equipment to prevent back-siphoning into wells or bulk storage tanks. See the Storage and Disposal section of the label regarding proper disposal of excess pesticide spray mixtures and rinsate.

All applicable directions, restrictions and precautions are to be followed. This label must be in the possession of the actual product user at the time of application.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulations.

Only two applications of this product are allowed per year.

Do not apply this product through aerial application.

THIS IS AN END-USE PRODUCT AND MEY CORPORATION, DOES NOT INTEND AND HAS NOT REGISTERED IT FOR FORMULATION, REFORMULATION, MANUFACTURING OR REPACKAGING USE.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 29 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protection equipment (PPE) and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours. Exception: If the product is soil injected or soil incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil

or water is

coveralls worn over short sleeve shirt and short pants
 chemical resistant footwear plus socks
 chemical-resistant gloves made of any waterproof material
 chemical-resistant headgear for overhead exposure
 protective eyewear
 face shield or goggles and
 a NIOSH approved respirator equipped with a dust/mist filter with MSHA/ NIOSH approval
 prefix TC-21C or any R P or HE filter

Storage and Disposal

Do not contaminate water food or feed by storage and disposal

Pesticides Storage Keep container closed to prevent spills and contamination

Pesticide Disposal Wastes of this product may be dangerous Improper disposal of excess pesticide or rinse is a violation of Federal Law If these wastes cannot be disposed of according to the label instructions contact your State Pesticide or Environmental Control Agency or Hazardous Waste Representative at the nearest EPA Regional Office for guidance

Container Disposal Non-refillable container Do not reuse bag or box [For bulk product Triple rinse promptly after emptying Triple rinse as follows Empty remaining contents into application equipment or a mix tank Fill the container ¼ full with water Replace and tighten closures Tip container on its side and roll it back and forth ensuring at least one complete revolution for 30 seconds Stand the container on its end and tip it back and forth several times Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal Repeat this procedure two more times] Offer for recycling if available Dispose of outer bag and box in a sanitary landfill or by incineration or if allowed by State and local authorities, by burning If burned stay out of smoke

PRODUCT INFORMATION

(How this product works)

Product Description REVOLUTION G N GO Herbicide is a three way herbicide with soil residual activity It is generally non-selective and gives broad spectrum control of many annual weeds and perennial weeds in glyphosate resistant corn As a pre-emergent and post emergent product (**REVOLUTION G N GO HERBICIDE**) (**This product**) is a new (US PATENT 6 936 572 and 7 247 602) three part system where technical glyphosate is used in conjunction with atrazine and dicamba salts with a water conditioner (**REVOLUTION G N GO HERBICIDE**) (**This product**) **MUST** be used with the **N GO Water Conditioner/Buffer** or equivalent brand* and may be applied through most standard industrial or field-type sprayers after dilution and mixing with water according to label instructions

*Equivalent brands of N GO include N Tense Hel-Fire N Tank Gunsmoke En-Act and Brimstone

Do not add surfactants additives containing surfactants buffering agents pH adjusting agents or ammonium sulfate to the spray solution Drift control additives or dyes and colorants may be used See the MIXING section of this label for instructions

Time to Symptoms This product moves through the plant from the point of foliage contact to and into the root system Visible effects on most annual weeds occur within 2 to 4 days but on most perennial weeds may not occur for 7 days or more Extremely cool or cloudy weather following treatment may slow activity of this product and delay development of visual symptoms Visible effects are a gradual wilting and yellowing of the plant which advances to complete browning of above-ground growth and deterioration of underground plant parts

Stage of Weeds Annual weeds are easiest to control when they are small Best control of most perennial weeds is obtained when treatment is made at late growth stages approaching maturity Refer to the annual perennial woody brush and trees rate tables for rate specifications for specific weeds

Always use the higher rate of this product per acre within the specified range when weed growth is heavy or dense or weeds are growing in an undisturbed (noncultivated) area

Do not treat weeds under poor growing conditions such as drought stress disease or insect damage as reduced weed control may result Reduced results may also occur when treating weeds heavily covered with dust

Cultural Considerations Reduced control may result when applications are made to annual or perennial weeds that have been mowed grazed or cut and have not been allowed to regrow to the specified stage for treatment

Rainfastness Heavy rainfall within 2 hours after application may wash this product off of the foliage and a repeat application may be required for adequate control

Spray Coverage For best results spray coverage must be uniform and complete Do not spray weed foliage to the point of runoff

Mode of Action The multiple active ingredients in this product address an excellent resistance management strategy while placing a very low impact on the environment

The active ingredient in this product inhibits an enzyme found only in plants and microorganisms that is essential to formation of specific amino acids Micronutrients can be applied as part of a tank mix

Soil Activity Emerged weeds and non emerged weeds at the time of application are controlled by this product Most Weeds germinating from seed after application will not be controlled until canopy is achieved

Biological Degradation Degradation of this product is primarily a biological process carried out by soil microbes

Annual Maximum Use Rate

a) If this product is tank mixed with an additional glyphosate product or if another glyphosate product is sequentially applied 1) the combined maximum application rate per year for all applications must not exceed 5.9 lbs a.i. glyphosate per acre per year 2) Preplant At-Planting and Preemergence applications must not exceed 3.6 lbs a.i. glyphosate per acre per year 3) Total in-crop applications from emergence through the V8 stage or 30 inches must not exceed 1.5 lbs a.i. glyphosate per year 4) Maximum preharvest application rate after maximum kernel fill is complete and the crop is physiologically mature must not exceed 0.75 lbs a.i. glyphosate per year

b) If this product is tank mixed with an additional atrazine product or if another atrazine product is sequentially applied the total lbs active ingredient of atrazine per acre per year must not exceed 2.5 lbs active ingredient of atrazine per acre per year

c) If this product is tank mixed with an additional active dicamba product or if another dicamba product is sequentially applied the maximum application per year must not exceed 2.0 lbs active ingredient of dicamba per acre per year

ATTENTION

AVOID CONTACT OF HERBICIDE WITH FOLIAGE, GREEN STEMS, EXPOSED NON-WOODY ROOTS CROPS (EXCEPT AS SPECIFIED FOR INDIVIDUAL ROUNDUP READY CORN CROPS), DESIRABLE PLANTS AND TREES, BECAUSE SEVERE INJURY OR DESTRUCTION MAY RESULT

AVOID DRIFT EXTREME CARE MUST BE USED WHEN APPLYING THIS PRODUCT TO PREVENT INJURY TO DESIRABLE PLANTS AND CROPS

Do not allow the herbicide solution to mist drip drift or splash onto desirable vegetation since minute quantities of this product can cause severe damage or destruction to the crop plants or other areas on which treatment was not intended. The likelihood of injury occurring from the use of this product increases when winds are gusty as wind velocity increases when wind direction is constantly changing or when there are other meteorological conditions that favor spray drift. When spraying avoid combinations of pressure and nozzle type that will result in splatter or fine particles (mist) which are likely to drift. **AVOID APPLYING AT EXCESSIVE SPEED OR PRESSURE**

NOTE Use of this product in any manner not consistent with this label may result in injury to persons animals or crops or other unintended consequences

MIXING

This package contains 16.5 pounds of combined ingredients in one bag. Combine **(REVOLUTION G N GO HERBICIDE) (this product)** and one 2.5 gallon container of **N GO Water Conditioner/Buffer** or equivalent brand*. If water soluble packs

are present Use entire contents of bag Empty entire contents of bag into the sprayer do not add partial contents of the bag to sprayer or retain or store partial contents of bags If all of **(REVOLUTION G N GO HERBICIDE) (this product)** are not used close and reseal outer container to protect remaining bag

*Equivalent brands of N GO include N Tense Hel-Fire N Tank Gunsmoke En-Act and Brimstone

Clean sprayer parts immediately after using this product by thoroughly flushing with water

Maintain sufficient agitation to keep the product in suspension at all times until the contents of the tank are sprayed If the spray mixture is allowed to settle thorough agitation is required to re-suspend the mixture before spraying is resumed

Keep by-pass line on or near the bottom of the tank to minimize foaming Screen size in nozzle or line strainers must be no finer than 50 mesh

NOTE REDUCED RESULTS MAY OCCUR IF WATER CONTAINING SOIL IS USED SUCH AS VISIBLY MUDDY WATER OR WATER FROM PONDS AND DITCHES THAT IS NOT CLEAR

Mixing With Water

Mix spray solutions of this product as follows

- 1 Fill the mixing or spray tank with at least one-half the required amount of water and start sufficient agitation to keep the product in suspension
- 2 Add an appropriate amount of **N GO Water Conditioner/Buffer** or *equivalent product for a spray solution of 0.5% to 1% by volume and mix well (if applying 10 gal of water volume per acre mix 6.4 oz (0.5%v/v) or 12.8 oz (1%v/v) of **N GO Water Conditioner/Buffer** Use upper rate of N GO with upper rate of **REVOLUTION G N GO HERBICIDE** Or use 1%v/v rate for water volumes of 15 gal per acre
- 3 Add the (unopened) (entire) **(REVOLUTION G N GO HERBICIDE) (this product)** bag to the water/ **N GO Water Conditioner/Buffer** mixture while maintaining sufficient agitation to keep the product in suspension Add remaining water to spray tank directing the water stream at the floating packet(s) until the required water volume is reached Granules must completely dissolve in approximately five minutes Dissolution rate may be slowed by cold water lack of proper agitation or water containing high concentrations of boron or sulfur
- 4 Use caution to avoid siphoning back into the carrier source Use approved anti-back-siphoning devices where required by state or local regulations
- 5 If during mixing and application foaming of the spray solution occurs use an approved anti-foam or defoaming agent

- 6 Maintain sufficient agitation to keep the product in suspension at all times until spraying is completed

*Equivalent brands of N GO include N Tense Hel-Fire N Tank Gunsmoke En-Act and Brimstone

Tank Mixing Procedure

Mix labeled tank mixtures of this product with water as follows

- 1 Place a 20 to 35 mesh screen or welling basket over filling port or use an injector
- 2 Through the screen fill the spray tank one-half full with water and start sufficient agitation to keep the product in suspension
- 3 Add an appropriate amount of **N GO Water Conditioner/Buffer** for a spray solution of 0.5% to 1% by volume and mix well
- 4 Add the (unopened) (entire) (**REVOLUTION HERBICIDE**) (**this product**) bag to the water/**N GO Water Conditioner/Buffer** mixture while maintaining sufficient agitation to keep the product in suspension in spray tank or injector tank. Add remaining water to spray tank or into injector tank (system) directing the water stream at the granules until the required water volume is reached. Granules must completely dissolve in approximately five minutes. Dissolution rate may be slowed by cold water, lack of proper agitation, or water containing high concentrations of boron or sulfur.
- 5 If during mixing and application foaming of the spray solution occurs, use an approved anti-foam or defoaming agent.
- 6 Maintain sufficient agitation to keep the product in suspension at all times until the contents of the tank are sprayed.

Always predetermine the compatibility of labeled tank mixtures of this product with water carrier by mixing small proportional quantities in advance.

Ammonium Sulfate

DO NOT use ammonium sulfate with this product

Colorants or Dyes

Agriculturally-approved colorants or marking dyes may be added to this product. Colorants or dyes used in spray solutions of this product may reduce performance, especially at lower rates or dilutions. Use colorants or dyes according to the manufacturer's rate specifications.

Drift Control Additives

Drift control additives may be used with all equipment types. When a drift control additive is used, read and carefully observe the cautionary statements and all other information appearing on the additive label.

Surfactants

Only Use **N GO Water Conditioner/Buffer** or *equivalent product with this product. Other surfactants approved for food use that are compatible with the active ingredients in this product can be added.

*Equivalent brands of N GO include N Tense, Hel-Fire, N Tank, Gunsmoke, En-Act and Brimstone.

Buffering and pH Adjusting Agents

Use only **N GO Water Conditioner/Buffer** with this product. Any other additional buffering and pH adjusting agents are not required.

APPLICATION EQUIPMENT AND TECHNIQUES

Do not apply this product through any type of irrigation system.

This product may be applied with the following application equipment:

Ground Broadcast Spray--Boom or boomless systems, pull-type sprayer floaters, pick-up sprayers, spray coupes and other ground broadcast equipment.

Hand-Held Spray Equipment – Handguns, handwands, lances and other hand-held and motorized spray equipment used to direct the spray onto weed foliage. Agitation must be maintained at all time.

Selective Equipment--Recirculating sprayers and shielded and hooded sprayers.

Controlled Droplet Applicator (CDA)--Hand-held or boom-mounted applicators which produce a spray consisting of a narrow range of droplet sizes.

APPLY THESE SPRAY SOLUTIONS IN PROPERLY MAINTAINED AND CALIBRATED EQUIPMENT CAPABLE OF DELIVERING DESIRED VOLUMES.

Ground Broadcast Equipment

Use the specified rates of this product in 3 to 20 gallons of water per acre as a broadcast spray unless otherwise specified. As density of weeds increases, spray volume must be increased within the specified range to ensure complete coverage. Carefully select proper nozzles to avoid spraying a fine mist. For best results with

ground application equipment use flat spray nozzles Check for even distribution of spray droplets

Hand-Held Equipment

Apply to foliage of vegetation to be controlled For applications made on a spray-to-wet basis spray coverage must be uniform and complete Do not spray to the point of runoff Use coarse sprays only For specified rates and timing refer to the "ANNUAL WEEDS -- HAND-HELD EQUIPMENT" section of this product label

Selective Equipment

This product may be applied through recirculating spray systems shielded applicators and hooded sprayers after dilution and thorough mixing with water to listed weeds growing in any non crop site specified on this label

In cropping systems hooded sprayers and shielded sprayers in row middles (in between rows of crop plants) where any dripping or leaking will not contact crop foliage Such equipment must be capable of preventing all crop contact with herbicide solutions and operated without leakage of spray mists or dripping onto crop

AVOID CONTACT OF HERBICIDE WITH DESIRABLE VEGETATION

Contact of the herbicide solution with desirable vegetation may result in damage or destruction Applicators used above desirable vegetation must be adjusted so that the lowest spray stream contact point is at least 2 inches above the desirable vegetation Droplets mist foam or splatter of the herbicide solution settling on desirable vegetation may result in discoloration stunting or destruction

Applications made above the crops must be made when the weeds are a minimum of 6 inches above the desirable vegetation Better results may be obtained when more of the weed is exposed to the herbicide solution Weeds not contacted by the herbicide solution will not be affected This may occur in dense clumps severe infestations or when the height of the weeds varies so that not all weeds are contacted In these instances repeat treatment may be necessary

Recirculating spray system

A recirculating spray system directs the spray solution onto weeds growing above desirable vegetation while spray solution not intercepted by weeds is collected and returned to the spray tank for reuse

Shielded and hooded applicators

A hooded sprayer is a type of shielded applicator where the spray pattern is fully enclosed including top sides front and back thereby shielding the crop from the spray solution Keep shields on these sprayers adjusted to protect desirable vegetation When applying to crops grown on raised beds ensure that the hood is designed to completely enclose the spray solution If necessary extend the front and rear flaps of the hoods to reach the ground in deep furrows **EXTREME CARE**

MUST BE EXERCISED TO AVOID CONTACT OF HERBICIDE WITH DESIRABLE VEGETATION

This equipment must be set up and operated in a manner that avoids bouncing or raising the hoods off the ground in any way. If the hoods are raised, spray particles may escape and come into contact with the crop, causing damage or destruction of the crop. Avoid operation on rough or sloping ground where the spray hoods might be raised off the ground.

Use hoods designed to minimize excessive dripping or run-off down the insides of the hoods. A single, low pressure/low drift flat-fan nozzle with an 80 to 95 degree spray angle positioned at the top center of the hood is specified. Spray volume must be 20-30 gallons per acre.

These procedures will reduce the potential for crop injury.

- The spray hoods must be operated on the ground or skimming across the ground.
- Leave at least an 8 inch untreated strip over the drill row. For example, if the crop row width is 38 inches, the maximum width of the spray hood must be 30 inches.
- Maximum tractor speed: 5 mph to avoid bouncing of the spray hoods.
- Maximum wind speed: 10 mph.
- Use low-drift nozzles that provide uniform coverage within the treated area.

Crop injury may occur when the foliage of treated weeds comes into direct contact with leaves of the crop. Do not apply this product when the leaves of the crop are growing in direct contact with weeds to be treated. Droplets, mist, foam, or splatter of the herbicide solution may contact the crop and cause discoloration, stunting, or destruction.

CDA Equipment

The rate of this product applied per acre by vehicle-mounted CDA equipment must not be less than the amount specified in this label when applied by conventional broadcast equipment. For vehicle-mounted CDA equipment, apply 2 to 15 gallons of water per acre.

Controlled droplet application equipment produces a spray pattern that is not easily visible. Extreme care must be exercised to avoid spray or drift contacting the foliage or any other green tissue of desirable vegetation, as damage or destruction may result.

CORN USES

For Use on Round Up Ready Corn Do not use on sweet corn

Weeds List

ANNUALS	
Alkanet	Mustard Black Blue Tansy Treacle Tumble Wild
Amaranth Palmer Powell Spiny	Yellowtops
Aster Slender	Narrow leaved Hawk s Beard
Bedstraw Catchweed	Nightshade Black Cutleaf
Beggarweed Florida	Pennycress Field (Fanweed Frenchweed Stinkweed)
Broomweed Common	Pigweed Redroot Smooth
Buckwheat Tartary Wild	Pineappleweed
Annuals Continued	
Buffalobur	Poorjoe
Burclover California	Poppy Red-horned
Burcucumber	Prickly Lettuce
Buttercup Corn Creeping Roughseed	Puncturevine
Western Field	Purslane Common
Carpetweed	Pusley Florida
Catchfly Nightflowering	Radish Wild
Chamomile Corn	Ragweed Common Giant (Buffaloweed) Lance Leaf
Chervil Bur	Rocket London Yellow
Chickweed Common	Rubberweed Bitter (Bitterweed)
Cleavers	Salsify
Clovers	Senna Coffee
Cockle Corn Cow White	Sesbania Hemp
Cocklebur Common	Shepherd s Purse
Copperleaf Hophornbeam	Sicklepod
Cornflower (Bachelor Button)	Sida Prickly (Teaweed)
Corn Spurry	Smartweed Green Pennsylvania
Croton Tropic Woolly	Sneezeweed Bitter
Daisy English	Sowthistle Annual Spiny
Descurania Sophia	Spanish Needles
Dragonhead American	Spikeweed Common
Eastern Black Flowering Nightshade	Spurge Prostrate Leafy
Eveningprimrose Cutleaf	Spurry Corn
Falseflax Smallseed	Starbur Bristly
Fleabane Annual	Starwort Little
Flixweed	Stinkweed
Fumitory	Sumpweed Rough
Green Smartweed	Sunflower Common (Wild) Volunteer
Goosefoot Nettleleaf	Thistle Russian
Hempnettle	Velvetleaf
Henbit	Volunteer Canola
Jacobs-ladder	Volunteer Flax
Jimsonweed	Waterhemp
Knawel (German Moss)	Waterprimrose Winged
Knotweed Prostrate	Wormwood
Kochia	Wild Buckwheat
Ladys thumb	Wild Mustard

Lambs quarters Common	Wild Tomato
Lettuce Miners Prickly	
Mallow Common Venice	
Marestail (Horseweed)	
Mayweed	
Morningglory Ivyleaf Tall	

ANNUAL GRASSES

Barnyard Grass	Persian Darnel
Blue Grass	Volunteer Barley
Crab Grass Large (Hairy) Smooth	Volunteer Corn
Downy Brome	Volunteer Wheat
Foxtail Giant Green	Wild Oats
Groundcherry	Yellow Foxtail

BIENNIALS

Burdock Common	Mallow Dwarf
Carrot Wild (Queen Anne s Lace)	Plantain Bracted
Cockle White	Ragwort Tansy
Eveningprimrose Common	Starthistle Yellow
Geranium Carolina	Sweetclover
Gromwell	Teasel
Knapweed Diffuse Spotted	Thistle Bull Milk Musk Plumeless

PERENNIALS

Alfalfa(1)	Milkweed Climbing Common Honeyvine Western Whorled
Artichoke Jerusalem	Nettle Stinging
Aster Spiny White heath	Nightshade Silverleaf (White Horsenettle)
Bedstraw Smooth	Onion Wild
Bindweed Field Hedge	Plantain Broadleaf Buckhorn
Blueweed Texas	Poison Ivy
Bursage Woolly leaf (1) (Bur Ragweed Poverty weed)	Pokeweed
Buttercup Tall	Purple Loosestrife
Campion Bladder	Ragweed Western
Chickweed Field Mouseear	Redvine
Chicory(1)	Sericia Lespedeza
Clover(1) Hop	Smartweed Swamp
Cottontop	Snakeweed Broom
Dandelion(1)	Sorrel(1) Red (Sheep Sorrel)
Dock(1) Broadleaf (Bitterdock) Curly	Sowthistle(1) Perennial
Dogbane Hemp	Spurge Leafy
Dogfennel(1) (Cypressweed)	Sundrop
Fern Bracken	Thistle Canada Scotch
Garlic Wild	Toad flax Dalmation
Goldenrod Canada Missouri	Tropical Soda Apple
Goldenweed Common	Trumpetcreeper (Buckvine)
Hawkweed	Vetch
Henbane Black(1)	Water hemlock Spotted
Hoary Cress	Water primrose Creeping
Horsenettle Carolina	Wood sorrel(1) Creeping Yellow
Ironweed	Wormwood Louisiana
Knapweed Black Diffuse Russian(1)	Yankee weed

Spotted	
Knotweed	Yarrow Common(1)
PERENNIAL GRASSES	
Blue Grass Canada Kentucky	Foxtail Barley
Brome Grass	Quackgrass
Cattail	Yellow Nutsedge

- (1) Noted perennials may be controlled using lower rates of this product than those recommended for other listed perennial weeds
(2) Growth Suppression only

SPRAY SOLUTION AND AREA TREATMENT TABLE OF EQUIVALENTS

Spray Solutions

One 16.5 lb total weight packet of REVOLUTION G N GO HERBICIDE will treat 20 acres of glyphosate resistant corn at the total 0.83 lb per acre rate or 40 acres at the 0.41 lb per acre rate

Area Treatment Equivalents

Upper and Lower Rates of Revolution G N GO Herbicide (lbs /acre) One bag per acre	Acres Treated By One 16.5 lb bag
0.41	40
0.83	20

The 0.83 lb rate of combined product is equivalent to 0.38 lb glyphosate a.i., 0.3 lb atrazine a.i., and 0.125 lb dicamba a.i.

The 0.41 lb rate/acre of combined product is equivalent to 0.19 lb glyphosate a.i., 0.15 lb atrazine a.i., and 0.06 lb dicamba a.i. per acre

ROUNDUP READY and Glyphosate resistant Corn

The following instructions include all applications which can be made onto Roundup Ready® and glyphosate resistant corn during the complete cropping season. Do NOT combine these instructions with other rate specifications made for crop varieties which do not contain the Roundup Ready gene.

THIS PRODUCT MAY BE USED FOR POSTEMERGENCE APPLICATION ONLY ON CROP VARIETIES DESIGNATED AS CONTAINING THE ROUNDUP READY or GLYPHOSATE RESISTANT GENE

Apply the 0.41 lb rate of this product or one bag per 40 acres when weeds are less than 6 inches tall and the 0.83 lb rate of product or one bag per 20 acres when weeds are over 6 inches tall

Applying this product to crop varieties which are not designated as Roundup Ready or glyphosate resistant will result in severe crop injury and yield loss. Avoid contact with foliage, green stems or any desirable plants which do not contain the Roundup Ready or glyphosate resistant gene since severe injury or destruction will result.

The Roundup Ready or glyphosate resistant designation indicates that the corn variety contains a patented gene which provides tolerance to glyphosate herbicides. Information on Roundup Ready or glyphosate resistant corn varieties may be obtained from your seed supplier.

For ground applications with broadcast equipment, apply this product in 5 to 20 gallons of spray solution per acre. Carefully select proper nozzle and spray pressure to avoid spraying a fine mist. For best results with ground application equipment use flat spray nozzles. Check for even distribution of spray droplets.

ATTENTION AVOID DRIFT. EXTREME CARE MUST BE USED WHEN APPLYING THIS PRODUCT TO PREVENT INJURY TO DESIRABLE PLANTS AND CROPS WHICH DO NOT CONTAIN THE ROUNDUP READY GENE.

See the "MIXING and APPLICATION EQUIPMENT AND TECHNIQUES" sections of this label for additional directions and restrictions on the application of this product.

Tank mixtures with other herbicides, insecticides, fungicides, micronutrients or foliar fertilizers may result in reduced weed control or crop injury and are NOT specified for over-the-top applications of this product unless otherwise noted in this product label.

Sprayer Preparation It is important that sprayer and mixing equipment be clean and free of pesticide residue before making applications of this product. Follow the cleaning procedures specified on the label of the product(s) previously used. **THOROUGHLY CLEAN THE SPRAY TANK AND ALL LINES AND FILTERS TO ELIMINATE POTENTIAL CONTAMINATION FROM OTHER HERBICIDES PRIOR TO MIXING AND APPLYING THIS PRODUCT.**

Corn with the Roundup Ready or glyphosate resistant Gene

Maximum of 2 applications per year

TYPES OF APPLICATIONS Preplant, At-Planting, Preemergence, Postemergence (in-crop), Spot Treatment, Preharvest, Post-Harvest

Preplant, At-Planting and Preemergence

USE INSTRUCTIONS This product may be applied alone before, during or after

planting corn

Postemergence (in crop)

USE INSTRUCTIONS This product may be applied postemergence to Roundup Ready corn from emergence through the V8 stage (8 leaves with collars) or until corn height reaches 30 inches whichever comes first

When applied as directed this product controls labeled annual grass and broadleaf weeds in Roundup Ready corn. Many perennial grasses and broadleaf weeds will be controlled or suppressed with one or more application of this product. The postemergent application of 0.41 to 0.83 pounds per acre of this product should be made before the weeds reach a height and/or density that the weeds become competitive with the crop, generally 4 inch tall weeds or less.

This product may be applied alone as a postemergence in-crop application to provide control of emerged weeds listed on this label. If new flushes of weeds occur, a sequential application of this product at 0.41 to 0.83 pounds per acre will control the labeled grasses and broadleaf weeds.

PRECAUTIONS See the "ROUNDUP READY CROPS" section of this label for general precautionary instructions for use in Roundup Ready crops. Single in-crop applications of this product are not to exceed 0.83 pounds per acre. A second in-crop application of this product from emergence through the V8 stage or 30 inches must not exceed 1.6 pounds of combined product per acre per year.

RESTRICTIONS Allow a minimum of 10 days between in-crop applications of this product. Allow a minimum of 60 days between application of this product and harvest of corn forage.

Preharvest

USE INSTRUCTIONS In Roundup Ready corn, up to 0.41 pounds per acre of this product can be applied preharvest. Make applications at 35 percent grain moisture or less. Ensure that maximum kernel fill is complete and the corn is physiologically mature (black layer formed).

RESTRICTIONS Allow a minimum of 60 days between application and harvest.

Post-Harvest

USE INSTRUCTIONS This product may be applied after harvest of corn. Higher rates may be required for control of large weeds that were growing in the crop at the time of harvest. Apply a rate of 0.41 – 0.83 lbs combined product per acre.

RESTRICTIONS Allow a minimum of 60 days between treatment and harvest or feeding of treated vegetation.

LIMIT OF WARRANTY AND LIABILITY

MEY Corporation warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes set forth in the Complete Directions for use label booklet (Directions) when used in accordance with those Directions under the conditions described therein TO THE EXTENT CONSISTENT WITH APPLICABLE LAW NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE This warranty is also subject to the conditions and limitations stated herein

To the extent consistent with applicable law buyer and all users shall promptly notify this Company of any claims whether based in contract negligence strict liability other tort or otherwise To the extent consistent with applicable law buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company including but not limited to incompatibility with products other than those set forth in the Directions application to or contact with desirable vegetation unusual weather weather conditions which are outside the range considered normal at the application site and for the time period when the product is applied as well as weather conditions which are outside the application ranges set forth in the Directions application in any manner not explicitly set forth in the Directions moisture conditions outside the moisture range specified in the Directions or the presence of products other than those set forth in the Directions in or on the soil crop or treated vegetation

This Company does not warrant any product reformulated or repackaged from this product except in accordance with this Company's stewardship requirements and with express written permission from this Company

To the extent consistent with application law for over-the-top uses on Roundup Ready and glyphosate resistant crop varieties crop safety and weed control performance are not warranted by MEY Corporation when this product is used in conjunction with brown bag or bin run seed saved from previous year's production and replanted

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT NEGLIGENCE STRICT LIABILITY OTHER TORT OR OTHERWISE) SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED OR AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER THE REPLACEMENT OF SUCH QUANTITY OR IF NOT ACQUIRED BY PURCHASE REPLACEMENT OF SUCH QUANTITY TO THE EXTENT CONSISTENT WITH APPLICABLE LAW IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL CONSEQUENTIAL OR SPECIAL DAMAGES

Upon opening and using this product buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbal or written agreement If terms are not acceptable, return at once unopened

TRADEMARKS

REVOLUTION HERBICIDE is a trademark of MEY Corporation Inc
ROUND UP READY is a registered trademark of Monsanto Chemical Company

N GO™ is a trademark of MEY Corporation Inc

REVOLUTION HERBICIDE and N GO™ are protected by US patents 7 247 602 and
6 936 572

Sublabel B Outer Box Container Label

Restricted Use Pesticide
Ground and Surface Water Concerns
For retail sale and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification
Users must read and follow all precautionary statements and instructions for use in order to minimize potential for atrazine to reach ground and surface water

REVOLUTION G N GO HERBICIDE

For Use In ROUNDUP READY or GLYPHOSATE RESISTANT CORN

**REVOLUTION N GO™
HERBICIDE**

N GO Water Conditioner / Buffer **MUST BE USED** with REVOLUTION G N GO HERBICIDE

Read the entire label before using this product Use only according to label instructions

Active Ingredients	
N (phosphonomethyl) glycine	46.1%
**Atrazine	35.1%
Dicamba	15.1%
Other Ingredients	<u>3.7%</u>
Total	100.0%

Contains 7.6 lb of glyphosate acid per bag (46 lb glyphosate acid per lb of product)

** This product contains 5.9 lbs of atrazine a.i. per bag and 2.5 lbs of dicamba a.i. per bag

PRECAUTIONARY STATEMENTS
Keep Out Of Reach Of Children

Refer to the booklet label for complete precautionary statements and directions for use

WARNING - AVISO

Si usted no entiende la etiqueta busque a alguien para que se la explique a usted en detalle (If you do not understand the label find someone to explain it to you in detail)

N GO™

Water Conditioner / Buffer

Water Conditioner / Buffer for use with REVOLUTION G N GO HERBICIDE

Read the entire label before using this product Use only according to label instructions

Monocarbamide dihydrogen sulphate	
polyethoxylated amines and esters	82%
Water	<u>18%</u>
Total	100%

Net Contents 2.5 Gallons

Hazards to Humans and Domestic Animals
DANGER Corrosive Causes skin irritation Causes substantial but temporary eye injury Harmful if absorbed through skin Harmful if inhaled Harmful if swallowed Do not get on skin or on clothing Avoid contact with skin eyes and clothing Avoid breathing spray mist

First Aid Information of label Booklet

Net Weight 16.5 lbs Bulk

This case treats 40 acres at the lower use rate and 20 acres at the higher use rate

EPA Reg No 80967 X Made In China
EPA Est No 19713 TN 003

Manufactured in China for
MEY Corporation
121 S Estes Drive Ste 101
Chapel Hill NC 27514 USA
Tel (919) 932 5800

Sublabel C N Go Component Label
--

**MEY CORPORATION
N GO™**

WATER CONDITIONER / pH ADJUSTER For (GLYPHOSATE) (ATRAZINE)
(DICAMBA) MIXTURES))

PRINCIPAL FUNCTIONING AGENTS

Monocarbamide dihydrogen sulfate	65%
Proprietary blend of amine phosphates viscosity reducing agents	
Inerts	35%
Total	100%

All ingredients are approved for use under CFR40 180 1001 (c)

DANGER KEEP OUT OF REACH OF CHILDREN CAUSES EYE BURNS CAUSES SKIN IRRITATION HARMFUL IF SWALLOWED

PRECAUTIONARY STATEMENTS

Before using this product read the entire label including the conditions of sale
Corrosive May cause eye skin and respiratory irritation May cause allergic skin reactions May cause severe burns Do not get in eyes on skin or on clothing

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators or other handlers of this chemical must wear Goggles or face shield and chemical resistant gloves when handling Harmful if inhaled Do not breathe vapors or spray mist Wear air purifying mask with appropriate canister Harmful if swallowed Thoroughly wash exposed areas of skin after use Flush with clean water for at least 30 minutes Seek medical advice immediately Consult the MSDS for further information

FIRST AID	
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice • Have person sip a glass of water if able to swallow • Do not induce vomiting unless told to do so by the poison control center or doctor • Do not give anything by mouth to an unconscious person
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing call 911 or an ambulance then give artificial respiration preferably by mouth-to-mouth if possible • Call a poison control center or doctor for further treatment advice
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing • Rinse skin immediately with plenty of water for 15-20 minutes • Call a poison control center or doctor for treatment advice
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes • Remove contact lenses if present after the first 5 minutes then continue rinsing eye

- | | |
|--|---|
| | <ul style="list-style-type: none"> • Call a poison control center or doctor for treatment advice |
|--|---|

PRODUCT INFORMATION

N GO is a specialized utility modifier that acts as a pH adjuster and water conditioner with built in compatibility agents that widen the conditions under which atrazine dicamba and glyphosate and other weak acid herbicides can be applied N GO maintains the integrity of the spray diluent (water) and protects herbicides from deactivation by hard water cations and micronutrient based tank mix partners

DIRECTIONS FOR USE

Always mix and apply this product in accordance with the instructions found on the pesticide label regarding adjuvants In the absence of specific instructions follow the application and mixing guidelines below

APPLICATION RATES

Using the guidelines below apply N GO at 2-4 quarts per 100 U S gallons of spray solution (2-4 liters per 400 liters of spray solution) or 0.5%-1.0% v/v

Add an appropriate amount of **N GO Water Conditioner/Buffer** for a spray solution of 0.5% to 1% by volume and mix well (if applying 10 gal of water volume per acre mix 6.4 oz (0.5%v/v) or 12.8 oz (1%v/v) of **N GO Water Conditioner/Buffer** **Use upper rate of N GO with upper rate of REVOLUTION G N GO HERBICIDE Or use 1%v/v rate for water volumes of 15 gal per acre**

MIXING INSTRUCTIONS

Fill the spray tank $\frac{3}{4}$ full of desired water volume While the water is agitating add tank mix ingredients in the following order add 1) N GO at 0.5% – 1% v/v or (2-4 quarts per 100 U S gallons of spray solution) 2) REVOLUTION G N GO HERBICIDE 3) Wait until previously added products have completely dissolved or suspended Continue agitation and complete filling the spray tank

STORAGE AND DISPOSAL

Product does not freeze! Keep container closed tightly when not in use Prevent water from being introduced to the contents of this container Do not reuse empty container Do not store near heat or open flame Do not store with oxidizing agents Rinse container thoroughly disposing of rinsate and the container in accordance with federal, state and local regulations

CONDITIONS OF SALE

Read the information contained herein before buying or using this product If the stated terms are unacceptable return the product at once unopened It is critical that the product be used and mixed only as specified on this label Neither the manufacturer nor the seller makes any representation or warranty expressed or implied with respect to the results from the use of this material Buyer and user assume all risks of use and/or handling MEY CORPORATION warrants that this material is reasonably fit for use as

specified on this label. No agent or representative is authorized to make any other representations concerning this material. Unforeseen factors beyond MEY S control prevent elimination of risks in connection with the use of its chemicals. Such risks include but are not limited to damage to plants and/or crops to which the material is applied or lack of complete control and damage caused by drift to other plants or crops. Such risks may occur even though the product is reasonably fit for use as stated hereon and even though label directions are followed. Follow directions carefully. Timing mixture method of application weather and other conditions are influencing factors in the use of this product and are beyond the control of the seller. Except to the extent prohibited by applicable law the exclusive remedy of the user or buyer and the limit of liability of the seller for any and all losses personal injuries or damages resulting from the use of this product shall be the purchase price paid by the user or buyer for the product involved.

Licensed under U S Patent No 6 936 572 & 7 247 602
MEY CORPORATION
121 S Estes Drive Ste 01
CHAPEL HILL NC 27514

For 24-hour technical assistance when using this product in the USA call 1-800-
For 24-hour emergency service when using this product in the USA call CHEMTREC 1-
800-424-9300
N GO is a trademark of MEY CORPORATION
Made in the USA

Net Contents 2 5 U S Gallons (9 46L)