

80990-3

10/6/2011

jacket lot 7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION

Don Carlson, PhD
AgroSource, Inc.
P.O. Box 1341
Mountainside, NJ 07092-0341

OCT - 6 2011

Subject: Application for Pesticide Notification (PRN 98-10)
Submission Date: 8/30/11
Product Name: RG S 50WP
EPA Reg. No.: 80990-3
EPA Decision Number: 455104

Dear Mr. Carlson:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10.

The Agency acknowledges the change in the primary brand name from RG S 50 WP to AGRI-SEED 50 WP.

The label submitted with the application has been stamped "Notification" and will be placed in our records. If you have questions concerning this letter, please contact Heather Garvie at 703-308-0034 or me at 703-308-3194.

Sincerely,

Mary L. Waller

Mary Waller
Product Manager 21
Fungicide Branch
Registration Division (7505P)



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number AgroSource, Inc. / 80990-3	2. EPA Product Manager Mary Waller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) AgroSource, Inc. / RG S 50 WP (current primary brand name)	PM# 21	
5. Name and Address of Applicant (Include ZIP Code) AgroSource, Inc. P.O. Box 1341, Mountainside, NJ 07092-0341 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of change of Primary Brand Name from RG S 50WP to AGRI-SEED 50 WP. Deletion of RG S 50WP name. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of U.S.C. Sec.1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	
* Certification must be submitted				<input type="checkbox"/> Plastic	
				<input type="checkbox"/> Glass	
				<input type="checkbox"/> Paper	
				<input checked="" type="checkbox"/> Other (Specify) Fiber Drum	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 25 lbs.		5. Location of Label Directions <input checked="" type="checkbox"/> On label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Don Carlson		Title Regulatory Affairs Representative		Telephone No. (Include Area Code) 610-453-5785 (O), 215-439-6504 (M)	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature 		3. Title Regulatory Affairs Representative			
4. Typed Name Don Carlson		5. Date August 23, 2011			



AgroSource, Inc.
P. O. Box 1341
Mountainside, NJ 07092-0341

908.931.9001 V
908.789.3004 F

August 23, 2011

U.S. Environmental Protection Agency
Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460-0001

Dear Sir/Madam:

Subject: RG S 50 WP, EPA Reg. No. 80990-3
Primary Brand Name Change

AgroSource, Inc. is submitting this Notification in accordance with Section II.A. (i.e., Labeling Notifications-Brand Names) of PR Notice 98-10.

AgroSource, Inc. wishes to change the existing primary brand name for EPA Reg. No. 80990-3 from the current name of RG S 50 WP to AGRI-SEED 50 WP.

Attached hereto in support of this submission are:

- A completed EPA Form 8570-1.
- Copies ²~~(5)~~ of a label for EPA Reg. No. 80990-3 with the new primary brand name.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S. C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Should the Agency have any questions relative to this submission please contact me at the email address or the telephone numbers hereafter.

Sincerely,

Don Carlson, PhD
Regulatory Affairs Representative
dbcarlson41@verizon.net
610-458-5785 (O)
215-439-6504 (M)

cc: M. Waller, PM 21
S. Joyner, PM 20

www.agrosources.net

© 2011 AgroSource, Inc.

4087

AGRI-SEED™ 50 WP

Active Ingredient:

Streptomycin Sulfate*65.80%

Other Ingredients:34.20%

100.00%

*Equivalent to 50% streptomycin

**KEEP OUT OF THE REACH OF CHILDREN
CAUTION**

See Back Panel for Additional Precautionary Statements, First Aid and Directions for Use

EPA Reg. No. 80990-3

EPA Est. No. 39578-TX-1


NET CONTENTS: 25 lb.

Product Number 1003

NOTIFICATION

OCT - 6 2011

AgroSource, Inc.
P. O. Box 1341
Mountainside, New Jersey 07092-0341



NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened and undamaged, and the purchase price will be refunded.

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

If On Skin or Clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.

If In Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact InfoTrac at 1-800-535-5053 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Causes moderate eye irritation. Do not breathe dust or spray mist. This material is not to be used for medical, veterinary or human purposes.

Personal Protective Equipment (PPE):

Applicators and other handlers must wear:

- long-sleeved shirt
- long pants
- chemical-resistant gloves made of a waterproof material
- shoes plus socks
- protective eyewear
- NIOSH approved respirator with any N, R, P or HE filter.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Environmental Hazards

This product may be hazardous to aquatic plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

6097

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box apply to uses that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry Interval (REI) of 12 hours.

For early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves made of a waterproof material
- Shoes plus socks
- Protective eyewear

Seed Treatment Use— Control of Halo Blight of Beans

MIXING INSTRUCTIONS

Concentration Desired	Quantity AGRI-SEED™ 50 WP Per Volume of Water			
	1 pt.	1 qt.	1 gal.	5 gals.
1%	0.3 oz. (9.5g)	0.6 oz. (19.0 g)	2 2/3 oz.	13 1/3 oz.
2%	0.6 oz. (19.0 g)	1 1/3 oz. (38.0 g)	5 1/3 oz.	26 2/3 oz.
5%	1.5 oz. (47.5 g)	3.0 oz. (90.0 g)	13 1/3 oz.	66 2/3 oz.

The recommended dosage range of **AGRI-SEED™ 50 WP** is 0.17 to 0.87 oz. / cwt. of seed. For best protection, use the higher rate. **AGRI-SEED™ 50 WP** will dissolve in water. Slurry rates will vary with components and treating equipment. Apply using commercial mist, spray or other application equipment.

Label Treated Seed – Federal law requires that bags containing treated seed shall be labeled with the following information: "This seed has been treated with streptomycin sulfate. Do not use for feed, food, or oil purposes. Store away from feed and foodstuffs." Use an EPA-approved dye or colorant that imparts an unnatural color to the seed.

Additional information regarding use of **AGRI-SEED™ 50 WP** may be obtained from your local Agricultural Extension Agent or State Experimental Station.

7067

Storage: Keep tightly closed and sealed. Product is moisture, temperature and light sensitive. Product is hygroscopic so protect from moisture. Store in a cool (77°F, 25°C), dry place away from heat and open flames with minimum exposure to the atmosphere. Avoid extremes in temperature.

Container Disposal: Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill, by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials, resistant strains or other influencing factors in the use of the product, which are beyond the control of AgroSource, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold AgroSource, Inc. and Seller harmless for any claims relating to such factors.

In no event shall AgroSource, Inc. or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF AGROSOURCE, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF AGROSOURCE, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

AgroSource, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of AgroSource, Inc.

Figure 1 displays 16 small plots arranged in a 4x4 grid, each showing the spatial distribution of a different species. The plots are labeled 1 through 16. Each plot contains a unique arrangement of symbols (dots, crosses, triangles, etc.) representing the species' locations. The plots are arranged in a 4x4 grid, with the top-left plot labeled '1' and the bottom-right plot labeled '16'.