



United States
Environmental Protection Agency
 Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number AgroSource, Inc. 80990-4	2. EPA Product Manager Mary Waller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) FIREWALL 17 WP Fungicide/Bactericide	PM# 21	
5. Name and Address of Applicant (Include ZIP Code) AgroSource, Inc. c/o Product & Regulatory Associates, LLC 4201 Church Road, Suite 334 Mount Laurel, NJ 08054 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION JAN 18 2005
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of brand name, mixing instructions, others in cover letter per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged in:

Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container

5. Location of Label Directions

6. Manner in Which Label is Affixed to Product
 Lithograph Paper glued Stenciled Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name John F. Wright	Title Authorized Representative for AgroSource	Telephone No. (Include Area Code) 856.424.1528
------------------------	---------------------------------------------------	---------------------------------------------------

Certification
 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Authorized Representative for AgroSource, Inc.	6. Date Application Received (Stamped)
4. Typed Name John F. Wright	5. Date 12/22/04	

P D & R Associates

Product Development & Regulatory Associates

December 22, 2004

Ms. Sherada Hobgood
Document Processing DESK (NOTIF)
Office of Pesticide Programs (7504C)
U.S. Environmental Protection Agency
Room 266A, Crystal Mall-2
1801 South Bell Street
Arlington, VA 22202-5401

Subject: FIREWALL™ 17WP Fungicide/Bactericide
EPA Reg. No. 80990-4
Notifications per PR Notice 98-10

Dear Ms. Hobgood:

As its authorized representative, AgroSource has chosen to revise the subject labeling via the notification process. This notification is consistent with PR Notice 98-10.

The **green** highlighted changes include:


- The Use Direction table was restructured with crop grouping headings and single column for use directions, Section II. M. 2.
- Corrected in typo in the Storage & Disposal, Section IV. A

To complete this notification application, enclosed please find:

- Application for Pesticide: Notification(EPA Form 8750-1) with PR Notice 98-10 Certification Statement
- FIREWALL™ 17WP Bactericide revised labeling with changes highlighted (1 copy)
- A self addressed stamped post card

I trust that this information will assist the Agency in its efforts to complete this notification. If you have any question in regard to this mater, feel free to contact me at (856) 424-1528 or JWrightCH@comcast.net.

Sincerely,


John F. Wright
Product & Regulatory Associates, LLC
Authorized Representative of AgroSource, Inc

cc: Taw Richardson, AgroSource, Inc.

4201 Church Road, Suite 334 Mount Laurel, NJ 08054-2231
Telephone 856 424-1528

AgroSource, Inc.
 P. O. Box 1341
 Mountainside, New Jersey 07016
 Telephone (908) 931-9001 taw.richardson@agrosource.net

October 13, 2004

Document Processing Desk
 Fungicide Branch
 Registration Division
 Office of Pesticide Programs (7504C)
 US Environmental Protection Agency
 Room 266A, Crystal Mall 2
 1921 Jefferson Davis Highway
 Arlington, VA 22202-4501

Attention: Mary Waller
 Product Manager 21


Subject: John F. Wright- AgroSource Agent

Dear Ms. Waller

Please be informed that AgroSource, Inc. authorizes John F. Wright to act as an agent for our interactions with EPA.

If you need additional information or have any questions feel free to contact me

Sincerely,



Taw W. Richardson, President

cc: John F. Wright



4/9

FIREWALL™ 17 WP

NOTIFICATION

Fungicide/Bactericide
Agricultural Streptomycin

JAN 18 2005

GROUP	18	FUNGICIDE
-------	----	-----------

Active Ingredient:

Streptomycin Sulfate* 22.40%

Other Ingredients: 77.60%

100.00%

*Equivalent to 17% streptomycin


**KEEP OUT OF THE REACH OF CHILDREN
CAUTION**

See Back Panel for Additional Precautionary Statements, First Aid and Directions for Use

EPA Reg. No. 80990-4

EPA Est. No. 39578-TX-1

Product Number 1004



AgroSource, Inc.

P. O. Box 1341

Mountainside, New Jersey 07092-0341

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened and undamaged, and the purchase price will be refunded.

NET CONTENTS: 2 POUNDS

FIRST AID

Call a poison control center or doctor immediately for treatment advice.

If On Skin or Clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.

If In Eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact InfoTrac at 1-800-535-5053 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION: Harmful if absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Causes moderate eye irritation. Do not breathe dust or spray mist. This material is not to be used for medical, veterinary or human purposes.

Personal Protective Equipment (PPE):

Applicators and other handlers must wear:

- long-sleeved shirt
 - long pants
 - chemical-resistant gloves made of a waterproof material
 - shoes plus socks
- MSHA/NIOSH approved dust/mist respirator with any R, P, or HE filter

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Environmental Hazards

This product may be hazardous to aquatic plants. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of irrigation system. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

FIREWALL™ 17 WP Fungicide/Bactericide

6/9

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry interval. The requirements in this box apply to uses that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry Interval (REI) of 12 hours.

For early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, wear:

- Coveralls over long-sleeved shirt and long pants
- Chemical-resistant gloves made of a waterproof material
- Shoes plus socks

Resistance Management Statements FIREWALL™ 17 WP fungicide/bactericide contains a Group 18 (fungicide/bactericide). Fungal isolates/bacterial strains with acquired resistance to Group 18 may eventually dominate the fungal/bacterial population if Group 18 fungicides/bactericides are used repeatedly in the same field or in successive years as the primary method of control for targeted species. This may result in partial or total loss of control of those species by FIREWALL™ 17 WP fungicide/bactericide or other Group 18 products.

To delay fungicide/bactericide resistance consider:

- Avoiding the consecutive use of FIREWALL™ 17 WP fungicide/bactericide or other target site of action Group 18 fungicides/bactericides that have a similar target site of action, on the same pathogens.
- Using tank-mixtures or premixes with fungicide/bactericides from different target site of action Groups as long as the involved products are all registered for the same use and are both effective at the tank mix or prepack rate on the pathogen(s) of concern.
- Basing fungicide/bactericide use on a comprehensive IPM program.
- Monitoring treated fungal/bacterial populations for loss of field efficacy.
- Contacting your local extension specialist, certified crop advisors, and/or manufacturer for fungicide/bactericide resistance management and/or IPM recommendations for specific crops and resistant pathogens.

MIXING INSTRUCTIONS

Concentration Desired	Quantity FIREWALL™ 17 WP Per Volume of Water			
ppm*	50 gals.	100 gals.	500 gals.	600 gals.
50	2 oz.	4 oz.	1 1/4 lbs.	1 1/2 lbs.
60	2.4 oz.	4.8 oz.	1 1/2 lbs.	1 4/5 lbs.
100	4 oz.	8 oz.	2 1/2 lbs.	3 lbs.
200	8 oz.	16 oz.	5 lbs.	6 lbs.

*ppm = parts per million

Vegetable Crops

Crop	Disease	Recommended Concentration or Rate	<u>Use Directions</u>
Celery (Florida area)*	Bacterial Blight	200 ppm	Apply first spray when seedlings are in the 2-leaf stage, when first true leaves appear. Apply at 4 to 5-day intervals. Continue applications until celery is transplanted in the field.

FIREWALL™ 17 WP Fungicide/Bactericide

7/9

Tomatoes*	Bacterial Spot	200 ppm	Apply first spray when seedlings are in the 2-leaf stage, when first true leaves appear. Apply at 4 to 5-day intervals. Continue applications until transplanted in the field.
Peppers*	Bacterial Spot	200 ppm	Apply first spray when seedlings are in the 2-leaf stage, when first true leaves appear. Apply at 4 to 5-day intervals. Continue applications until transplanted in the field.
Potatoes*	Soft Rot and Blackleg	100 ppm	Soak cut seed pieces in solution for several minutes; plant as usual. NOTE: A suitable fungicide should be used as an adjunct to this treatment for the control of fungal diseases associated with potato seed pieces.

Tree Fruit Crops

Crop	Disease	Recommended Concentration or Rate	Use Direction
Pears*	Fire Blight	24-48 oz. FIREWALL™ 17 per acre per application (equivalent to 50-100 ppm at 600 gals/A)	Spray trees at 20%-30% bloom. Spray trees every 3-4 days during blossom time. Apply sprays after petal fall every 10-14 days to control twig blight. (This could mean an additional 6-8 applications after blossom sprays.) Do not apply within 30 days of harvest.
Pears (West Coast Area)	Fire Blight	28.8 oz. FIREWALL™ 17 per acre per application (equivalent to 60 ppm at 600 gals/A)	Spray trees at 10% bloom. Repeat at 5-day intervals until all late bloom is over. (This could mean 12-15 applications.) Continue to spray at 5 to 7-day intervals to control shoot and fruit infections. Do not apply within 30 days of harvest.
Apples (West Coast Area)	Fire Blight	28.8 oz. FIREWALL™ 17 per acre per application (equivalent to 60 ppm at 600 gals/A)	Spray trees at full bloom. Apply at petal fall and late secondary bloom. Continue to spray at 5 to 7-day intervals to maintain disease control but not later than 50 days before harvest.
Apples*	Fire Blight	24-48 oz. FIREWALL™ 17 per acre per application (equivalent to 50-100 ppm at 600 gals/A)	Spray trees at 20%-30% bloom. Spray trees every 3-4 days during blossom time. Apply sprays after petal fall every 10-14 days to control twig blight. (This could mean an additional 6-8 applications after blossom sprays.) Do not apply within 50 days of harvest.

Ornamentals

Crop	Disease	Recommended Concentration or Rate	Use Direction
Philodendron*	Bacterial Leaf Rot	200 ppm	Apply as preventive or at first signs of water-soaked areas on leaf. Apply every 4-5 days.
		For curative action	Remove all rotted leaves from plant and then spray at 200 ppm every 4 days.
Dieffenbachia Cutting*	Bacterial Stem Rot	200 ppm	Soak cuttings in solution for 20 minutes. Plant cuttings in sterilized rooting medium.
		100 ppm	To check spread of stem rot in stock plants, use 100 ppm spray every 5-7 days.
Chrysanthemums*	Bacterial Wilt	50 ppm	Soak plant cuttings in solution for 4 hours; plant as usual.

FIREWALL™ 17 WP Fungicide/Bactericide

Roses (New Jersey Area)*	Crown Gall	200 ppm	Remove infected plant. Cut out gall tissue. Soak the plant root system and cut surfaces of the infected area in solution for 15 minutes. Replant rose bushes in soil free of the crown gall organisms.
		50 ppm	Use 50 ppm in watering solution and in foliar sprays applied weekly starting one week after planting as an adjunct to this treatment.

Crop	Disease	Recommended Concentration or Rate	Application
Tobacco*	Wildfire and Blue Mold	100 ppm for preventive action	Apply first spray when plants are in the 2-leaf stage or about the size of a dime or when blue mold first appears in the area. Repeat application at 5 to 7-day intervals until plants are set in the field. Additional protection may be obtained by spraying field plants with 100 ppm in a weekly spray schedule.
		200 ppm for curative action	In locations where wildfire has been a problem in recent years or where applications have been delayed until disease appears, a spray of 200 ppm streptomycin is recommended. Follow the same schedule as above.

[* Except California]

Use of FIREWALL™ 17 WP fungicide/bactericide may cause phytotoxicity to the fruit and/or foliage of sensitive varieties of pears and apples.

Additional information regarding use of FIREWALL™ 17 WP fungicide/bactericide may be obtained from your local Agricultural Extension Agent or State Experimental Station.

[This product contains a chemical (streptomycin sulfate) known to State of California to cause reproductive toxicity.]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Keep tightly closed and sealed. Product is moisture, temperature and light sensitive.

Product is hygroscopic so protect from moisture. Store in a cool (87°F, 25°C), dry place away from heat and open flames with minimum exposure to the atmosphere. Avoid extremes in temperature.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill, by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Conditions of Sale and Limitation of Warranty and Liability

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials, resistant strains or other influencing factors in the use of the product, which are beyond the control of AgroSource, Inc. or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold AgroSource, Inc. and Seller harmless for any claims relating to such factors.

FIREWALL™ 17 WP Fungicide/Bactericide

9/9

AgroSource, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used accordance with directions under normal use conditions. This warranty does not extend to the use of the product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or AgroSource, Inc., and Buyer and User assume the risk of any such use. AGROSOURCE, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

In no event shall AgroSource, Inc. or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF AGROSOURCE, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF AGROSOURCE, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT. AgroSource, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing conditions of sale and limitations of warranty and of liability, which may not be modified except by written agreement signed by a duly authorized representative of AgroSource, Inc.

Firewall is trademark of AgroSource, Inc.