81325 - 3

10/26/2007

page 18 3

UNITE

TATES ENVIRONMENTAL PROTECTION

BENCY

ONITED STATED. TO A STATED TO

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511P)
1200 Pennsylvania Avenue NW
Washington, DC 20460

EPA Reg. Number: 81325-3

Term of

Date of Issuance:

10-26-07

NOTICE OF PESTICIDE:

Registration

_Re-registration

(under FIFRA, as amended)

Issuance: Unconditional

Name of Pesticide Product:

FT-Methyl Eugenol Short Lure

Name and Address of Registrant (include ZIP Code):

F. Russell Cook Associates for Farma Tech International Corp. REDA Building, Suite 217 401 S.E. Dewey Bartlesville, OK 74003

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA Sec. 3(c)(5) provided you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
- 2. Submit within 12 months data packages for Guideline Study: OPPTS 830.6317 (Storage Stability) and OPPTS 830.6320 (Corrosion Characteristics)
- 3. Make the following label change before you release the product for shipment: Revise the EPA Registration Number to read, "EPA Reg. No. 81325-3."
- 4. Submit three (3) copies of the revised final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

	W. Michael Mc Dant		Date: /0 - 26 - 07	
		CONCURRENCES		
SYMB	W. Michael McDavit, Associate Director.			
SURN	MBiggesticides and Pollution			
DATE	Prevention Division			



Under the Federal Incentialde. Pungicide, and Reduction Rei co consoded, for the predicted

CAUTION

KEEP OUT OF REACH OF CHILDREN See back panel for additional precautions



ET-METHY EUGENOL SHORT LURE

NET CONTENT: 6 LURES (2.8 oz.)

NOT INTENDED FOR RETAIL STORE SALES TO HOMEOWNERS FOR AGRICULTURAL OUTDOOR USE ONLY NOT FOR RESIDENTIAL USE

AN ATTRACTANT LURE FOR SOME BACTROCERA SPECIES OF FRUIT FLY INCLUDING THE ORIENTAL FRUIT FLY (BACTROCERA DORSALIS) AND OTHER SPECIES THAT RESPOND TO METHYL EUGENOL. THIS LURE MAY BE USED IN TRAPS WITH AN AP-PROVED KILLING AGENT FOR CONTROL SPECIES OF BACTROCERA FRUIT FLIES ON AFFECTED FOOD CROPS.

ACTIVE INGREDIENTS (BY WT)

Methyl Eugenol (1,2-Dimethoxy-4-(2-Propenyl) Benzene) OTHER INGREDIENTS	58.0% 42.0%
TOTAL AND	
Approximately 7.75 g of active ingredient per lure	

FARMA TECH INTERNATIONAL CORPORATION

1546 Boalch Avenue NW, Suite 30 North Bend, Washington, 98045 U.S.A. Telephone (425) 396-1050

MADE IN U.S.A. EPA Est. No. 81325 EPA Reg. No. 81325-XX **NET CONTENTS:** 6 Lures

One Lure contains approx: 7.75 g Active Ingredients Total content of package: approx: 46.5 g Active Ingredients

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: May be harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye and skin irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating drinking, chewing gum or using tobacco.

Personal Protective Clothing: Workers must wear gloves.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of the National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Keep away from fire, sparks and heated surfaces.

FIRST AID STATEMENT

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice: Have person signa plass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible Call a Poison Control Center or doctor or for further treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for further treatment advice

IF IN EYES: Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes and continue rinsing. Call a Poison Control Center or doctor for advice.

Prolonged or frequently repeated skin contact can cause allergic reaction in some individuals.

HOTLINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You can reach a local Poison Control Center at 1-800-222-1222, for emergency medical treatment information.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

CROPS More then 230 species of fruits and vegetables including citrus, guava, mango, papaya, avocado, banana, loquat; tomato, Suriname cherry, rose apple, passion fruit, persimmon, pineapple, peach, pear, apricot, fig and coffee. Ripe fruit is preferred for oviposition but immature fruit may be attacked as well.

TARGET PESTS: Males of Bactrocera dorsalis (Oriental Fruit Fly), and all other males of Bactrocera species that are attracted to Methyl Eugenoli

RATE: Do Not exceed 150g/acre/(19 lures/acre). If infestation is high, begin with 5 to 10 trap/lures per acre. If infestation is low, then begin with 2 to 3 trap/lures per acre. Adjust rate according to fly population. Contact your area agricultural extension office for further information.

APPLICATION: Break 6 piece sheet into individual lures and hang in fruit fly traps (1 lure per trap). An EPA approved toxicant can be used in conjunction with this lure for fruit fly male annihilation. Traps and lures can be placed in the field as early as November depending on location. Traps are best placed midway in the canopy of trees, nearby roosting hosts or refugia, and amongst field and garden crops. Note that any fruit fly trap that uses methyl eugenol and allows the accumulation of dead and/or decaying flies must not be placed within 800 meters (1/2 mile) of the boundary of any of the habitats of endangered drosophilid picturewing fly species. To protect bees, traps should never be placed in trees during their flowering. Some fruit flies (e.g. bactrocera dorsalis—oriental fruit fly) breed continuously under tropical conditions, therefore population growth may be very rapid. Change the FT Methyl Eugenol Short-Lure every 10-12 weeks for best results.

COMMENTS: Talk to your extension agent about trap placement in your area. Male annihilation is an important technique in an integrated pest management program that includes bait spray and sanitation strategies.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original unopened package in a dry location at temperatures below 70°F. Only unopened or unbroken dispenser packages may be stored in cold storage facilities used for food stage. Care must be taken to avoid contamination of food or feed items.

PESTICIDE DISPOSAL Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility

CONTAINER DISPOSAL Dispose of empty foil packet in the trash.

WARRANTY AND LIMITATION OF DAMAGES:

Farma Tech International Corp. warrants that this material conforms to the chemical description on the label. Farma Tech International Corp. neither makes nor authorizes any agent or representative to make any representation, expressed or implied, concerning this material. Farma Tech International Corp's maximum liability for breach of this warranty shall not exceed the purchase price of this product. Buyer and user acknowledge and assume all risks and liability resulting from the handling, storage and use of this material, whether in accordance with directions or not.



FARMA TECH INTERNATIONAL CORPORATION

1546 Boalch Avenue NW, Suite 30 North Bend, Washington, 98045 U.S.A. Telephone (425) 396-1050 www.farmatech.com