Farma Tech International Corp. c/o F. Russell Cook
F. Russell Cook Associates
REDA Building, Suite 217
401 S.E. Dewey
Bartlesville, OK 74003

MAY 1 7 2010

Dear Mr. Cook:

Subject:

Label Amendments to make minor label changes and update storage and

disposal statement in response to Agency letter dated January 22, 2010.

FT-Cuelure (EPA Reg. No. 81325-1)

FT-Methyl Eugenol (EPA Reg. No. 81325-2)

FT-Methyl Eugenol Short Lure (EPA Reg. No. 81325-3)

Your submissions dated March 10, 2010

Decision Numbers: 430267, 430268, and 430269

The amendments referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, have been received and reviewed, and the amendments are acceptable provided that you submit and/or cite all data required for registration/reregistration of your products under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

If these conditions are not complied with, the registrations will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the products bearing the amended labeling constitutes acceptance of these conditions. Please submit three (3) copies of your final printed labeling prior to shipment of your products. Should you have any questions, you may contact Mr. Colin Walsh directly at (703) 308-0298 or via email at walsh.colin@epa.gov.

Sincerely,

Linda A. Hollis, Chief

Biochemical Pesticides Branch

Biopesticides and Pollution

Prevention Division (7511P)

	 CONCURRENC		27,202032 (70)		
MBOL ► 7511P					
UTIVAME Libleh					
5/6/10	24 A C (Sec.) - 21			and the second seco	Mileores, care,
PA Form 1920-14 (#/90)	 mated on Recarled	Paner		OFFIC	IAL FILE CODY





FT-METHYL EUGENOL SHORT LURE

NET CONTENT: 6 LURES (2.8 oz.)

NOT INTENDED FOR RETAIL STORE SALES TO HOMEOWNERS FOR AGRICULTURAL OUTDOOR USE ONLY NOT FOR RESIDENTIAL USE

AN ATTRACTANT LURE FOR SOME BACTROCERA SPECIES OF FRUIT FLY INCLUDING THE ORIENTAL FRUIT FLY (BACTROCERA DORSALIS) AND OTHER SPECIES THAT RESPOND TO METHYL EUGENOL. THIS LURE MAY BE USED IN TRAPS WITH AN APPROVED KILLING AGENT FOR CONTROL SPECIES OF BACTROCERA FRUIT FLIES ON AFFECTED FOOD CROPS.

ACTIVE INGREDIENTS (BY WT):

Methyl Eugenol (1,2-Dimethoxy-4-(2-Propenyl) Benzene)	58.0%
OTHER INGREDIENTS	42.0%
TOTAL	
Approximately 7.75 g of active ingredient per lure	

CAUTION

KEEP OUT OF REACH OF CHILDREN See back panel for Fist Aid and Precautionary Statements

Registered & Produced by FARMA TECH INTERNATIONAL CORP. 1546 Boalch Avenue NW, Suite 30 North Bend, Washington, 98045 U.S.A. Telephone (425) 396-1050

MADE IN U.S.A. EPA Reg. No: 81325-3 EPA Est.No: 81325-WA-001 NET CONTENTS: 6 Lures One Lure contains approx. 7.75 g Active Ingredients Total content of package: approx. 46.5 g Active Ingredients

FIRST AID

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for further treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor or for further treatment advice.

IF IN EYES: Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes and continue rinsing. Call a Poison Control Center or doctor for advice.

Prolonged or frequently repeated skin contact can cause allergic reaction in some individuals.

HOTLINE NUMBER

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You can reach a local Poison Control Center at 1-800-222-1222, for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye and skin irritation. Avoid contact with eyes, skin or clothing. Avoid breathing vapor. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

Personal Protective Clothing: Workers must wear gloves.
ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of the National Pollutant Discharge Elimination System (NPDES) permit and the permiting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or

Regional Office of the EPA.

PHYSICAL OR CHEMICAL CARS.

Keep away from fire, sparks and heated surfaces.

MAY 1 7 2010

Under the Federal Insecticide, Fungicidiand Rodenticide Act, as amended, for the pesticide registered under

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

CROPS: More then 230 species of fruits and vegetables including citrus, guava, mango, papaya, avocado, banana, loquat, tomato, suriname cherry, rose apple, passion fruit, persimmon, pineapple, peach, pear, apricot, fig and coffee. Ripe fruit is preferred for oviposition but immature fruit may be attacked as well.

TARGET PESTS: Males of Bactrocera dorsalis (Oriental Fruit Fly), and all other males of Bactrocera species that are attracted to Methyl Eugenol.

RATE: Do Not exceed 150g/acre (19 lures/acre). If infestation is high, begin with 5 to 10 trap/lures per acre. If infestation is low, then begin with 2 to 3 trap/lures per acre. Adjust rate according to fly population. Contact your area agricultural extension office for further information.

APPLICATION: Break 6 piece sheet into individual lures and hang in fruit fly traps (1 lure per trap). An EPA approved toxicant can be used in conjunction with this lure for fruit fly male annihilation. Traps and lures can be placed in the field as early as November depending on location. Traps are best placed midway in the canopy of trees, nearby roosting hosts or refugia, and amongst field and garden crops. Note that any fruit fly trap that uses methyl eugenol and allows the accumulation of dead and/or decaying flies must not be placed within 800 meters (1/2 mile) of the boundary of any of the habitats of endangered drosophilid picture-wing fly species. To protect bees, traps should never be placed in trees during their flowering. Some fruit flies (e.g. bactrocera dorsalis— oriental fruit fly) breed continuously under tropical conditions, therefore population growth may be very rapid. Change the FT Methyl Eugenol Short Lure every 10-12 weeks for best results.

COMMENTS: Talk to your extension agent about trap placement in your area. Male annihilation is an important technique in an integrated pest management program that includes bait spray and sanitation strategies.

the pesticide registered under EPA Reg. No. 3/325-3 STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original unopened package in a dry location at temperatures below 70°F. Only unopened or unbroken dispenser packages may be stored in cold storage facilities used for food stage. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies.

PESTICIDE DISPOSAL: Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill empty foil packet. Offer for recycling if available or dispose of empty foil packet in the trash.

WARRANTY AND LIMITATION OF DAMAGES:

Farma Tech International Corp. warrants that this material conforms to the chemical description on the label. Farma Tech International Corp. neither makes nor authorizes any agent or representative to make any representation, expressed or implied, concerning this material. To the extent consistent with applicable law, Farma Tech International Corp.'s maximum liability for breach of this warranty shall not exceed the purchase price of this product. To the extent consistent with applicable law, the buyer and user acknowledge and assume all risks and liability resulting from the handling, storage and use of this material, whether in accordance with directions or not



FARMA TECH INTERNATIONAL CORP.

1546 Boalch Avenue NW, Suite 30 North Bend, Washington, 98045 U.S.A. Telephone (425) 396-1050 www.farmatech.com

