O3-07-2007 UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

March 7, 2007

Bruce Jaeger
President, Health & Environmental Horizons, Ltd.
Chemical Tex Laboratories, Inc.
c/o Health & Environmental Horizons, Ltd.
2851 South Haven Road
Annapolis, MD 21401

Subject:

ChitoSante'™

EPA Registration No. 81446-1

Application Dated: February 19, 2007 Receipt Date: February 26, 2007

Dear Mr. Jaeger:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

Proposed Amendment:

- Revised labeling

A stamped copy of the accepted labeling is enclosed.

Should you have any questions or comments concerning this letter, please contact me by telephone at (703) 308-6422 or email address at: heyward.adam@epa.gov, or Renae Whitaker by telephone at (703) 308-7003 or email address at: whitaker.renae@epa.gov.

Sincerely,

Adam Heyward

Product Manager (34)

Regulatory Management Branch II Antimicrobials Division (7510P)

Enclosure: EPA Stamped Labeling

ChitoSante' 2/19/07 Section 3 Registration MASTER Label Page 1 of 6

ChitoSante' TM

Antimicrobial for Textiles and Surfaces
Inhibits Growth and Odor from Bacteria, Mold, Mildew and
Fungi

ACTIVE INGREDIENT:

Chitosan

% w/w

6.00%

OTHER INGREDIENTS:

94.00%

Total

100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes. Wash thoroughly with soap and water after handling.

FIRST AID STATEMENTS

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

EPA Reg. No. 81446-1

Net Contents:

EPA Est. No. 081446-NC-001

Chem-Tex Laboratories, Inc.

ACCEPTED 2725 Armentrout Dr

MAR - 7 2007 Concord, NC 28025

Under the Federal Insecticide, Fungicide, and Fundicide Acras amended, for the Execticide, registered under,

ChitoSante' 2/19/07 Section 3egistration MASTER Label Page 2 of 6

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ChitoSante' is intended as a treatment in order to give antimicrobial and antifungal activity to the treated materials. ChitoSante' inhibits the growth of non-health related organisms such as bacteria, mold, mildew and fungus that cause odor, stains, discoloration, decay and deterioration of the treated materials. Distributors of products containing ChitoSante' may not make claims of antimicrobial activity other than the protection of the treated material against the growth of bacteria, mold, mildew and fungi in or on the treated product. See 40 C.F.R.152.25(a) for further guidance about treated article claims.

COMMERCIAL/INDUSTRIAL USE

ChitoSante´ is used in the finishing process of manufacturing textiles. It is generally applied during or after the dyeing process, at a rate of 0.1-4.0% owg ("on weight of goods") or, relative to the dry weight of the textiles. The textile materials should be soaked in this ChitoSante' solution to achieve good saturation and penetration of fibers. After soaking, textile materials should be dried at a temperature of 150-338 degrees F, depending upon the fiber content of the textile material.

Manufacturing of carpet: ChitoSante' can be applied to the face or the back of the carpet after the drying process. Apply by spray, foam, kiss roll, or flooded nip. Apply at a rate of 1-2% on the face weight or 0.3 to 0.6% per square foot.

For surface applications to textiles, paper, leather, textile wall partitions, wallboard liner and other construction materials, apply as a spray, direct surface application (kiss roll, flooded nip) or foam at a rate of 3-12 fluid ounces of ChitoSante' per gallon of water, depending upon surface texture and absorption qualities of textile.

ChitoSante' 2/19/07 Section 3 Registration MASTER Label Page 3 of 6

APPLICATOR USES

Carpet: Apply to clean carpet. Add 12 ounces ChitoSante' to one gallon of water. Apply as a spray or mist. One gallon of solution covers 540 square feet of surface area. Allow to dry before use. In homes, offices, industrial settings apply each time carpet is cleaned or as needed for odors due to mold, mildew, fungi, or bacteria. In athletic facilities, carpet should be cleaned regularly and ChitoSante' applied weekly.

Synthetic Turf: Mix 6 fluid ounces ChitoSante' per gallon of water. Apply as a spray at a rate of 1 gallon of solution per 270 square feet of synthetic turf. If less water is desired in/on turf mix at a rate of 12 fluid ounces ChitoSante' per gallon of water and apply at a rate of one gallon of solution per 540 square feet of synthetic turf. Allow to dry before use. Apply every three months.

Vehicle interiors: Dilute 6 fl. oz. ChitoSante' with 1 gallon of water, spray 3 fl. oz. of solution per average size car. Use more solution to cover larger vehicles.

DOMESTIC INDOOR USES

Home use/Laundry: Run laundry through entire rinse cycle. Re-set washer to rinse cycle. Add ChitoSante' to fabric softener receptacle or directly onto laundry. Repeat rinse cycle. Dry laundry thoroughly. Apply to each load. NOTE: Always test for staining in an inconspicuous area. ChitoSante' should not stain articles not stained by water alone.

Washer Type:

Domestic/Coin Operated (less than 30 lb machines)

Front Load Top Load

Cotton/Cotton blends 1.75 oz/load 4 oz/load

Nylon, polyester & 6.5 oz/load 15 oz/load

Other synthetics

As an after-wash treatment for clothing, linens, uniforms, textiles in general: Remove laundry from washer after final spin cycle. Mix 6 ounces of ChitoSante' per gallon of water and apply to damp or dry articles. Spray each article with ChitoSante' solution. Dry thoroughly before use. Apply to each load.

Home use/Other: As a spray for textiles, paper and other porous surfaces such as but not limited to: awnings, bedding, car and boat covers, ceilings, curtains/drapes, linens, mattresses, pet bedding, pillows, shoes, umbrellas, upholstery, vehicle interiors, and wallboard. Clean areas or articles to be treated to remove dirt, mold or mildew. Add 6 ounces of ChitoSante' per gallon of water. Apply until thoroughly damp. Allow to dry before use.

As a spray or mist for non-food hard contact surfaces, such as, but not limited to: fiberglass, masonry, metal, particle board, vinyl, wood, other interior and exterior surfaces. Clean areas to be treated with appropriate cleaner to remove dirt, mold, mildew, fungi from the surface. Mix 3-12 ounces of ChitoSante' per gallon of water. Apply to surfaces until thoroughly wet. Allow to dry before use.

ATHLETIC/SPORTS EQUIPMENT/FACILITIES:

Laundry: Run laundry through entire rinse cycle. Re-set washer to rinse cycle. Add ChitoSante' to fabric softener receptacle or directly onto laundry. Repeat rinse cycle. Dry laundry thoroughly. Apply to each load.

Washer Type:

Domestic/Coin Operated (less than 30 lb machines)

Front Load Top Load

Cotton/Cotton blends 1.75 oz/load 4 oz/load

Nylon, polyester &

6.5 oz/load 15 oz/load

Other synthetics

Large Capacity Washers (30 lb and greater)

Cotton/cotton blends 0.125- 1.0 oz/gal of water in final rinse cycle

Nylon, polyester &

0.5-4.0 oz / gal of water in final rinse cycle

Other synthetics

ChitoSante' should be added to the final rinse cycle, along with fabric softener, if used. Use the lowest water level setting. Apply to each load. Dry thoroughly before use. Laundry may be air-dried if desired.

As an after-wash treatment for clothing, linens, uniforms, textiles in general: Remove laundry from washer after final spin cycle or drying. Mix 6 ounces of ChitoSante' per gallon of water and apply to damp articles. Spray each article with ChitoSante' solution. Dry thoroughly before use. Apply to each load.

Exercise equipment/surfaces/lockers/mats: First, clean or disinfect articles to be treated with an approved disinfectant. Mix 6 ounces of ChitoSante' per gallon of water and apply as a spray, mist or wipe with soaked cloth until surface is thoroughly damp. Allow to dry thoroughly before use. Apply daily to exercise equipment, surfaces and mats. Apply weekly to lockers.

ChitoSante' 2/19/07 Section 3 Registration MASTER Label Page 5 of 6

Athletic equipment, including but not limited to: protective helmets, pads, blocking dummies: First, clean or disinfect articles to be treated with an approved disinfectant. Mix 6 ounces of ChitoSante' per gallon of water. Apply as a spray or mist until surface is completely moist. Apply weekly. Allow to dry thoroughly before use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE:

Store in original container in a cool, dry place, away from sunlight and out of the reach of children and pets.

PESTICIDE DISPOSAL:

Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

BULK CONTAINERS:

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

ChitoSante' 2/19/07 Section 3 Registration MASTER Label Page 6 of 6

NOTICE OF WARRANTY

Chem-Tex Laboratories, Inc. warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with the label directions under normal conditions of use. Chem-Tex Laboratories, Inc. makes no other express or implied warranties either of merchantability or fitness for a particular use. Handling, storage and use of the product by Buyer or User are beyond the control of Chem-Tex Laboratories, Inc. and Seller. Risks such as ineffectiveness or other unintended consequences resulting from, but not limited to, failure to follow label directions will be assumed by the Buyer or User. In no case will Chem-Tex Laboratories, Inc. or Seller be held liable for consequential, special or indirect damages resulting from the handling, storage or use of this product.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements. No employee or agent of the seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

Produced by: Chem-Tex Laboratories, Inc. 2725 Armentrout Dr Concord, NC 28025