

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

APR - 2 2014

Ms. Kyla Smith Canyon Group c/o Gowan Company P.O. Box 5569 Yuma, AZ 85366

Dear Ms. Smith:

Subject: Application for Pesticide Notification (PRN 98-10)

Add pests of ornamental plants

Permanone Multi-Use Insecticide Spray

EPA Reg. No. 81880-5

Your submission dated March 4, 2014

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 4, 2014 for the above product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, Ph.D. at (703) 305-7071 or via e-mail at pilitt.dana@epa.gov.

Sincerely.

Richard Gebken

Product Manager 10

Insecticide Branch

Registration Division (7505P)

Please read instructions on reverse	befo. mpleting	form.	Form Ar	oprusad.	OMB No. 20	70-0060	
SEPA Envi	ronmental Pr	d States Otection Ag n, DC 20460	ency	×	Registra Amendn Other		OPP Identifier Number
	Ар	plication for	Pesticide - Se	ction	ſ		
1. Company/Product Number 81880-5			2. EPA Product M Richard Gebkin		-		oposed Classification
4. Company/Product (Name) GWN-1715-O			PM#				None Restricted
5. Name and Address of Applicant (Include ZIP Code) Canyon Group c/o Gowan Company P.O. Box 5569 Yuma, AZ 85366			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: NOTIFICATION EPA Reg. No.				
Check if this is a ne	w address		Product Name	Product Name APR - 2 2014			
		Se	ction - II				
Amendment - Explain below. Resubmission in response to X Notification - Explain below.	Agency letter date	ed	Agency I	ated labels etter date * Applica xplain be	tion.	to	
Explanation: Use additional page Add pests	Explanation: Use additional page(s) if necessary. (For section I and Section II.) Add pests						
		Sec	tion - III				_
1. Material This Product Will Be Pac	kaged in:						
Child-Resistant Packaging Yes No Certification must be submitted Unit Packaging Yes No. per Unit Packaging wgt.		o. per If "Ye	Yes No No. pe		2. Type of C	Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents Informa Label Container		Size(s) Retail Cont	iner	5. Loc	On Label	_	ns panying product
Pape		Lithograph Paper glued Stenciled	Oti	her			ес
		Sec	tion - IV				6 C C
1. Contact Point Complete items d	lirectly below for ide	entification of indi	vidual to be contacte	d, if nece	ssary, to pro	ces this	application.)
Name Kyla S. Smith		Title Regist	ration Specialist		\displays \displ	. • .	Na. (Include Area Code)
I certify that the statements I I acknowledge that any know both under applicable law.	have made on this				rate and com		6. Date Application Received (Stamped)
2. Signature	110	3. Title			-		((((
			Registration Specialist				
4. Typed Name	- (5. Date					
Kyla S. Smith		3-4-14	1				·

The Go To Company

P.O. Box 5569 A Yuma, AZ 85366-5569 A Phone (928) 783-8844 A FAX (928) 343-9255

March 4, 2014

U.S. EPA, Office of Pesticide Programs (7505P)
Document Processing Desk (NOTF)
Attention: Richard Gebkin
Room S-4900, One Potomac Yard (S. Bldg)
2777 S. Crystal Drive
Arlington, Virginia 22202-4501

RE: GWN-1715-O, EPA Reg. No. 81880-5 - Notification

Dear Mr. Gebkin:

Canyon Group submits here a notification to include the active ingredient name on the GWN-1715-O label and to add additional pests. I have enclosed the following:

- 8570-1: Application for Pesticide Registration
- Proposed label (copies)

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions or concerns, please contact me via email at kssmithl@gowanco.com or via phone (928) 819-1531.

Sincerely,

Kyla Smith, Agent for Canyon

Enclosures

GWN-1715-O

Miticide/Insecticide

A wettable powder for commercial use on ornamental plants grown in greenhouses and outdoors

ACTIVE INGREDIENT:Pyridaben	% By Wt.
[2-tert-butyl-5-(4-tert-butylbenzylithio)-4-chloropyridazin	-3(2h-one]
OTHER INGREDIENTS	25.0%
v	TOTAL: 100.0%

WARNING/AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

	FIRST AID
If inhaled	Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If swallowed	 Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
lf on skin or clothing	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. FOR MEDICAL EMERGENCIES INVOLVING THIS PRODUCT CALL 1-888-478-0798.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING/AVISO

May be fatal if inhaled. Do not breathe dust or spray mist. For handling activities, use dust/mist-filtering respirator (MSHA/NIOSH approval numbers prefix TC-21C), or a NIOSH approved respirator with N, P, R, or HE pre-filter. Wear long-sleeved shirt and long pants, socks and shoes and waterproof gloves. Harmful if swallowed or absorbed through skin. Avoid contact with skin. Remove contaminated clothing and wash before reuse. Causes moderate eye irritation. Do not get in eyes or on clothing. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Protective eyewear
- · Shoes plus socks
- For handling activities, use dust/mist filtering respirator (MSHA/NIOSH approval numbers prefix TC-21(), or, a NIOSH approved respirator with a N, P, R, or HE pre-filter.
- Chemical-resistant headgear for overhead exposure.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use deferging and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls Statement: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

NET CONTENTS ___ POUNDS

Gowan
The Go To Company

Canyon Group C/O Gowan Company P.O. Box 5569 Yuma, AZ 85366-5569

EPA Reg. No. 81880-5 EPA Est. No.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high-water mark. Keep out of lakes, ponds, or streams. Do not contaminate water when disposing of equipment washwaters. Do not apply when weather conditions favor drift from target area. Drift or runoff from treated areas may be hazardous to fish in adjacent sites. This product is toxic to bees. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area. Application early in the morning or at dusk is suggested.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

For end use only. Do not repackage or reformulate without manufacturer's written approval.

All applicable directions, restrictions, precautions and Notice of Conditions of Sale and Warranty and Liability Limitations are to be followed. This labeling must be in the user's possession during application.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- · Shoes plus socks
- Protective eyewear
- For handling activities during handgun applications with direct overhead exposures, wear either a respirator with an organic vaporremoving cartridge with a pre-filter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-21C).
- For all other exposures, wear a dust/mist-filtering respirator (MSHA/NIOSH approval number prefix TC-21C).

GENERAL INFORMATION

GWN-1715-O Miticide/Insecticide is intended for control of mites and whiteflies on ornamental plants, flowers, and foliage crops. GWN-1715-O provides excellent knockdown and residual control. A good evaluation of performance can generally be made 4-7 days after treatment.

Crop Tolerance

All crops listed in Table 2. Plant Species Tested for Tolerance to GWN-1715-O are tolerant to GWN-1715-O.

Mode of Action

GWN-1715-O works primarily through contact action. Treat plants when pests are immature or at a susceptible stage and populations are building, before crop damage occurs.

Resistance Management

Using GWN-1715-O in successive miticide applications is not recommended. Use GWN-1715-O as part of a sound resistance management program that includes rotation with other treatments having different modes of action.

Spray Coverage

Apply GWN-1715-O in sufficient water to ensure thorough coverage of foliage. Thorough coverage is required for optimum control. To achieve adequate coverage, use proper spray pressure, nozzles, nozzle spacing, and volume per acre. Consult spray nozzle and accessory guide for information pertaining to proper equipment calibration.

Cleaning Spray Equipment

Clean spray equipment thoroughly using a strong detergent or commercial sprayer cleaner according to the manufacturer's directions before and after applying this product.

APPLICATION INSTRUCTIONS

Apply GWN-1715-O Miticide/Insectide at rates recommended in Table 1. Application Rates. Avoid drift to all other crops and non-target areas. Table 1. Application Rates

Pest	Rate per 100 gallons of water
Broad mite	
European Red Mite	1 hage
Southern red mite	4 bags -
Tumid mite	(4 ounces)
Twospotted spider mite	
Whiteflies	
Blackmargined aphid	
Yellow pecan aphid	
Brown citrus aphid	4 – 6 bags
Eastern grape leafhopper (nymphs)	(4 – 6 ounces)
Grape leafhopper (nymphs)	(4 – 6 ounces)
Variegated leafhopper (nymphs)	
Virginia creeper leafhopper (nymphs)	
White apple leafhopper (nymphs) 1	
White apple leafhopper (nymphs), and Sweet potato whitefly are only considered to be suppressed in	
California.	




Table 2. Plant Species Tested for Tolerance to GWN-1715-O miticide/insecticide*

COMMON NAME	SCIENTIFIC NAME
COMMON NAME	
Ageratum, Blue Blazer	Ageratum houstonianum
Alurrinum Plant	Pilea cadierei
Alyssum	Lobularia maritima
Andromeda, Japanese	Pieris japonica (Thumb) v
	'Mountain Fire'
Amathematican	
Anthurium	Anthurium spp.
Arborvitea, American	Thuja occidentalis, smaragd
Aster, Rainbow	Aster spp.
, Solidago	· · · · · · · · · · · · · · · · · · ·
	Oh - de de materia -
Azalea	Rhododendron sp.
Baby's Breath	Gypsophila paniculata
Balloon Flower	Platycodon grandiflora v
ĺ	'Sentimental Blue'
Barberry, Japanese	Berberis thunbergii
Red Leaf	(atropurpureum)
Begonia •	Begonia semperflorens
Blanket Flower	Gaillardia sp. V 'Red Plume'
	Gaillaidia Sp. V Ned Fiditie
Bleeding Heart	Dicentra spectabilis (Lem.)
Boxwood, Japanese	Buxus japonica
Butterfly Bush	Buddleia sp. V White
	profusion'
Butterfly Bush	Buddleia davidii Franch.
Caladium	Caladium sp.
Camellia	Camellia japonica
Carnation, Pallas Londerga	Dianthus caryophyllus
Carnation, Pink Candy	
Celosia, Dwarf Mixed	Celosia argenta
Charnaedorea Palm	Chamaedorea elegans
Chrysanthemum	Chrysanthemum spp.
Christmas Cactus	Schlumbergera bridgesii
Cimmaron	Medicago sativae
Cinquefoil	Potentilla fructicosa spp.
- Ciliquoion	Including 'May white'
Coleus, Scarlet Wizard	Coleus hybridus
	Budhackia an V 'Caldilaaka'
Coneflower	Rudbeckia sp. V 'Goldilocks'
Cosmos	Cosmos sp.
Cotoneaster	Coloneaster dammeri C.K.
	Schneid v 'Coral'
·	Beauty'
Cotoneaster	Cotoneaster apiculaius Rehd
	& E.H. Wils
Croton, Pictum	Codiaeum variegatum
Cyclemon Bod	Cyclamen persicum
Cyclamen, Red	Systamen persicunt
, White	5 //-
Dahlia	Dahlia spp.
Daisy, Shasta	Chrysanthemum maximum
_	Ramond v 'Silver Princess'
Daylily	Llemerocallis spp.
Dianthus, Pink	Dianthus spp.
Telstar Lavender	
, Telstar Lavender	
	Dieffenbachie
Dieffenbachia, Dumb cane	Dieffenbachia sp.
Dogwood, Cornelian Cherry	Cornus spp.
Dracaena	Dracaena marginata
Dusty Miller	Centaurea cineraria
Dwarf Winged Euonymus	Euonymus alata (Thumb.)
	Siebold v. 'Compacta'
pm 1	
Elm	Ulmus spp.
Euonymus	Euonmymus spp.
Euonymus, Winged	Euonymus alata (Thumb.)
	Siebold
Euonymus, Dwarf Winged	Euonymus alata (Thumb.)
	Siebold v ' Compacta
Folco Cypross	Chamaccyparis pisifera
False Cypress	
Fern, Pteris	Pteris biaurita
Fern, Asparagus	Asparagus setaceus
Fern, Asparagus Fern, Maidenhair	

secticide*	
Fir, Douglas	Pseudotsuga menziesii (Mirb) Franco
Fir, Fraser	Abies fraseri
Fir, Noble	Abies porcera
COMMON NAME	SCIENTIFIC NAME
Fire Thorn	Pyracantha coccinea
Fuchsia	Fuchsiu sp.
Gardenia, August Beauty	Gardenia jsaminoides
Geranium, Scarlet Orbit	Geranium sp.
Gerbera Daisy	Gerbera sp.
Gladiolus	Gladiolus x hortulanus L.H.
Gladiolus	Bailey
Gloxinia	Gladiolus sp. V 'Nova Lux' Sinningia speciosa
Gold Dust Plant	Aucuba japonica
Goldfish plant	Alloplectus nummularia
Hemlock	Tsuga canadensis Carriere
Hibiscus	Hibiscus spp.
	Alcea rosea v ' Apricot'
Hollyhock Holly, Chinese	Hex comuta
, Burford	Hex comuta 'Burfordii'
, Japanese	Hex crenta
Honeysuckie	Lonicera spp.
Hyacinth, Common	Hyacinthus orientalis
Hydrangea	Hydrangea spp.
Hydrangea-vine	Schizophragma hydrangea
Impatiens, New Guinea	Impatiens wallerano
, hybrids	
, Celsia high energy	
, Sunshine Iris, Miniature	Iriaann
Ivy, Cascade	Iris spp. Hedera helix
, English	nedera nelix
, Spade	
Juniper	Juniperus spp.
Kalanchoe	Kalanchoe sp.
Lilac	Syringa patula
Lily, Easter	Lilium Ioniflorum
, Calla	Zantedeschia sp.
, Peace , Mauna Loa	Spathiphyllum sp. Spathiphyllum sp.
, Orange pixie	Lilium longiflorum
Lobelia	Lobelia spp.
Lupine	Lupinus sp. v 'Russell Blue
	w/White'
Magnolia	
	Magnolia spp.
Mandevilla, Pink	Mandevilla sp.
Mandevilla, Pink Maple, Sugar	Mandevilla sp. Acer saccharum Marsh
Mandevilla, Pink Maple, Sugar Marigold	Mandevilla sp. Acer saccharum Marsh Tagetes erecta
Mandevilla, Pink Maple, Sugar Marigold Mock Orange	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth)	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. c c c
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. c c Quercus palustris Muenchh
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella)	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. c c Quercus palustris Muenchh Chéritéedorea elegans
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. c c Quercus palustris Muenchh Chierii Redorea elegans Viola wittrockiana
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella)	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. c c Quercus palustris Muenchh Chiéritéedorea elegans Viola wittrockiana Leilyrus odoratus v Explorer
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy Pea, Sweet	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. c c c Quercus palustris Muenchh Chéritéedorea elegans Viola wittrockiana Latiyrus odoratus v Explorer Mixod c c c c
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy Pea, Sweet Pear, Bradford	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. c c Quercus palustris Muenchh Chérineedorea elegans Viola wittrockiana Lett: yrus odoratus v 'Explorer Mixed' c c c c Phyrus calleryana, 'Bredford'
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy Pea, Sweet Pear, Bradford Peony	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. c c Quercus palustris Muenchh Chérineedorea elegans Viola wittrockiana Latilyrus odoratus v 'Explorer Mixed' c c c c Phyrus calleryana, Bredford' Paeonia lactiflora Pall.
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy Pea, Sweet Pear, Bradford	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. c c Quercus palustris Muenchh Chérineedorea elegans Viola wittrockiana Lett: yrus odoratus v 'Explorer Mixed' c c c c Phyrus calleryana, 'Bredford'
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy Pea, Sweet Pear, Bradford Peony Petunia, Harmony Boy	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. Quercus palustris Müenchh Cherialedorea elegans Viola wittrockiana Lattyrus odoratus v 'Explorer Mixed' Phyrus calleryana, Bredford' Paeonia lactiflora Pall. Petunia hybrida
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy Pea, Sweet Pear, Bradford Peony Petunia, Harmony Boy , White Cascade , White Madness Phlox, Summer	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. Quercus palustris Müenchh Cheriaedorea elegans Viola Wittrockiana Latilyrus odoratus v 'Explorer Mixed' Phyrus calleryana, Bredford' Peeonia lactiflora Pall. Petunia hybrida
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy Pea, Sweet Pear, Bradford Peony Petunia, Harmony Boy , White Cascade , White Madness Phlox, Summer Photinia, Red Tip	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. Quercus palustris Muenchh Cherialedorea elegans Viola wittrockiana Latilyrus odoratus v 'Explorer Mixed' Phyrus calleryana, Bredford' Peeonia lactiflora Pall. Petunia hybrida Phlox, paniculata; Photinia x fraser:
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy Pea, Sweet Pear, Bradford Peony Petunia, Harmony Boy , White Cascade , White Madness Phlox, Summer Photinia, Red Tip Piggyback plant	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. Quercus palustris Müenchh Cheriaedorea elegans Viola wittrockiana Latiyrus odoratus v 'Explorer Mixed' Phyrus calleryana, Bredford' Peeonia lactiflora Pall. Petunia hybrida Photinia x fraser: Tolmiea menziesii
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy Pea, Sweet Pear, Bradford Peony Petunia, Harmony Boy , White Cascade , White Madness Phlox, Summer Photinia, Red Tip Piggyback plant Pine, Mugo	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. Quercus palustris Muenchh Chéritéedorea elegans Viola wittrockiana Latilyrus odoratus v 'Explorer Mixed' Phyrus calleryana, Bredford' Paeonia lactiflora Pall. Petunia hybrida Phlox, paniculata Photinia x fraseri Tolmiea menziesii Pinus mugo Turra
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy Pea, Sweet Pear, Bradford Peony Petunia, Harmony Boy , White Cascade , White Madness Phlox, Summer Photinia, Red Tip Piggyback plant Pine, Mugo Pinks (Dianthus)	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. Quercus palustris Muenchh Chéritéedorea elegans Viola Wittrockiana Lett, yrus odoratus v 'Explorer Mixed' Phyrus calleryana, Bredford' Paeonia lactiflora Pall. Petunia hybrida Photinia x fraseri Tolmiea menziesii Pinus mugo Turra Dianthus spp.
Mandevilla, Pink Maple, Sugar Marigold Mock Orange Muscari, (Grape Hyancinth) Oak, Pin Palm, Parlor (neantha Bella) Pansy Pea, Sweet Pear, Bradford Peony Petunia, Harmony Boy , White Cascade , White Madness Phlox, Summer Photinia, Red Tip Piggyback plant Pine, Mugo	Mandevilla sp. Acer saccharum Marsh Tagetes erecta Philadelphus coronaries Muscari spp. Quercus palustris Muenchh Chéritéedorea elegans Viola wittrockiana Latilyrus odoratus v 'Explorer Mixed' Phyrus calleryana, Bredford' Paeonia lactiflora Pall. Petunia hybrida Phlox, paniculata Photinia x fraseri Tolmiea menziesii Pinus mugo Turra

. Poinsettia	Euphorbia pulcherrima
Ponytail plant	Reaucamea recurvata
Poppy	Papaver spp.
Pothos	Epipremum aureum
Prayer plant	Maranta leuconeura
Primrose	Primula sp.
Privet	Ligustrum x vicaryi
Redvein Enkianthus	Enkianthus spp.
COMMON NAME	SCIENTIFIC NAME
Rose	Rosa spp.
Rose moss	Portulaca grandiflora
Rhododendron,	Rhododendron sp.
English Roseum	
Salvia	Salvia splendens
Schefflera	Schefflera actinophylla
Snapdragon	Antirrhinum spp.
Spirea	Spirea spp.
Spruce, Norway Nest	Picea abies nidiformis
Sunflower, Minature	Helianthus annuus
Syngonium	Synagonium podophyllum

Tobacco, Ornamental	Nicotiana spp.			
Trumpetcreeper	Campsis grandiflora			
Tulips	Tulipa spp.			
Viburnum, Snowball Bush	Viburnum spp.			
COMMON NAME	SCIENTIFIC NAME			
Verbena, Blaze Garden , Lemon , Scarlet Romance	Verbena hybrida			
Vinca, Little Blanche, , Periwinkle	Vinca spp.			
Violet, African '	Saintpaulia ionantha			
Wandering Jew	Tradesacantia albiflora			
Wisteria	Wisteria spp.			
Yew, Hicks	Taxus x media Rehd v 'Hicksii'			
Zinnia, Scarlet Flame , Giant Cactus , Lilliput , Dreamland	Zinnia elegans			

ADDITIVES

In general, no additives are necessary for effective use of GWN-1715-O miticide/insecticide.

However, in situations where local conditions such as hard water are a problem, adjuvants or wetting agents may be used to achieve thorough spray coverage.

Do not place water-soluble bags directly into dormant or summer-spray-type oils. PVA pouches are water soluble, not oil soluble. Do not use with nutritional sprays containing boron. Boron will prevent the bags from dissolving in water. Rinse the tank thoroughly before adding any material in PVA bags.

Mixing Order

- 1) Water: Begin by agitating a thoroughly clean sprayer tank half full of clean water.
- 2) Products in PVA bags: Determine the number of water-soluble bags to be used based on Table 2. Place the water-soluble bags into the mixing tank. The water-soluble bags dissolve in water and the contents will disperse. Wait until all water-soluble PVA bags have fully dissolved and the product is evenly mixed in the spray tank before continuing.
- 3) Water-dispersible products: (dry flowables, wettable powders, suspension concentrates, or suspo-emulsions)
- 4) Emulsifiable concentrates
- 5) Water Soluble Products
- 6) Water-soluble additives
- 7) Remaining quantity water

Maintain constant agitation during application. For more information, refer to section General Tank Mixing Information.

GENERAL TANK MIXING INFORMATION

No tank mixes are specifically recommended with this product. The phytotoxic potential of GWN-1715-O has been assessed on a wide variety of common ornamental plants with no phytotoxicity observed. However, all plant species and their varieties and cultivars have not been tested with possible tank mix combinations, sequential pesticide treatments, and adjuvants and surfactants. Local conditions can also influence crop tolerance and may not match those under which testing has been conducted. Therefore, before using GWN-1715-O, test the product on a sample of the crop to be treated to ensure that a phytotoxic response will not occur as a result of applications.

GENERAL RESTRICTIONS AND LIMITATIONS - ALL CROPS

- Maximum seasonal use rate: Do not exceed 21.34 ounces of GWN-1715-O miticide/insecticide per acre, per year.
- Restricted Entry Interval (REI): 12 hours
- Do not enter a treated greenhouse or a treated indoor area without protective equipment for 12 hours unless one of the following items is completed:
 - o 10 air exchanges
 - o 2 hours of system ventilation
 - o 4 hours of ventilation using vents, windows or other passive ventilation
 - o All required PPE is worn.
- Sequential Treatment: Do not use GWN-1715-O in successive miticide applications. Use GWN-1715-O in rotation with other treatments having different modes of action.
- Do not apply this product through any type of irrigation system.
- Do not apply this product aerially.
- Do not use GWN-1715-O with nutritional sprays that contain boron.
- Do not apply this product as a smoke, mist, fog, or aerosol.
- Do not repackage or reformulate without manufacturer's written approval. For end use only.



CLECCE

€ €

. . . .

....

.

CROPS

This product can be used on the following crops:

- Ornamental plants
- Foliage crops

Pests	
This product can be used on the following pests:	
Common Name	Scientific Name
Broad Mite	Polyphagotarsonemus latus
European red mite	Panonychus ulmi
Southern red mite	Oligonychus ilicis
Tumid mite 1	Tetranychus tumidus
Twospotted spider mite	Tetranychus urticae
Whitefly, Silverleaf	Bemisia argentifolii
Whitefly, Greenhouse	Trialeurodes vaporariorum
Blackmargined aphid	Monellia caryella
Yellow pecan aphid	Monelliopsis pecanis
Brown citrus aphid	Toxoptera citricida
Eastern grape leafhopper (nymphs)	Erythroneura comes
Grape leafhopper (nymphs)	Erythroneura elegantula
Variegated leafhopper (nymphs)	Erythroneura variabilis
Virginia creeper leafhopper (nymphs)	Erythroneura ziczac
White apple leafhopper (nymphs)	Typhlocyba pomaria

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place away from heat or open flame. This package contains water-soluble bags inside a foil liner (overwrap). Do not remove the water-soluble bags from the overwrap except for immediate use. If all the water-soluble bags are not used, carefully reseal the overwrap. The water-soluble bags may break if they are exposed to moisture, handled excessively, or handled with wet hands or wet gloves.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility. Improper disposal of excess pesticide, spray mix, or rinsate is a violation of federal law.

If these wastes cannot be disposed of according to label instructions, contact the state agency responsible for pesticide regulation or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal:

Water-soluble packaging: Nonrefillable container. Do not reuse or refill this container. The outer case and inner overwrap packaging of the water-soluble bag should be incinerated or disposed of in a sanitary landfill, or if allowed by state and local authorities, by burning. If burned, stay out of smoke. Do not re-use the empty packaging.

FOR 24 HOUR EMERGENCY ASSISTANCE (SPILL, LEAK, OR FIRE). CALL CHEMTREC® (800) 424-9300

NOTICE OF CONDITIONS OF SALE AND WARRANTY AND LIABILITY LIMITATIONS

Important: Read the entire Directions for Use and Notice of Conditions of Sale and Warranty and Liability Limitations before using this product. If terms are not acceptable return the unopened container for a full refund.

Our recommendations for use of this product are based on tests believed to be reliable. However, it is impossible to eliminate all risk associated with the use of this product. Crop injury, inadequate performance, or other unintended consequences may result due to soil or weather conditions, off target movement, presence of other materials, method of use or application, and other factors, all of which are beyond the control of Canyon. All such risks shall be assumed by the Buyer and User.

Canyon warrants that this product conforms to the specifications on the label and is reasonably fit for the intended purpose referred to on the label when used in strict conformance with Direction for Use, subject to the above stated risk limitations. CANYON MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY

BUYER'S OR USER'S EXCLUSIVE REMEDY AND CANYON'S EXCLUSIVE LIABILITY FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, OR ANY OTHER LEGAL THEORY IS STRICTLY LIMITED TO THE PURCHASE PRICE PAID OR PRODUCT, AT CANYON'S SOLE DISCRETION.

EPA Tex Pendint: GWN-1715 (EPA Notf Sent 3-4-14)

Chemtrec® is a registered trademark of American Chemistry Council, Inc.