

81880-24

( 05-31-2011 )

1/10



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
Washington, D.C. 20460

OFFICE OF  
CHEMICAL SAFETY AND  
POLLUTION PREVENTION

MAY 31 2011

Patti Turner  
Canyon Group, LLC  
c/o Gowan Company, LLC  
P.O. Box 5569  
Yuma, AZ 85366-5569

Subject: Notification per PR Notice 98-10 (change primary brand name,  
company name, and distributor name)  
GWN-9861 Turf Herbicide  
EPA Reg. No. 81880-24  
Application Dated May 3, 2011

Dear Ms. Turner:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the subject product. The Registration Division (RD) has conducted a review of this request finds that the action falls within the scope of PRN 98-10. The label submitted with the application has been date-stamped "Notification" and will be placed in our records.

The primary brand name for this product has been changed from "GWN-9861" to "**GWN-9861 Turf Herbicide**". Also, the distributor product name has been changed from "Sedgehammer+" to "**SedgeHammer+ Turf Herbicide**".

If you have any questions, please contact Mindy Ondish at (703)605-0723 or at [ondish.mindy@epa.gov](mailto:ondish.mindy@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Kable Bo Davis".

Kable Bo Davis  
Product Manager 25  
Herbicide Branch  
Registration Division (7505P)

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0080



United States  
Environmental Protection Agency  
Washington, DC 20480

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

### Application for Pesticide - Section I

1. Company/Product Number 81880-24	2. EPA Product Manager Bo Davis	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) GWN-9861	PM# Team# 25; Phone: 703-306-0415	
5. Name and Address of Applicant (Include ZIP Code) Canyon Group, L.L.C. c/o Gowan Company, L.L.C. 370 S. Main Street Yuma, AZ 85364 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(ii), my product is similar or identical in composition and labeling to: <input checked="" type="checkbox"/> EPA Reg. No. _____ Product Name _____	

### Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	<b>NOTIFICATION</b>  MAY 3 1 2011
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input checked="" type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

In our attempts to get the state registrations in place, an issue was raise with our naming conventions i.e. Gowan Company vs. Gowan Company, L.L.C. and SedgeHammer+ vs SedgeHammer+ Turf Herbicide. This submission corrects the Issue on the official EPA record and, in turn, corrects the issue with the states.

### Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	If "Yes" Unit Packaging wgt.    No. per container		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Package wgt    No. per container			
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product			<input type="checkbox"/> Other _____		
			<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		

### Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Patti Turner	Title Registrations Manager	Telephone No. (Include Area Code) 928-539-5467
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 		
3. Title Agency for Canyon Group, L.L.C.		
4. Typed Name Patti Turner		
5. Date Dec-17-2010    May 3, 2011		





5  
10

GROUP			HERBICIDE
-------	--	--	-----------

# GWN-9861 TURF HERBICIDE

**NOTIFICATION**  
**MAY 3 1 2011**

**GWN-9861 is a selective herbicide for the control of nutsedge and other weeds in turfgrass, ornamentals, landscaped areas and other specified non-crop areas.**

<b>ACTIVE INGREDIENT:</b> Halosulfuron-methyl .....	% by Wt. 5.0%
<b>OTHER INGREDIENTS:</b> .....	95.0%
	<b>Total:</b> 100.0%

Read the entire label before using this product. Use only according to label instructions. Read "NOTICE OF CONDITIONS OF SALE AND WARRANTY AND LIABILITY LIMITATIONS" before buying or using. If terms are not acceptable, return at once unopened.

## KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.</li> <li>Call poison control center or physician for treatment advice.</li> </ul>
Have the product container or label with you when calling a poison control center or physician, or going for treatment. <b>FOR MEDICAL EMERGENCIES INVOLVING THIS PRODUCT, CALL TOLL FREE 1-888-478-0798.</b> This product is identified as GWN-9861 Turf Herbicide, EPA Reg. No. 81880-24.	

### PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

CAUSES MODERATE EYE IRRITATION. Avoid contact with eyes or clothing.

#### Personal Protective Equipment (PPE)

**Applicators and other handlers must wear:**

- long-sleeved shirt and long pants
- shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, or enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.



#### User Safety Recommendations:

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
  - Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

**NET CONTENTS \_\_\_ OUNCES**

EPA Reg. No. 81880-24  
EPA Est. No.

Produced For:  
Canyon Group, LLC  
c/o Gowan Company, L.L.C.  
PO Box 5569  
Yuma, AZ 85366-5569



6  
12

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. This product must only be used in accordance with the Directions for Use on this label or in separately published Canyon Group, LLC Supplemental Labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

- PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water are:
- Coveralls,
- Shoes plus socks, and
- Chemical-resistant gloves made out of any waterproof material.

**NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.  
Keep people off treated areas until spray solution has dried.

**PRODUCT INFORMATION**

GWN-9861 is a selective herbicide for post-emergence control of sedges such as purple and yellow nutsedge in established lawns, ornamental turfgrass, landscaped areas and commercial ornamental production nurseries. GWN-9861 can be used to selectively control *Kyllinga* species and certain broadleaf weeds (see chart). GWN-9861 may be applied to commercial and residential turf and on other non-crop sites including: airports, cemeteries, fallow areas, golf courses, landscaped areas, public recreation areas, residential property, roadsides, school grounds, sports fields, landscaped areas with established woody ornamentals, container and field nurseries fairgrounds, race tracks, tennis courts, campgrounds and rights-of-way.

**WEED RESISTANCE STATEMENT**

Weeds can develop resistance to herbicides. Some weed biotypes have inherent resistance to certain herbicides. Also, repeated use of herbicides with similar modes of action can result in the development of resistance in weed populations. GWN-9861, a member of the sulfonyleurea family, is an ALS enzyme inhibiting herbicide. To minimize the potential for resistance development and/or to control resistant weed biotypes, use a variety of cultural, mechanical, and chemical weed control tactics. Rotate with herbicides having other modes of action (e.g. non-ALS/AHAS materials). Contact your professional crop advisor, local cooperative extension specialist, or Canyon Group, LLC representative for additional information.

**TURFGRASSES**

When applied as directed under the conditions described, the following established turfgrasses are tolerant to this product:

**Cool-Season Grasses**

Bentgrass, creeping  
*Agrostis stolonifera*

Fescue, fine  
*Festuca spp.*

Ryegrass, perennial  
*Lolium perenne*

Bluegrass, Kentucky  
*Poa pratensis*

Fescue, tall  
*Festuca arundinacea*

(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((

(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((
(((	(((	(((	(((	(((	(((	(((	(((	(((	(((

7  
10

**Warm-Season Grasses**

Bahiagrass <i>Paspalum notatum</i>	Centipedegrass <i>Eremochloa ophiuroides</i>	Kikuyugrass <i>Pennisetum clandestinum</i>
Bermudagrass <i>Cynodon dactylon</i>	Seashore paspalum <i>Paspalum vaginatum</i>	Zoysiagrass <i>Zoysia japonica</i>
Buffalograss <i>Bouteloua dactyloides</i>	St. Augustinegrass <i>Stenotaphrum secundatum</i>	

**USE RESTRICTIONS AND PRECAUTIONS**

For optimum results, do not mow turf for 2 days before or 2 days after application. This product is effective if no rainfall occurs within 3 hours, but best results are obtained with no rainfall or irrigation for at least 4 hours. This product may be used on seeded, sodded, or sprigged turfgrass that is well established. Allow the turf to develop a good root system and uniform stand before application. Treated areas may be overseeded with annual or perennial ryegrass or bermudagrass, 2 weeks after application. **Avoid application of GWN-9861 when turfgrass or nutsedge is under stress since turf injury and poor nutsedge control may result.** Do not apply as an over-the-top spray to desirable flowers, ornamentals, vegetables, shrubs or trees. Annual and perennial herbaceous ornamentals, including color plants, may be injured when transplanted into landscaped areas treated with GWN-9861. Do not apply this product to golf course putting greens. Do not apply this product through any type of irrigation system. Do not apply this product by air

**ORNAMENTALS**

**RESTRICTIONS**

- To avoid possible injury on ornamental plants, do not apply GWN-9861 to:
- Over the top of desirable plants. Avoid contact of this product with leaves of desirable plants since foliar injury, discoloration, stunting, or death may result.
  - Greenhouses or enclosed growing structures.
  - Seedling beds, cutting beds or transplant beds.
  - Landscape beds that are or will be planted with annuals, seasonal color, sensitive herbaceous perennials, vegetable transplants or container plants smaller than one gallon. Do not apply to landscape areas where bare root liners will be planted.
  - Newly transplanted ornamentals. Only apply GWN-9861 to established plantings.
  - Containers, growing media in containers or into containers grown in pot.
  - Do not allow spray or drift to contact exposed roots or damaged bark of ornamental plants.

**Additional Precautions:**

- Allow at least 3 months of active growth after transplanting in the field before applying this product.
- Do not plant back into treated areas for at least 12 months after the last GWN-9861 application.
- Do not use crop oil as an adjuvant in GWN-9861 applications on ornamentals.
- Not for use in low volume applications such as with foggers, hydrostatic, or aerosol applicators

**ESTABLISHED WOODY ORNAMENTALS IN LANDSCAPED AREAS**


This product may be applied at specified rates as a post-directed spray around established woody ornamental species in landscaped areas. For transplanted woody ornamentals, allow three months after transplanting before applying this product.

**FIELD GROWN ORNAMENTAL PRODUCTION NURSERIES**

GWN-9861 may be used, at specified rates as a post-directed spray in field grown ornamental production nurseries, on the following established plant species:

**Established Shrubs**

<u>Common Name</u>	<u>Scientific Name</u>	<u>Common Name</u>	<u>Scientific Name</u>
Littleleaf boxwood	<i>Buxus microphylla</i>	Chinese juniper	<i>Juniperus chinensis</i>
	<i>Buxus microphylla</i>		
Japanese boxwood	<i>japonica</i>	Shore juniper	<i>Juniperus conferta</i>
	<i>Buxus microphylla</i>		<i>Juniperus</i>
Korean boxwood	<i>koreana</i>	Creeping juniper	<i>horizontalis</i>
Wintercreeper	<i>Euonymus fortunei var.</i>		<i>Rhododendron</i>
euonymus	<i>radicans</i>	Rhododendron	<i>catawbiense</i>
Gardenia	<i>Gardenia augusta</i>	Azalea	<i>Rhododendron spp.</i>
			<i>Rhododendron x</i>
Panicle hydrangea	<i>Hydrangea paniculata</i>	Kurume azalea	<i>kurume</i>
			<i>Rhododendron</i>
Dwarf buford holly	<i>Ilex cornuta</i>	Formosa azalea	<i>simsii</i>



Japanese holly	<i>Ilex crenata</i>	Bumald spirea	<i>Spiraea x bumalda</i>
Dwarf yaupon holly	<i>Ilex vomitoria</i>	White lace spirea	<i>Spiraea decumbens</i>
Yellow anise	<i>Illicium parviflorum</i>	Japanese spirea	<i>Spiraea japonica</i>
		American arbovitae	<i>Thuja occidentalis</i>

**Established Trees**

Meserve holly	<i>Ilex x meserveae</i>	Red pine	<i>Pinus resinosa</i>
Round leaf holly	<i>Ilex rotunda</i>	White pine	<i>Pinus strobus</i>
Winterberry holly	<i>Ilex verticillata</i>	Loblolly pine	<i>Pinus taeda</i>
Crape myrtle	<i>Lagerstroemia indica</i>	Holly oak	<i>Quercus ilex</i>
Southern magnolia	<i>Magnolia grandiflora</i>	Northern red oak	<i>Quercus rubra</i>
Star magnolia	<i>Magnolia stellata</i>	Southern live oak	<i>Quercus virginiana</i>
Austrian pine	<i>Pinus nigra</i>		

On field grown nurseries and landscape areas GWN-9861 may be used -only as a directed spray- on ornamental plants species not listed on this label. The suitability for such uses should be determined by treating a small number of such plants at the specified rate and observing plant growth and development over an extended period of time. To the extent consistent with applicable law, the user assumes responsibility for any crop damage or other liability associated with applications to ornamental plants not listed on this label.

**Note:** Do not apply GWN-9861 to the following plant species as injury has been observed.

<i>Buddleia davidii</i>	Butterfly bush
<i>Juniperus virginiana</i>	Eastern juniper
<i>Ligustrum japonicum</i>	Japanese privet
<i>Ligustrum sinensis</i>	Variegated privet
<i>Prunus americana</i>	American plum
<i>Prunus avium</i>	Sweet cherry
<i>Prunus serotina</i>	Black cherry
<i>Viburnum carlesii</i>	Koreanspice viburnum
<i>Viburnum dentatum</i>	Arrowwood viburnum
<i>Viburnum tinus</i>	Compact laurustinus viburnum

**CONTAINER GROWN ORNAMENTAL PRODUCTION NURSERIES**

GWN-9861 may be applied in nurseries for listed weed control as a directed spray application on bare ground or around container grown ornamental plants. This product can be applied to weeds growing between containers in pot production. Do not apply inside the containers. Do not apply to exposed roots growing outside of pots.

**FALLOW TREATMENTS**

This product may be used on fallow areas prior to the establishment of turfgrass or woody ornamental plants. Allow 4 weeks between application and seeding or sodding of turfgrass, or transplanting woody ornamentals.

**FOR USE ON ROADSIDES, RIGHT OF WAY, TANK FARMS, LUMBERYARDS, FUEL STORAGE AREAS, FALLOW LAND, AND FENCE ROWS FOR HORSETAIL CONTROL**

Apply this product at specified rates as a post-emergence spray on roadsides and other industrial sites. When applied post-emergence, this product will suppress the following weeds: cocklebur, common sunflower, common ragweed, giant ragweed, pigweed, and velvetleaf. This product may be tank mixed with Glyphosate herbicide.

**APPLICATION DIRECTIONS**

Rates and timing of Application

**For post-emergence control of purple or yellow nutsedge, Kyllinga and broadleaf weeds mix 0.5 ounce (13.5 grams) of this product (one pouch) in one gallon of water to treat 1000 square feet.** Mix or shake the solution to ensure ingredients are completely dispersed. Spray the target weeds thoroughly and wet the entire leaf surface of the undesirable plants. For best results, spray nutsedge after it has reached the 3 to 8 leaf stage of growth.

GWN-9861 often works with one application, but depending on the size and age of the nutsedge a second treatment may be required 6 to 10 weeks after the initial treatment.



9  
10

**Note:** This product already contains a non-ionic surfactant. No additional mixtures are necessary. Use one pouch for a single application. Once product is mixed with water apply immediately. Do not store the solution.

<sup>1</sup> For Optimum Kyllinga control two applications are recommended.

**Control of Horsetail (*Equisetum arvense*)**

For post-emergence control of horsetail (*Equisetum arvense*) apply 1 ounce (27 grams) of this product (two pouches) per 1,000 square feet after horsetail has leafed out. This rate of product will control horsetail that is less than 6 inches tall and suppress horsetail that is greater than 6 inches tall.

Herbicide symptoms are likely to show within 2 weeks as a necrotic ring at the base of the plant, even though the leaves and stems remain green and a deep leathery green in color.

**APPLICATION EQUIPMENT AND INSTRUCTIONS**

Calibrate application equipment prior to application of this product. Application should be uniform and of sufficient volume to avoid streaking or skips. Avoid excessive overlap of the spray.

**WEEDS CONTROLLED**

**SEDGE CONTROL:** When applied post-emergence, this product will control the following weeds:

- |  |  |   |  |
|--|--|---|--|
| Purple nutsedge<br><i>Cyperus rotundus</i> | Yellow nutsedge<br><i>Cyperus esculentus</i> | Green Kyllinga <sup>1</sup><br><i>Kyllinga breviflora</i> | Annual Kyllinga <sup>1</sup><br><i>Kyllinga sesquiflorus</i> |
|--|--|---|--|

**ADDITIONAL WEEDS CONTROLLED**  
C = Control, S = Suppression, NA = No Activity

WEED SPECIES	PREEMERGENT ACTIVITY	POSTEMERGENT ACTIVITY
Burcucumber	NA	S
Cocklebur, common	C	C
Corn Spurry	C	C
Flatsedge, rice	S	C
Fleabane, Philadelphia	NA	C
Galinsoga	C	C
Groundsel, common	C	NA
Jimsonweed	C	NA
Kyllinga, Annual	NA	C
Kyllinga, Green	NA	C
Kochia	C	S
Ladysthumb	C	C
Lambsquarter, common	C	NA
Mallow, Venice	NA	C
Milkweed, common	NA	S
Milkweed, honeyvine	NA	S
Morningglory	NA	S*
Mustard, wild	C	C
Nutsedge, Yellow	S	C
Nutsedge, Purple	S	C
Pigweed, redroot	C	C
Pigweed, smooth	C	C
Pokeweed, common	NA	C
Purslane	S	NA
Radish, wild	C	C
Ragweed, common	C	C
Ragweed, giant	NA	C
Shepherds purse	C	S
Smartweed, Pennsylvania	C	C
Sunflower, common	C	C
Velvetleaf	C	C

10  
10

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store under cool, dry conditions (below 120°F). Do not store under moist conditions.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling, if available, or dispose of in a sanitary landfill, or by incineration. Do not burn, unless allowed by state and local ordinances.

**DISPOSAL AUTHORITIES:** If none of the foregoing procedures is permitted by state and local authorities, then contact your State Pesticide or Environmental Control Agency, or your local Hazardous Waste Disposal office, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**FOR 24-HOUR EMERGENCY ASSISTANCE (SPILL, LEAK OR FIRE), CALL CHEMTREC® (800) 424-9300.  
For more product information, call toll-free 1-800-883-1844.**

**NOTICE OF CONDITIONS OF SALE AND WARRANTY AND LIABILITY LIMITATIONS**

**Important:** Read the entire Directions for Use and Notice of Conditions of Sale and Warranty and Liability Limitations before using this product. If terms are not acceptable return the unopened container for a full refund.

Our directions for use of this product are based on tests believed to be reliable. However, it is impossible to eliminate all risk associated with the use of this product. Crop injury, inadequate performance, or other unintended consequences may result due to soil or weather conditions, off target movement, presence of other materials, method of use or application, and other factors, all of which are beyond the control of Canyon Group, LLC. All such risks shall be assumed by the Buyer and User.

Canyon Group, LLC warrants that this product conforms to the specifications on the label when used in strict conformance with Direction for Use, subject to the above stated risk limitations. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, CANYON GROUP, LLC MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, CANYON GROUP, LLC'S EXCLUSIVE LIABILITY FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, OR ANY OTHER LEGAL THEORY IS STRICTLY LIMITED TO THE PURCHASE PRICE PAID OR REPLACEMENT OF PRODUCT, AT CANYON GROUP LLC'S SOLE DISCRETION.

Chemtrec® is a registered trademark of American Chemistry Council, Inc.

EPA Text: GWN-9861 (Notif to EPA 05-03-2010)