



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505P)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

81927-58

Date of Issuance:

8/30/16

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Remnant

Name and Address of Registrant (include ZIP Code):

Alligare, LLC
 c/o Pyxis Regulatory Consulting, Inc.
 4110 136th st. Ct. NW
 Gig Harbor, WA 98332

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. Submit one copy of the revised final printed label for the record before you release the product for shipment.

Continued on page 2

Signature of Approving Official:

Mindy Ondish for

Reuben Baris, Product Manager 25
 Herbicide Branch, Registration Division (7505P)

Date:

8/30/16

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

- Basic CSF dated 5/12/2016

If you have any questions, please contact Sarah Meadows by phone at 703-347-0505, or via email at meadows.sarah@epa.gov

Enclosure

[Note to reviewer: [Text] in brackets denotes optional text].

[Note to reviewer: {Text} in braces denotes where in the final label text will appear].

{BOOKLET FRONT PANEL LANGUAGE}

GROUP	2	9	HERBICIDES
-------	---	---	------------

Remnant

[Contains 43.68% Glyphosate]
[With Weed Preventer]

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt* 43.68%

Imazapyr, isopropylamine salt** 0.78%

OTHER INGREDIENTS: 55.54%

TOTAL: 100.00%

ACID EQUIVALENT:

*Glyphosate 3.158 lbs./gal

**Imazapyr 0.062 lbs./gal

KEEP OUT OF REACH OF CHILDREN

DANGER - PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	

See inside label booklet for additional Precautionary Statements and Directions for Use including Storage and Disposal instructions.

EPA Reg. No. 81927-58


EPA Est. No.

Manufactured for:

Alligare, LLC
13 N. 8th Street
Opelika, AL 36801

Net Contents:

EPA [approval date]



{LANGUAGE INSIDE BOOKLET}

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER - PELIGRO**

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate, butyl rubber ≥ 14 mils, nitrile rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, natural rubber ≥ 14 mils, polyethylene, polyvinyl chloride ≥ 14 mils and viton ≥ 14 mils.

Mixers, loaders, applicators, and other handlers must wear:

- Protective eyewear (goggles, face shield, or safety glasses)
- Long-sleeved shirt and long pants,
- Shoes plus socks,
- Chemical-resistant gloves for all mixers and loaders, plus applicators using handheld equipment

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to plants. Drift and run-off may be hazardous to plants in water adjacent to treated areas. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. See Directions for Use for additional precautions and requirements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read the entire label before using this product. Use strictly in accordance with label precautionary statements and directions.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not enter or allow others to enter treated areas until sprays have dried.

Do not use on feed or food crops.

Keep people and pets out of the area during application.

Applicators are required to use a nozzle height below 4 feet above the ground or plant canopy and coarse or coarser droplet size (ASABE S572) or, if specifically using a spinning atomizer nozzle, applicators are required to use a volume mean diameter (VMD) of 385 microns or greater. Applications with wind speeds greater than 10 mph are prohibited. Applications into temperature inversions are prohibited.

WHERE TO USE

Use on non-crops areas: Industrial sites, Petroleum tank farms, Lumberyards, Manufacturing Sites, Storage Areas, Airports, Roadsides, Curbs, Sidewalks, Driveways, Parking areas, Brick walks, Gravel Paths, Patios, Vacant lots, Paved areas (including crack and crevice), Warehouse areas, Urban areas, Recreational areas, Play areas, Tennis courts, Fencerows, Along fences of paddocks, corrals, feedlots, and livestock holding areas, Hedgerows, Dry Ditchbanks, Around domestic dwellings, Around farm buildings and barns, Agricultural uncultivated areas, Shelter beds, Farm yards, Farm premises, Outdoor buildings, structures, and shelters such as beef barns, hog barns, dairy barns, stables, dog kennels and poultry houses, and for establishment and maintenance of wildlife openings

Only apply to locations where no vegetation growth is desired for up to one year.

WHEN TO USE

Apply to bare ground or when weeds are present. If weeds are taller than 6 inches, mow or cut down weeds and remove debris before treatment, and allow for 2 weeks of new growth. If woody vines or brush is mowed or cut, wait until full leaf formation before treatment.

To prevent growth of weeds under asphalt driveways, play areas, tennis courts and parking areas, apply this product before laying surfacing materials.

Treat area uniformly to maximize results.

Re-treatment every 6 to 8 months may be necessary in areas of heavy rainfall.

RESTRICTIONS

- Do not apply to or allow product to drift onto desirable plants.
- Only apply to areas where no vegetation is desired for one year.
- Do not apply near bodies of water including, fish pools, ponds, lakes or streams.
- Do not apply over the root systems of desirable plants. For trees and shrubs do not apply closer than twice the distance from the trunk to the drip line as roots may be within this area.
- Do not apply to slopes in landscape as movement on soil surfaces may damage desirable plants down slope.
- Do not apply next to a fence if desirable vegetation is growing on the other side, or if future planting is intended.
- Do not use before planting lawns, fruits, vegetables, flowers, or other plants because this product remains active in soil for up to one year.
- Do not use on desirable lawns or turf.
- Do not apply when wind speeds are greater than 10 mph.
- Do not apply to powdery, dry or light sandy soils when the soil may be blown by wind. If necessary, soil surface should be settled by rain or irrigation.

HOW TO APPLY

Apply on a sunny day with temperatures above 60°F. Avoid product runoff to nearby desirable plants. In soils with heavy clay, weed control may exceed one year.

Total Vegetation Control (Bareground)

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 7.4 fl. oz. (0.46 pints) of this product with water to produce 1 to 10 gallons of spray solution. Optimum performance will be achieved from applications to actively growing weeds in early summer.

Uniformly spray the mix over area where total vegetation control and bareground is desired. 7.4 fl. oz. of product within 1 to 10 gallons of spray solution should be applied to 1,000 square feet.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

Spot Control of Brush, Vines, and Weeds

Use hand operated spray equipment such as backpack sprayers, pump-up sprayers or sprinkling cans, or ATV/Tractor mounted sprayers. Mix 6 fl. oz. of this product per 1 gallon of spray solution. Thoroughly and uniformly spray foliage of woody plants to wet. For optimum performance:

- Apply to actively growing brush, vines and weeds.
- Woody brush and vines are controlled better in late summer and fall after fruit formation.
- If woody vines and brush are mowed or cut, wait until full leaf formation before treatment.

- Do not cut or mow brush, vines or perennial weeds for 2 months following treatment.

Maximum application rate of this product is 2.5 gallons per acre per year (7.4 fl. oz. per 1,000 sq. ft. per year).

Weeds Controlled

GRASS/NUTSEDGE WEED SPECIES CONTROLLED			
Bahiagrass <i>Paspalum notatum</i>	Cogongrass <i>Imperata cylindrical</i>	Muhly, wirestem <i>Muhlenbergia frondosa</i>	Quackgrass <i>Agropyron repens</i>
Bentgrass <i>Agrostis</i> spp.	Dallisgrass <i>Paspalum dilatatum</i>	Napier grass <i>Pennisetum purpureum</i>	Reed, giant <i>Arundo donax</i>
Bermudagrass <i>Cynodon dactylon</i>	Fescues <i>Festuca</i> spp.	Nutsedge; purple, yellow <i>Cyperus rotundus</i> <i>Cyperus esculentus</i>	Ryegrass, perennial <i>Lolium perenne</i>
Bluegrass, Kentucky <i>Poa</i> spp.	Fescue, tall <i>Festuca arundinacea</i>	Orchardgrass <i>Dactylis glomerata</i>	Timothy <i>Phleum pratense</i>
Brome <i>Bromus</i> spp.	Guineagrass <i>Panicum maximum</i>	Pampas grass <i>Cortaderia</i> spp.	Torpedograss* <i>Panicum repens</i>
Bromegrass, smooth <i>Bromus inermis</i>	Johnsongrass <i>Sorghum halepense</i>	Panicum <i>Panicum</i> spp.	Vaseygrass <i>Paspalum urvillei</i>
Canarygrass, reed <i>Phalaris arundinacea</i>	Kikuyugrass <i>Pennisetum clandestinum</i>	Para grass <i>Brachiaria mutica</i>	Velvetgrass <i>Holcus</i> spp.
Cattail <i>Typha</i> spp.	Knotgrass <i>Paspalum distichum</i>	Phragmites* <i>Phragmites</i> spp.	Wheatgrass, western <i>Agropyron smithii</i>

*Partial Control

BROADLEAF WEED SPECIES CONTROLLED		
Alfalfa <i>Medicago sativa</i>	Fiddleneck <i>Amsinckia</i> spp.	Poison hemlock <i>Conium maculatum</i>
Alligatorweed* <i>Alternanthera philoxeroides</i>	Fleabane <i>Erigeron</i> spp.	Ragweed, common <i>Ambrosia artemisiifolia</i>
Anise (fennel) <i>Foeniculum vulgare</i>	Fleabane, hairy <i>Conyza bonariensis</i>	Ragweed, giant <i>Ambrosia trifida</i>
Artichoke, Jerusalem <i>Helianthus tuberosus</i>	Horsenettle <i>Solanum carolinense</i>	Smartweed, Pennsylvania <i>Polygonum pensylvanicum</i>
Bassia, fivehook <i>Bassia hyssopifolia</i>	Horseradish <i>Armoracia rusticana</i>	Smartweed, swamp <i>Polygonum coccineum</i>
Bindweed, field <i>Convolvulus arvensis</i>	Ice plant <i>Mesembryanthemum crystallinum</i>	Sowthistle, annual <i>Sonchus oleraceus</i>
Blueweed, Texas <i>Helianthus ciliaris</i>	Knapweed <i>Centaurea repens</i>	Spurge, leafy* <i>Euphorbia esula</i>
Bracken fern <i>Pteridium aquilinum</i>	Kochia <i>Kochia scoparia</i>	Starthistle, yellow <i>Centaurea solstitialis</i>
Bursage, woollyleaf <i>Franseria tomentosa</i>	Lantana <i>Lantana camara</i>	Sunflower <i>Helianthus annuus</i>
Clover, red <i>Trifolium pretense</i>	Lespedeza <i>Lespedeza</i> spp.	Thistle, artichoke <i>Cynara cardunculus</i>
Clover, white <i>Trifolium repens</i>	Lettuce, prickly <i>Lactuca serriola</i>	Thistle, Canada <i>Cirsium arvense</i>
Dandelion <i>Taraxacum officinale</i>	Milkweed <i>Asclepias</i> spp.	Thistle, Russian <i>Salsola kali</i>
Dock, curly <i>Rumex crispus</i>	Mullein, common <i>Verbascum thapsus</i>	Velvetleaf <i>Abutilon theophrasti</i>
Dogbane, hemp <i>Apocynum cannabinum</i>	Nightshade, silverleaf <i>Solanum elaeagnifolium</i>	

*Partial Control

TREE, BRUSH AND VINE SPECIES CONTROLLED			
Alder <i>Alnus</i> spp.	Coyote brush <i>Baccharis consanguinea</i>	Maple: Red* <i>Acer rubrum</i>	Russian Olive** <i>Elaeagnus angustifolia</i>
Ash <i>Fraxinum</i> spp.	Creeper, Virginia* <i>Parthenocissus quinquefolia</i>	Sugar <i>Acer saccharum</i>	Sage: black, white <i>Salvia</i> spp.
Aspen, quaking <i>Populus tremuloides</i>	Dewberry <i>Rubus trivialis</i>	Vine <i>Acer circinatum</i>	Sagebrush, California <i>Artemisia californica</i>
Balsam apple* <i>Momordica charantia</i>	Dogwood* <i>Cornus</i> spp.	Monkey Flower* <i>Mimulus guttatus</i>	Salmonberry <i>Rubus spectabilis</i>
Bearmat (Bearclover) <i>Chamaebatia foliolosa</i>	Elderberry <i>Sambucus</i> spp.	Oak: Black* <i>Quercus velutina</i>	Salt Cedar <i>Tamarix</i> spp.
Beech <i>Fagus grandifolia</i>	Elm* <i>Ulmus</i> spp.	Northern Pin <i>Quercus palustris</i>	Sassafras <i>Sassafras albidum</i>
Birch <i>Betula</i> spp.	Eucalyptus <i>Eucalyptus</i> spp.	Post <i>Quercus stellata</i>	Sourwood <i>Oxydendrum arboreum</i>
Blackberry <i>Rubus</i> spp.	Gorse <i>Ulex europaeus</i>	Red <i>Quercus rubra</i>	Sweet potato, wild* <i>Ipomoea pandurata</i>
Blackgum <i>Nyssa</i> spp.	Hasardia* <i>Haplopappus squamosus</i>	Southern Red <i>Quercus falcate</i>	Sumac: Poison* <i>Rhus vernix</i>
Bracken <i>Peridium</i> spp.	Hawthorn <i>Crataegus</i> spp.	White* <i>Quercus alba</i>	Smooth* <i>Rhus glabra</i>
Broom: French <i>Cytisus monspessulanus</i>	Hazel <i>Corylus</i> spp.	Persimmon* <i>Diospyros</i> spp.	Winged* <i>Rhus copallina</i>
Scotch <i>Cytisus scoparius</i>	Hickory* <i>Carya</i> spp.	Pine <i>Pinus</i> spp.	Sweetgum <i>Liquidambar styraciflua</i>
Buckwheat, California* <i>Eriogonum fasciculatum</i>	Holly, Florida/Brazilian Peppertree* <i>Schinus terebinthifolius</i>	Poison Ivy <i>Rhus radicans</i>	Swordfern* <i>Polystichum munitum</i>
Cascara* <i>Rhamnus purshiana</i>	Honeysuckle <i>Lonicera</i> spp.	Poison Oak <i>Rhus toxicodendron</i>	Tallowtree, Chinese <i>Sapium sebiferum</i>
Catsclaw* <i>Acacia greggi</i>	Hornbean, American* <i>Carpinus caroliniana</i>	Poplar, Yellow* <i>Liriodendron tulipifera</i>	Tan Oak <i>Lithocarpus densiflorus</i>
Ceanothus* <i>Ceanothus</i> spp.	Kudzu <i>Pueraria lobata</i>	Raspberry <i>Rubus</i> spp.	Thimbleberry <i>Rubus parviflorus</i>
Chamise <i>Adenostoma fasciculatum</i>	Locust, black* <i>Robinia pseudoacacia</i>	Redbud, eastern <i>Cercis canadensis</i>	Tobacco, tree* <i>Nicotiana glauca</i>
Cherry: Bitter <i>Prunus emarginata</i>	Madrone <i>Arutus menziesii</i>	Redvine* <i>Brunnichia ovate</i>	Trumpet creeper* <i>Campsis radicans</i>
Black <i>Prunus serotina</i>	Manzanita <i>Arctostaphylos</i> spp.	Rose, multiflora <i>Rosa multiflora</i>	Waxmyrtle, southern* <i>Myrica cerifera</i>
Pin <i>Prunus pennsylvanica</i>			Willow <i>Salix</i> spp.

*Partial Control

**This product is not registered in California for use on Russian olive.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

PESTICIDE STORAGE: Store product in original container in a safe place and protect from freezing.

PESTICIDE DISPOSAL: Pesticide wastes may be acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Nonrefillable containers equal to or smaller than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable containers larger than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling or reconditioning is not available, puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

IMPORTANT: Read the information below before using this product. If the terms are not acceptable, you should return the unopened product container immediately for a complete refund.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

To the extent consistent with applicable law, upon purchase or use of this product, purchaser and user agree to the following terms:

Warranty: Alligare, LLC (the Company) warrants that this product conforms to the chemical description on the label in all material respects and is reasonably fit for the purpose referred to in the directions for use, subject to the exceptions noted below, which are beyond the Company's control. To the extent consistent with applicable law, the Company makes no other representation or warranty, express or implied, concerning the product, including no implied warranty of merchantability or fitness for a particular purpose. To the extent consistent with applicable law, no such warranty shall be implied by law, and no agent or representative is authorized to make any such warranty on the Company's behalf.

Terms of Sale: The Company's directions for use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, and the manner of use or application (including failure to adhere to label directions), all of which are beyond the Company's control. To the extent consistent with applicable law, all such risks are assumed by the user.

Limitation of Liability: To the extent consistent with applicable law, the exclusive remedy against the Company for any cause of action relating to the handling or use of this product is a claim for damages, and in no event shall damages or any other recovery of any kind exceed the price of the product which caused the alleged loss, damage, injury or other claim. To the extent consistent with applicable law, under no circumstances shall the Company be

liable for any special, indirect, incidental or consequential damages of any kind, including loss of profits or income. Some states do not allow the exclusion or limitation of incidental or consequential damages.

The Company and the seller offer this product, and the purchaser and user accept this product, subject to the foregoing warranty, terms of sale and limitation of liability, which may be varied or modified only by an agreement in writing signed on behalf of the Company by an authorized representative.

[Optional Product Claims:

Outdoor Use Only
Water-based
Fast-acting
Kills weeds and their germinating seeds
Kills weeds and prevents weeds up to 1 year
Two way killer
Prevents new weeds for up to 1 year
No weeds for up to one year
Works two ways
Kills weeds and grasses, roots and all
One application controls weeds for up to 1 year
To keep treated ground clear of weeds for up to 1 year
Prevents weeds from emerging for up to 1 year
Rainfast within 1-hour
Season long control
Total Vegetation Control
Treats [X] square feet
Use on Fencerows and around Farm Buildings and Barns

]

EPA [approval date]

{LANGUAGE ON LABEL AFFIXED TO CONTAINER}

GROUP	2	9	HERBICIDES
-------	---	---	------------

Remnant

[Contains 43.68% Glyphosate]
[With Weed Preventer]

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt*	43.68%
Imazapyr, isopropylamine salt**	0.78%
OTHER INGREDIENTS:	55.54%
TOTAL:	100.00%

ACID EQUIVALENT:

*Glyphosate	3.158 lbs./gal
**Imazapyr	0.062 lbs./gal

**KEEP OUT OF REACH OF CHILDREN
DANGER - PELIGRO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF SWALLOWED	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.
IF ON SKIN OR CLOTHING	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.	
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER - PELIGRO**

Corrosive. Causes irreversible eye damage. Harmful if swallowed. Harmful if absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin.

STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

PESTICIDE STORAGE: Store product in original container in a safe place and protect from freezing.

PESTICIDE DISPOSAL: Pesticide wastes may be acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Nonrefillable containers equal to or smaller than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Nonrefillable containers larger than 5 gallons:

Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling or reconditioning is not available, puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

See label booklet for additional Precautionary Statements and Directions for Use.

EPA Reg. No. 81927-58

EPA Est. No.

Manufactured for:

Alligare, LLC
13 N. 8th Street
Opelika, AL 36801

Net Contents:

EPA [approval date]