

81943-3

10-19-2006

1/10



Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060

United States Environmental Protection Agency Washington, DC 20460		<input checked="" type="checkbox"/> Registration <input type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number
Application for Pesticide - Section I			
1. Company/Product Number 81943-3		2. EPA Product Manager Mary Waller	
4. Company/Product (Name) T-Bird 85 WDG		3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted	
5. Name and Address of Applicant (Include ZIP Code) Phoenix Environmental Care, LLC PO Box 370 Valdosta, GA 31603-0370 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	
Section - II			
<input type="checkbox"/> Amendment - Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.		<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - Explain below.	
NOTIFICATION OCT 19 2006			
Explanation: Use additional page(s) if necessary. (For section I and Section II.) By notification we are submitting the minor label revision for T-Bird 85 WDG (EPA Reg. no. 81943-3) for the deletion of a use site to a specific region. A footnote is indicated at the bottom of page 3 as "Not for Use in California" under Turf Applications for Gray Leaf Spot and Rust. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.			
Section - III			
1. Material This Product Will Be Packaged In:			
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted If "Yes" Unit Packaging wgt. No. per container		If "Yes" Package wgt No. per container	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 	
5. Location of Label Directions <input type="checkbox"/> super booklet affixed to container		6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled <input type="checkbox"/> Other _____	
Section - IV			
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Sherry B. Hutcheson		Title Consultant	
		Telephone No. (include area code) 229-247-4630	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 		3. Title Consultant, Agent for Phoenix Environmental Care, LLC	
4. Typed Name Sherry B. Hutcheson		5. Date 09/22/06	

2/10

T-Bird 85 WDG

Systemic Turf and Ornamentals Fungicide 85% Water Dispersible Granule

ACTIVE INGREDIENTS:

Thiophanate-methyl (dimethyl [(1,2-phenylene)-bis
(iminocarbonothioyl)] bis [carbamate])* 85.0%
INERT INGREDIENTS: 15.0%
TOTAL: 100.0%

NOTIFICATION

OCT 19 2006

*Also known as dimethyl 4,4-o-phenylenebis [3-thioallophanate]

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

If inhaled

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

If on skin or clothing

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If swallowed

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call toll free 1-888-875-1724.

Net Contents: ____ Pounds

Phoenix Environmental Care, LLC
P.O. Box 370 • Valdosta, GA 31603-0370

EPA Reg No. 81943-
EPA Est. No. ____

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Causes moderate eye irritation. Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid breathing dust or spray mist. Remove contaminated clothing and wash clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are nitrile and butyl rubber. If you want more options, follow the instructions for category C, on an EPA chemical-resistance category selection chart.

Handlers mixing, loading and applying the product as a dip must wear:

- Coveralls over long sleeved shirt and long pants,
- Chemical-resistant gloves made out of any waterproof material,
- Chemical resistant footwear plus socks,
- A chemical resistant apron.

All other mixers and loaders and applicators must wear:

- Long-sleeved shirt and long pants,
- Shoes plus socks,
- Chemical-resistant gloves for all mixers and loaders and for applicators using hand held equipment.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

ENGINEERING CONTROLS

When handlers use enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.240(d)(4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or areas where surface water is present or to intertidal areas below the mean high water mark. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for homeowner use. For use only by certified applicators or those under their immediate supervision. Do not apply with fixed wing or rotary aircraft. Not for use on turf being grown for sale or other

4/10

commercial use as sod. Do not apply to home orchards/backyard fruit trees. Do not use fruit or nuts from treated ornamental trees for food or feed. Do not graze animals on treated turf. Do not feed clippings to livestock or poultry.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted- entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted entry level (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil, or water, is:

- Coveralls over long sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- Chemical-resistant footwear made out of any waterproof material, plus socks
- Chemical-resistant headgear for over head exposures

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. DO NOT enter treated areas without protective clothing until spray has dried.

GENERAL INFORMATION

T-Bird 85 WDG™ is a highly effective broad spectrum systemic fungicide for disease control. It is for use on golf course, ornamental turfgrasses, and ornamental plants, shrubs and trees. When used according to the directions on this label T-Bird 85 WDG controls a broad spectrum of turf and ornamental diseases both curative and preventative.

Apply T-Bird 85 WDG with ground equipment only, using sufficient volume of spray to provide thorough coverage. Add required amount of T-Bird 85 WDG to partially filled tank agitated by mechanical or hydraulic means and then add remaining required amount of water. Continuous agitation is required to keep the material in suspension. Do not tank mix with copper-containing materials or with highly alkaline pesticides, such as Bordeaux mixture or lime sulfur. No claim of compatibility with other pesticides is implied. Use the higher rates under conditions of severe disease pressure. Also, see local State Extension Service recommendations for application schedules.

Chemigation instructions follow Directions for Use. Do not apply through any irrigation system unless these instructions are followed.

IMPORTANT: If, after using T-Bird 85 WDG as recommended, treatment is not effective, a tolerant strain of fungi may be present. Consult your local Phoenix representative, your State Agricultural Experiment Station, or your State Agricultural Extension Service for advice on the prompt use of some other suitable fungicide.

TURF

For use on all fine turf applications such as industrial lawns, athletic fields, home lawns (by professional applicators), cemeteries, golf course greens, tees, and fairways of Bentgrasses, Blue Grasses, Bermudagrasses, Fescues, Ryegrasses, St. Augustine grasses or their mixtures. T-Bird 85 WDG is not phytotoxic to any of the above mentioned grasses when used in accordance with the label. T-Bird 85 WDG

is to be used for the prevention and control of the below mentioned diseases (provides both curative and protective action).

Use spray mixture the same day it is prepared. Spray uniformly over the area to be treated. Apply after mowing or avoid mowing for twelve hours after application.

Apply recommended amounts in sufficient water to obtain thorough coverage, usually three to five gallons per 1,000 square feet of turf area. When treating golf greens, always treat aprons and approaches. Use the highest recommended rate under conditions of severe disease pressure.

FUSARIUM BLIGHT (*Fusarium roseum*), **SUMMER PATCH** (*Magnaporthe poae*), **NECROTIC RING SPOT** (*Leptosphaeria korrae*) - Apply T-Bird 85 WDG at 3.53 ounces per 1,000 square feet. Water into the root zone by irrigating with one inch of water immediately after application. Make two applications at 14 day intervals, beginning applications when the disease first appears.

GRAY LEAF SPOT[†] (*Pyricularia grisea*), Apply T-Bird 85 WDG at 2.35 to 3.53 ounces per 1,000 square feet beginning when conditions are favorable for disease development. Continue at 14 day intervals. Spray should dry on leaf surfaces with no "watering in".

DOLLAR SPOT (*Sclerotinia homoeocarpa*), **ANTHRACNOSE** (*Collettricum graminicola*) - Apply T-Bird 85 WDG at $\frac{2}{3}$ to $1\frac{1}{2}$ ounces per 1,000 square feet beginning when the disease first appears. Spray should dry on leaf surfaces with no "watering in". Continue at 14 day intervals through the season or as needed.

RUST[†] (*Puccinia*, *Uromyces*) Apply T-Bird 85 WDG at 2.35 to 3.53 ounces per 1,000 square feet when disease first appears; repeat applications at 14 days. Make rotations and/or tank mix combinations with Pegasus L or Pegasus DF.

LARGE BROWN PATCH (*Rhizoctonia solani*), **COPPER SPOT** (*Gloeocercospora sorghi*), **RED THREAD** (*Corticium fuciforme*), **FUSARIUM PATCH** (*Fusarium nivale*) - Apply T-Bird 85 WDG at $\frac{2}{3}$ to $1\frac{1}{2}$ ounces per 1,000 square feet beginning when the disease first appears and continue at 14 day intervals through the season or as needed. Spray should dry on leaf surfaces with no "watering in".

STRIPE SMUT (*Ustilago striiformis*) - Apply T-Bird 85 WDG at 3 to 3.53 ounces per 1,000 square feet. Water into the root zone by irrigating with one inch of water immediately after application. Make two applications at 14 to 21 day intervals. Begin applications when the disease first appears, either in the spring or fall.

Observe the maximum individual application rates and maximal seasonal application limits in the T-Bird 85 WDG Maximum Application Rates Table.

[†] Not for use in California.

6/10

T-Bird 85 WDG Maximum Application Rates Table

Site	Maximum Individual Application Rate per Acre or per 1000 Square Feet	Minimum Retreat Interval in Days	Maximum Seasonal Total of Thiophanate-methyl a.i.	Maximum Seasonal Total of T-Bird 85 WDG per Acre or per 1000 Square Feet
Residential / Public areas	3.3Lb./Acre or 1.2. Oz./1000 Square Feet	14 Days	10.88 lbs ai/acre	12.8 Lb./Acre or 4.7 Oz./1000 Square Feet
Golf Course Greens / Tees / Aprons	9.6 Lb./Acre or 3.53 Oz./1000 Square Feet	14 Days	21.8 lbs ai/acre	25.65 Lb./Acre or 9.42 Oz./1000 Square Feet
Golf Course Fairways	6.42 Lb./Acre or 2.36 Oz./1000 Square Feet	-	5.45 lbs ai/acr	6.42 Lb./Acre or 2.36 Oz./1000 Square Feet
FL Golf Course Fairways Overseeded	3.3Lb./Acre or 1.2. Oz./1000 Square Feet	-	2.72 lbs ai/acre	3.3Lb./Acre or 1.2. Oz./1000 Square Feet

ORNAMENTALS (FIELD and GREENHOUSE)

T-Bird 85 WDG is a broad spectrum systemic fungicide which controls a variety of diseases on woody herbaceous ornamental crops. T-Bird 85 WDG is also effective as a preplant dip on cutting and bulbs. T-Bird 85 WDG may be used to control the listed diseases on ornamental fruit and nut trees.

FOLIAR SPRAY

PLANT TYPES AND DISEASES CONTROLLED¹

DISEASE(S)	PLANT TYPES
Anthraxnose	woody ornamentals, shade trees ²
Ascochyta Blight	herbaceous ornamentals
Black spot	Roses
Botrytis (Gray Mold)	woody and herbaceous ornamentals
Cercospora Leaf Spot	woody and herbaceous ornamentals
Corynespora Leaf Spot	ligustrum
Didymellina Leaf Spot	Iris
Diplodea Tip Blight (<i>Diplodea piea</i>)	shade and ornamental trees
Ovulinia	azalea, rhododendron ³
Entomosporium Leaf Spot	woody and herbaceous ornamentals
Phomopsis Blight	woody and herbaceous ornamentals
Powdery Mildew	woody and herbaceous ornamentals, ornamental fruit and nut trees
Ramularia Leaf Spot	herbaceous ornamentals
Scab	pyracantha, flowering crab, ornamental fruit and nut trees
Septoria Leaf Spots	woody and herbaceous ornamentals

KEY TO NOTES:

¹ The re-entry interval for ornamentals is 12 hours

² Begin at bud break and make 2 or 3 additional applications at 10 to 14 day intervals.

³ Begin treatment as flowers open. Addition of a surfactant to the spray mixture improves distribution of the spray on hard-to-wet plants such as roses.

I. FOLIAR SPRAY-HYDRAULIC APPLICATION

Mixing instructions: Add required amount of T-Bird 85 WDG to partially filled tank agitated by mechanical or hydraulic means and then add remaining required amount of water. Maintain continuous agitation to keep the material in suspension and apply with properly calibrated spray equipment. Apply until leaves glisten, but not to point of runoff.

Application Rates and Timing for Diseases: Begin applications when disease first appears and repeat at 10 to 14 day intervals, during the growing season. Shorten the interval during humid, rainy weather.

Ground Application: Use 0.3 to 0.8 pounds of T-Bird 85 WDG per 100 gallons of water. For control of Powdery Mildew and Botrytis (Gray Mold), use 0.4 pounds of T-Bird 85 WDG per 100 gallons of water.

II. DRENCH

PLANT TYPES AND DISEASES CONTROLLED

DISEASE(S)	PLANT TYPES
Botrytis	herbaceous annuals, perennials and bedding plants
Fusarium	herbaceous annuals, perennials and bedding plants
Sclerotinia stem, crown & roots	herbaceous annuals, perennials and bedding plants
Cylindrocladium rot	woody ornamentals (such as azaleas, rhododendrons, conifers, poinsettias)
Thielaviopsis rot	woody ornamentals (such as azaleas, rhododendrons, conifers, poinsettias)

NOTE: T-Bird 85 WDG does not control Pythium spp. or Phytophthora spp.

Mixing instructions: Add required amount of T-Bird 85 WDG to partially filled tank agitated by mechanical or hydraulic means and then add remaining required amount of water. Maintain continuous agitation to keep the material in suspension.

Application Rates and Timing for Disease Control: Use 0.4 to 0.8 pounds of T-Bird 85 WDG per 100 gallons of water. Apply as a drench or heavy spray to 800 sq. ft. of bench area (1 to 2 pints per square foot) after transplanting into propagation beds or containers. Repeat at 2 to 4 week intervals during periods favorable for disease.

PREPLANT DIP TREATMENT

PLANT TYPES AND DISEASES CONTROLLED

DISEASE(S)	PLANT TYPES
All diseases listed under drench treatment	plants or cuttings of woody and herbaceous ornamentals
Fusarium and Penicillium rots	bulbs (Easter Lily, Tulip, Gladiolus, Daffodil, Iris)

Application Rates and Timing for Disease Control:

Plants or Cuttings - Use 0.8 pounds of T-Bird 85 WDG per 100 gallons of water, immerse plants or cuttings for 10 to 15 minutes; remove and allow to drain. Wear rubber gloves.

Bulbs - Use 1.4 pounds of T-Bird 85 WDG per 100 gallons of water. Soak cleaned bulbs for 15 to 30 minutes in warm dip (80° to 85°F) preferably within 48 hours after digging. Dry bulbs after treatment. If bulbs are for forcing, treat bulbs that have been heat-cured.

CHEMIGATION

NOT FOR USE IN CALIFORNIA

GENERAL INSTRUCTIONS

Apply this product only through sprinkler irrigation systems including center pivot, lateral move, end tow, side (wheel) roll, traveler, big gun, solid set, or hand move. Do not apply this product through any other type of irrigation system.

Crop injury, lack of effectiveness, or illegal pesticide residues in the crop can result from nonuniform distribution of treated water.

If you have any questions about calibrations, you should contact State Extension Service specialists, equipment manufacturers or other experts.

8/10

A person knowledgeable of the chemigation system and responsible for its operation, or under the supervision of the responsible person, shall shut the system down and make necessary adjustments should the need arise.

Do not connect chemigation system to any public water system. Public water system means a system for the provision of piped water for human consumption if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days out of the year.

SYSTEM REQUIREMENTS

Systems utilizing a pressurized water and pesticide injection system must meet the following requirements.

The system must contain a functional check valve, vacuum relief valve, and low pressure drain appropriately located on the irrigation pipeline to prevent water source contamination from back flow.

The pesticide injection pipeline must contain a functional, automatic, quick-closing check valve to prevent the flow of fluid back toward the injection pump.

The pesticide injection pipeline must also contain a functional, normally closed, solenoid-operated valve located on the intake side of the injection pump and connected to the system interlock to prevent fluid from being withdrawn from the supply tank when the irrigation system is either automatically or manually shut down.

The system must contain functional interlocking controls to automatically shut off the pesticide injection pump when the water pump motor stops.

The irrigation line or water pump must include a functional pressure switch which will stop the water pump motor when the water pressure decreases to the point where pesticide distribution is adversely affected.

Systems must use a metering pump, such as positive displacement injection pump (e.g., diaphragm pump) effectively designed and constructed of materials that are compatible with pesticides and capable of being fitted with a system interlock.

INSTRUCTIONS FOR SPRINKLER (OVERHEAD) IRRIGATION:

Observe the requirements in the System Requirements section above.

Do not apply when wind speed favors drift beyond the area intended for treatment.

Maintain a gently continuous agitation in mix tank during mixing and application to assure a uniform suspension.

Greater accuracy in calibration and distribution will be achieved by injecting a larger volume of a more dilute suspension per unit time.

Application of more than recommended quantities of irrigation water per acre may result in decreased product performance. Do not apply when wind speed favors drift, when system connections or fittings leak, when nozzles do not provide uniform distribution or when lines containing the product cannot be flushed and must be dismantled and drained. In a center pivot system, block the nozzle set nearest the well/pivot/injection unit to prevent spray being applied to this area.

When sprinkler distribution patterns do not overlap sufficiently, unacceptable disease control may result.

Allow sufficient time for pesticide to be flushed through all lines and all nozzles before turning off irrigation water.

T-Bird 85 WDG may be applied in conjunction with chemically neutral liquid fertilizers. Application in conjunction with highly alkaline fertilizers, such as aqueous ammonia, may cause a degradation of the pesticide, resulting in reduced performance and should be avoided.

Check local restrictions and requirements regarding sprinkler irrigation applications, as they may vary from state to state.

SPRAY PREPARATION

Remove scale, pesticide residues, and other foreign matter from the chemical tank and entire injector system. Flush with clean water.

Prepare a suspension of T-Bird 85 WDG in a mix tank. Fill the tank with 1/2 or 3/4 the desired amount of water. Start mechanical or hydraulic agitation. Slowly add the required amount of T-Bird 85 WDG and then the remaining volume of water.

9/10

APPLICATION INSTRUCTIONS

Set sprinkler system to deliver 0.1 to 1.25 inches of water per acre. Volumes of water higher than this may reduce efficacy. Start sprinkler and then uniformly inject the suspension of T-Bird 85 WDG into the irrigation water line so as to deliver the desired rate per acre. The suspension of T-Bird 85 WDG should be injected with a positive displacement pump into the main line ahead of a right angle turn to insure adequate mixing.

NOTE: When treatment with T-Bird 85 WDG has been completed, do not irrigate the treated area for 24 to 48 hours to prevent washing the chemical off the crop.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in the original container in a dry area. Do not store in a manner where cross-contamination with other pesticides, fertilizers, food or feed could occur. If spilled during storage or handling sweep up spillage and dispose of in accordance with the Pesticide Disposal Instructions listed below.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY AND DISCLAIMER

Phoenix Environmental Care, LLC warrants that this product conforms to the chemical descriptions on its label. When used in accordance with label directions under normal conditions, this product is reasonably fit for its intended purpose. Since timing, method of application, weather, plant and soil conditions, mixtures with other chemicals, and other factors affecting the use of this product are beyond our control no warranty is given concerning the use of this product contrary to label directions. To the extent allowed by state law, the user assumes all risks of any such use.

Phoenix and design are trademarks of Phoenix Environmental Care, LLC

Pegasus is a trademark of Phoenix Environmental Care, LLC

T-Bird is a trademark of Phoenix Environmental Care, LLC

10/10



Rivendell Consulting USA, LLC
400 East Jane Street
Valdosta, GA 31601 USA
Phone: (229) 247-4340
Fax: (229) 247-0551

September 25, 2006

Document Processing Desk (NOTIF)
Office of Pesticide Protection Programs (7504P)
U.S. Department of Environmental Protection
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460

Subject: T-Bird 85 WDG, EPA Reg. No. 81943-3

Phoenix Environmental Care, LLC is submitting a notification for a minor label revision to the T-Bird 85WDG registration, EPA Reg. No. 81943-3. There are no changes to the confidential statement of formula.

Please contact me at 229-247-4630 should you have any questions.

Best regards,

A handwritten signature in black ink, which appears to read "Sherry B. Hutcheson". The signature is fluid and cursive, with a long horizontal line extending from the end.

Sherry B. Hutcheson
Consultant, Agent for Phoenix Environmental Care, LLC