

81943-33

9/13/2011

10/14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

Phoenix Environmental Care LLC  
Sherry B. Hutcheson  
P.O. Box 370  
Valdosta, GA 31603-0370

SEP 13 2011

Subject: Starfighter L  
EPA Reg. No. 81943-33  
Label Notification per PRN 2007-4

Dear Ms. Hutcheson,

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for Starfighter L (EPA Reg. No. 81943-33) dated August 5, 2011. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 2007-4 and finds that the action falls within the scope of 2007-4. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Emily Hartman via email at [hartman.emily@epa.gov](mailto:hartman.emily@epa.gov) or by phone at (703) 347-0189.

Sincerely,

  
Kathryn V. Montague, Project Manager 23  
Herbicide Branch  
Registration Division  
Office of Pesticide Programs

2021

 <b>EPA</b>	United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> <b>Other: Notification</b>	OPP Identifier Number
---	---	---	-----------------------

**Application for Pesticide - Section I**

1. Company/Product Number <b>81943-33</b>	2. EPA Product Manager <b>Kathryn Montague</b>	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <b>Starfighter L</b>	PM# <b>23</b>	
5. Name and Address of Applicant (Include ZIP Code) <b>Phoenix Environmental Care LLC</b> <b>PO Box 370</b> <b>Valdosta, GA 31603-0370</b>  <input type="checkbox"/> Check if this is a new address		6. <b>Expedited Review.</b> In accordance with FIFRA Section 3(c)(3) (b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. _____  Product Name _____

**Section - II**

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below

**NOTIFICATION**

**Explanation:** Use additional page(s) if necessary. (For Section I and Section II.)


**SEP 13 2011**

Notification of update of storage and disposal statements per PR Notice 2007-4. PR Notice 98-10 as well as other minor label changes as highlighted. This notification is consistent with the provisions of PR Notice 2007-4, PR Notice 98-10 and EPA regulation 40 CFR 156.10, 156.140, 156.144, 156.145, 156.156 and 156.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 2007-4, PR Notice 98-10 and 40 CFR 156.10, 156.140, 156.144, 156.145, 156.156 and 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section - III**

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify)	
*Certification must be submitted		If "Yes"    No. per container Unit Packaging wgt.    container	If "Yes"    No. per container Package wgt.    container		
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container <b>2.5 gallons</b>		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other _____ <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

**Section - IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name <b>Sherry B. Hutcheson</b>	Title <b>Director, Regulatory Affairs</b>	Telephone No. (Include Area Code) <b>229-245-8555</b>
<b>Certification</b>		6. Date Application Received <b>(Stamped)</b>
I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete; I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		
2. Signature 	3. Title <b>Director, Regulatory Affairs</b>	
4. Typed Name <b>Sherry B. Hutcheson</b>	5. Date <b>08/05/2011</b>	



40814

# Starfighter L

## Herbicide

**Preemergence Herbicide for the Control of Annual Grasses and Broadleaf Weeds in Turf, Nurseries, and Ornamentals Including Landscape Ornamental Beds on Residential Properties by a Professional Applicator.**

**For sale to and use by Professional Applicators only. Not for sale to use by homeowner/consumers. Not for Use in Turfgrass on Residential Properties.**

Active Ingredient:

Oxadiazon [2-tert-butyl-4-(2, 4-dichloro-5-isopropoxyphenyl)-  
 $\Delta^2$ -1, 3, 4-oxadiazolin-5-one].....34.1%  
Other Ingredients .....65.9%

Total: .....100.0%  
Contains 3.17 lbs. active ingredient per gallon. **NOTIFICATION**

**KEEP OUT OF REACH OF CHILDREN**

**SEP 13 2011**

### CAUTION

FIRST AID	
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN OR CLOTHING</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF INHALED</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have affected person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told by a poison control center or doctor.</li> </ul>
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact <b>1-888-875-1724 for emergency medical treatment information.</b>	

Net Contents: \_\_\_ Gallons

Phoenix Environmental Care, LLC  
PO Box 370 • Valdosta, GA 31603

EPA Reg. No.: 81943-33  
EPA Est. No.: \_\_\_\_\_

50f14

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
CAUTION**

Harmful if absorbed through the skin. Harmful if swallowed. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wear long-sleeved shirt and long pants, socks, shoes, and chemical-resistant gloves (such as Natural Rubber, Selection Category A.) Wear protective eyewear. Wash thoroughly with soap and water after handling.

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Some materials that are chemical-resistant to this product are barrier laminate, butyl rubber ≥ 14 mils, nitrile rubber ≥ 14 mils; and neoprene rubber ≥ 14 mils. If you want more options, follow the instructions for category C on an EPA chemical-resistance category selection chart. Mixers, loaders, applicators and other handlers must wear: Long-sleeved shirt and long pants, shoes plus socks, and chemical resistant gloves such as barrier laminate, butyl rubber, nitrile or neoprene gloves. In addition, mixers and loaders must wear a chemical-resistant apron. See engineering controls for additional requirements. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

**ENGINEERING CONTROLS STATEMENTS**

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

**User Safety Recommendation**

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. Starfighter L should not be used in areas where irrigation or rainfall results in the direct or indirect (via ditches and canals) contamination of surface waters through dissolved runoff or erosion of soil particles to which oxadiazon is absorbed.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read the entire label before using this product.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as, plants, soil, or water, is coveralls, chemical resistant gloves made of any waterproof material, and shoes plus socks.

**NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard (WPS) for agricultural pesticides 40 CFR Part 170. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not allow people or pets to enter treated areas until sprays have dried.

**GENERAL PRODUCT INFORMATION**

Starfighter L controls many annual grasses and broadleaf weeds by killing the weed seedlings on contact during weed germination. Starfighter LG's preemergent herbicide activity provides weed control in established perennial turf grasses and in a broad range of woody ornamental shrubs, vines, and trees.

Uniform application of Starfighter L is essential for effective weed control. Following the manufacturer's directions, calibrate the sprayer prior to use, and check frequently during spraying to be certain that the product is being uniformly applied.

For best results, water-in product as soon as practical after application.

7 of 14

**USE RESTRICTIONS**

DO NOT apply more than 1.89 gallons Starfighter L per acre year, or more than 5.55 fl. oz of product per 1000 sq. ft. per year (rates equivalent to 6 lbs. a.i./A/year) except in areas where there is heavy weed infestation. In areas of heavy weed infestation, the maximum application rate is 2.52 gallons Starfighter L per acre per year, or 7.4 fl. oz of product per 1000 sq. ft. per year-(rates equivalent to 8 lbs. a.i./A/year).

DO NOT apply more than 1.26 gallons Starfighter L per acre, or more than 3.7 fl oz of product per 1000 sq. ft. per year (rates equivalent to 4 lbs. a.i./A) in a single application.

DO NOT apply more than 0.945 gallons Starfighter L per acre to St. Augustine or Bentgrass turf (equivalent to 3 lbs. a.i./A) in a single application.

DO NOT make more than 3 applications of Starfighter L to a treated area per year.

DO NOT use Starfighter L on residential turfgrass.

DO NOT allow domestic animals to graze treated areas.

DO NOT apply Starfighter L to Bentgrass turf mowed to 3/8 inch or less.


DO NOT apply Starfighter L to newly seeded areas.

DO NOT apply to Dichondra or Centipedegrass.

DO NOT apply to putting greens or tees as the cultural practices used may be incompatible with Starfighter L use.

DO NOT seed into areas treated with Starfighter L within 4 months of the last application except as directed in the label text below.

Avoid contamination of water intended for irrigation and domestic use.



80914

**TURF**

Use in dormant established Bermudagrass, St. Augustinegrass\* and Zoysia turf-in non-residential settings such as golf course fairways, lawns, and parks for control of Crabgrass, Goosegrass, Annual Bluegrass, Annual Sedge and Virginia Buttonweed.

To ensure an accurate and effective application of Starfighter L, calculate the turf area to be treated, mow and rake area free of leaves and cuttings, if necessary to allow the spray access to the soil surface, and spray the requisite amount uniformly over the treatment area. Irrigate turf after application if rainfall is not imminent. Make application at least 2-3 weeks prior to green-up.


**DO NOT USE ON ST. AUGUSTINE GRASS OR ZOYSIA TURF IN CALIFORNIA.**

**Newly Sprigged Zoysia (Hawaii only):** Apply Starfighter L to Zoysiagrass being grown for sod after sprigging. Sprays of Starfighter L must reach the soil surface to be effective; irrigate turf after application if rainfall is not imminent.

**PREEMERGENCE WEED CONTROL**

<b>WEEDS CONTROLLED</b>	<b>Starfighter L FL OZ PER 1000 sq. ft.</b>	<b>DIRECTIONS</b>
Crabgrass ( <i>Digitaria spp.</i> ) Goosegrass ( <i>Eleusine indica</i> ) Annual Bluegrass ( <i>Poa annua</i> )* Annual Sedge ( <i>Cyperus compressus</i> )*	1.85-2.8	Make application in late winter or early spring before weed seed germination and spring greenup begin. Application made after weed germination has begun will not be optimal  Application at this time will control spring germinating <i>Poa annua</i> only  Allow 4 months between initial application and retreatment.
Virginia Buttonweed ( <i>Diodia virginiana</i> )	2.8	Apply in 0.75 – 3.5 gallons of water 1000 sq. ft.

\*Not currently registered in California



**ANNUAL WEED CONTROL DURING BERMUDAGRASS  
ESTABLISHMENT FROM SPRIGS**

<b>WEEDS CONTROLLED</b>	<b>Starfighter L FL OZ PER 1000 sq. ft.</b>	<b>DIRECTIONS</b>
Crabgrass, Goosegrass, and Annual Sedge	1.85	Use 0.75 - 3.5 gallons of water per 1000 sq. ft treated  Leave soil surface undisturbed post application to maximize the effectiveness of the herbicide barrier  Irrigation or rainfall immediately after application will give optimal results.

\*Not registered in California.

**ORNAMENTALS AND CONIFER NURSERIES**

**WOODY ORNAMENTAL SHRUBS AND TREES, CONIFER NURSERY AND ORNAMENTALS ON RESIDENTIAL PROPERTIES:**

**For use by professional applicators only.**

Starfighter L provides annual grass and broadleaf weed control when applied before weed seed germination begins. It can be applied to established and newly transplanted ornamentals in any season, but do not apply during bud break or in the four weeks following bud break. Ornamentals and groundcovers listed on this label as tolerant to Starfighter L may be sprayed over the top, otherwise direct the spray to the soil surface and avoid product contact with the foliage of desirable plants.

Starfighter L establishes an effective herbicide barrier upon watering into the soil. Subsequent disturbance of the soil by mixing or cultivation will disrupt this barrier and reduce the product's effectiveness. Watering in the form of rainfall or overhead irrigation is necessary after over the top application in order to move Starfighter L off of the foliage and onto the soil surface. Failing to irrigate within 2 hours of application may result in plant injury.

Do not apply in greenhouses as volatilization of Starfighter L's active ingredient onto leaf surfaces may result in plant injury.

Ground Application – To ensure an accurate and effective application of Starfighter 2G, calculate the area of each bed to be treated, remove any existing weed growth, and then apply Starfighter L into the ornamental beds at 1.85 to 4 2.8 fl oz per 1,000 square feet. Make up the spray in a minimum volume of 1 gallon per 1000 square feet. See notes listed at the end of the weed listings below for species specific rate adjustments and use restrictions.

Make no more than 3 applications per year and allow a minimum of 4 months between applications.



ANNUAL BROADLEAF WEEDS		ANNUAL GRASSES	
Bittercress	(Cardamine spp.)	Annual Bluegrass†	(Poa annua)
Bristly Oxtongue†	(Picris echioides)	Annual Sedge†	(Cyperus compressus)
Carpetweed	(Mollugo verticillata)	*Barnyardgrass	(Echinochloa crus-galli)
Cheeseweed†	(Malva parviflora)	Carpetgrass	(Axonopris offinis)
*Common Groundsel	(Senecio vulgaris)	Crabgrass	(Digitaria spp.)
Common Purslane	(Portulaca oleracea)	Fall Panicum	(Panicum dichotomiflorum)
*Evening Primrose	(Oenothera spp.)	*Goosegrass	(Eleusine indica)
Fiddleneck†	(Amsinckia intermedia)	Green Foxtail	(Setaria viridis)
Fireweed†	(Epilobium angustifolium)	Ripgut Bromegrass†	(Bromus catharticus)
Florida Pusley	(Richardia scabia)	Wild oats	(Avena fatua)
*Galinsoga	(Galinsoga spp.)		
Golden Ragwort	(Senecio aureus)		
Lambsquarters	(Chenopodium album)		
*Liverwort	(Marchantia spp.)		
Oxalis	(Oxalis spp.)		
Pennsylvania- Smartweed	(Polygonum pensylvanicum)		
Petty Spurge	(Euphorbia peplus)		
*Prostrate Spurge	(Euphorbia upine)		
Redroot Pigweed	(Amaranthus retroflexus)		
Shepherdspurse†	(Capsella bursa-pastoris)		
Speedwell	(Veronica spp.)		
Sow Thistle†	(Sonchus oleraceus)		
Spotted Catsear	(Hypochaeris radicata)		
*Swinecress	(Coronopus didymus)		
Yellow Woodsorrel	(Oxalis stricta)		

\* Use 2.8 fl oz per 1000 sq. ft.  
 † Not currently registered in California for this use

PLANT TOLERANCE: Starfighter L may be used at label recommended rates and dilutions as an over the top spray in the following ornamentals only. For all other woody ornamental plants, apply Starfighter as a spray directed to the soil surface, avoiding contact with foliage of desirable species.

**Tolerant Ornamental Plant Species**

- |                   |                    |                   |                       |
|-------------------|--------------------|-------------------|-----------------------|
| Andorra Juniper   | Common Juniper     | Gladiolas         | Nootka Spound Cypress |
| Arborvitae        | Cranberry          | Grand Fir*        | Oleander              |
| Baby's Breath     | Creeping Juniper   | Hinoki Cypress    | Ophiopogon            |
| Blue Rug Juniper  | Douglas Fir*       | Japanese Barberry | Purple Hopseed Bush   |
| Blue Spruce*      | Eastern Red Cedar  | Japanese Holly    | Raphiolepis           |
| Boxwood           | Eastern White Pine | Kurogane Holly    | Sawara Cypress        |
| Canadian Hemlock* | Evergreen Euonymus | Mugho Pine        | Scotch Pine           |
| Chinese Holly     | Fraser Fir*        | Noble Fir*        | Statice               |

\*Not registered for use in California.  
 Always consult your local Extension agent or State Agricultural Specialist for specific information regarding local weed infestation and lowest effective dosage rates.

LANDSCAPE PLANTINGS: COMMERCIAL, ROADSIDE, & INDUSTRIAL SITES:

Apply Starfighter L prior to as an over-the-top spray only on labeled ornamentals weed seed germination.

**AMOUNT TO USE:** To ensure an accurate and effective application of Starfighter L, calculate the area of each planting to be treated, remove any existing weed growth, and then apply Starfighter L into the planting at 1.85 fl oz per 1000 sq. ft. Do not use drift control agents or any other adjuvants. Failure to irrigate within 2 hours of application may result in plant injury.

**CROP TOLERANCE:** The plants listed in the table below may be treated with Starfighter L in an over the top spray.

<b>Tolerant Plant Species</b>	
Large Leaf Ice Plant	African Trailing Daisy
English Ivy	Common Periwinkle
Algerian Ivy	Bigleaf Periwinkle

**TANK-MIX COMBINATIONS:** Ornamental Plantings and Non-cropland Areas  
Use a tank mix of Starfighter L plus Avocet or Avocet LPX to control existing weeds and to prevent emergence of weeds from seed. Weeds listed on the respective labels will be controlled by this herbicide combination.

When making any tank mixes a compatibility test must be performed to insure that the tank mix partners are compatible under the conditions of application.

Fill a clean, wide-mouth quart jar ¾ full with the diluent water. Add 1.2 fl oz Starfighter L the jar. shake well, then add proportional amounts of the other intended ingredients in the following order dry flowables, wettable powders, liquid flowables, soluble concentrates, emulsifiable concentrates, and surfactants or compatibility agents; shaking well after each addition. Bring the final volume to 1 qt after the last product has been added and shake well. The final mixture should be uniform and smooth with no evidence of coagulation, precipitation, gelling, or separation. If incompatibility is evident, begin test again with a compatibility agent added first. If this does not smooth the mixture, try higher concentration or other compatibility agents. Dilution of the products with equal parts of water before adding to jar may improve the mixture.

When tank-mixing with other products, Starfighter L should be the first product added to the spray tank. With the agitation on add Starfighter L to the tank. Allow at least five minutes for the products to disperse completely before adding other ingredients. Continue agitating while adding other products in the order given for the jar test. Add remainder of water after addition of products is complete.

**PRECAUTION:** Do not allow solutions containing non-selective herbicides such a Avocet/Avocet PLX solution to mist, drip, drift or splash onto desirable vegetation since minute quantities of this product can cause severe damage or destruction to the crop, plants or other areas on which treatment was not intended. The likelihood of injury occurring from the use of this product is greatest when winds are gusty or in excess of 5 miles per hour or when other conditions, including lesser wind velocities, will allow spray drift to occur. When spraying, avoid combinations of pressure and nozzle type that will result in splatter of fine particles (mist) which are likely to drift.

130A14

BROADCAST APPLICATION RATES:

Starfighter L/ Avocet®

Existing Annual and Broadleaf Weeds	Starfighter L Fluid Ounces Per 1000 sq. ft.	Avocet®/Avocet PLX Fluid Ounces Per 1000 sq. ft.
Less than 6" tall	1.85-2.8	1-10
Greater than 6" tall	1.85-2.8	1-10
Existing Perennial	1.85-2.8	1-10.4

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage ~~or~~ and disposal.

**PESTICIDE STORAGE** Do not store in or around the home.

**PESTICIDE DISPOSAL** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL-HANDLING:** ~~Empty containers should be triple rinsed (or equivalent), then offered for recycling or reconditioning; or puncture and disposed of in a sanitary landfill, or by incineration; or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.~~ Nonrefillable container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling, if available or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Phoenix Environmental Care, LLC or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Phoenix Environmental Care,

