012-7

3/21/2013

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

United States Enviroamental Protection Office of Pesticide Programs

Copper Development Association 260 Madison Avenue New York, NY 10016

WAR 2 T 2013

Attention: Joseph J. Green

Subject: ANTIMICROBIAL COOPER ALLOYS-GROUP II EPA Registration No: 82012-2 Notification Dated: February 15, 2013

This will acknowledge receipt of your notification, submitted under the provisions of the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) Section 3(c) (9).

Proposed Notification

- To add additional new use sites on the product label

General Comments

Base on a review of the submitted material, the following comments apply:

The Notification dated February 15, 2013, is compliance with PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Zebora Johnson at (703) 308-7080.

Sincerely

Marshall Swinde

Product Manger (33) Regulatory Management Branch I Antimicrobial's Division (7501P)

	reverse before com	ing form.	For	m Approved/	MB No. 2070	OOBO Print Form	
\$epa	Environmental	nited States Protection Age ngton, DC 20460			Registration Amendme Other	OPP Identifier Number	
<u></u>		Application for	Pesticide -	Section	1	·······	
1. Company/Product Number 82012- 2			2. EPA Product Manager Marshall Swindell			3. Proposed Classification	
4. Company/Product (Name) Antimicrobial Copper Alloys Group II.			PM# 33			X None Restricted	
5. Name and Address of Applicant <i>(Include ZIP Code)</i> Copper Development Association, Inc. 260 Madison Avenue, New York, NY 10016			 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No				
Check if thi	is is a new address		Product N	ame			
		Sec	ction - II	····			
Amendment - Explain below. Resubmission in response to Agency letter dated X Notification - Explain below.			Final printed labels in response to Agency letter dated "Me Too" Application. Other - Explain below.				
Explanation: Use addition	onal page(s) if necessar	y. (For section I and S	ection II.)				
with the Kins of PR Noti enforcement a chien and	penalties under section	u ilai 19 of fire	tion - III	ation of Fl	FLA and I ma	his house. I unablight that the his notification is not consident is be reduced to	
1. Material This Product W					· · · · · · · · · · · · · · · · · · ·		
Child-Resistant Peckaging	Unit Packaging Yes	Water	r Soluble Packa Yes	bing		itainer Ietal	
					1 1 1 1 1 1		
No Certification must	X No If "Yes" Unit Packaging wgt.	No. per if "Ye container Packa		lo. per ontainer	G	astic lass aper t	
* Cartification must be submitted	lf "Yes" Unit Packaging wgt.	No. per If "Ye container Packa	is" N ige wgt c	ontainer	G Pri X O	estic lass aper ther (Specify) None	
Certification must be submitted 3. Location of Net Contents	lf "Yes" Unit Packaging wgt.	No. per If "Ye	is" N ige wgt c	5. Lo	cation of Label D On Label On Label	astic lass aper ther (Specify) None birections eccompanying product	
Cartification must be submitted 3. Location of Net Contents	If "Yes" Unit Packaging wgt. Information Container	No. per container 4. Size(s) Retail Conta n/a no container	is" N ige wgt c	5. Lo	cation of Label	astic lass aper ther (Specify) <u>None</u> irections accompanying product Lading	
Certification must be submitted Lebel	If "Yes" Unit Packaging wgt. Information Container	No. per container 4. Size(s) Retail Conta n/a no container Lithograph Paper glued Stenciled	is" N ige wgt c j iner	5. Lo	cation of Label D On Label On Label On Labeling Poled to Bill OF 1	astic lass aper ther (Specify) None birections accompanying product Lading	
Certification must be submitted Label Label Manner in Which Label is	If "Yes" Unit Packaging wgt. s Information Container s Affixed to Product	No. per container 4. Size(s) Retail Conte n/a no container Lithograph Paper glued Stenciled Sec	ige wgt c	Ontainer	cation of Label D On Label On Label On Labeling Pded to Bill OF	astic lass aper ther (Specify) <u>None</u> birections accompanying product <u>Ladiy</u>	
Certification must be submitted Lebel	If "Yes" Unit Packaging wgt. s Information Container s Affixed to Product	No. per container 4. Size(s) Retail Conta n/a no container Lithograph Paper glued Stenciled Sec or identification of indiv Title	ige wgt c	Ontainer	cation of Label D On Label On Label On Labeling Pded to Bill Of essery, to process Te	astic lass aper ther (Specify) <u>None</u> birections accompanying product <u>Ladiy</u>	
Certification must be submitted Lebel Leb	If "Yes" Unit Packaging wgt. Information Container & Affixed to Product e items directly below for ements I have made on any knowingly false or m	No. per container 4. Size(s) Retail Conta n/a no container Lithograph Paper glued Stenciled Sec or identification of indiv Certification this form and all attack	s" N Nge wgt C J iner tion - IV vidual to be corr el to CDA hments thereto	Other Att	cation of Label D On Label On Label On Labeling Poled to Bill of I essary, to prices	astic lass aper ther (Specify) <u>None</u> birections accompanying product (Ading <u>ccc</u> <u>c</u>	
Certification must be submitted Label Label Label Contact Point <i> Complete</i> Name Joseph J. Green	If "Yes" Unit Packaging wgt. Information Container & Affixed to Product e items directly below for ements I have made on any knowingly false or m	No. per container 4. Size(s) Retail Conte n/a no container Lithograph Paper glued Stenciled Stenciled Cor identification of indix Counse Certification this form and all attach isleading statement m	iner tion - IV vidual to be corr el to CDA hments thereto	ontainer 5. Lo X X D Other Att D Other Att D D D D D D D D D D D D D D D D D D D	G G P O O Label O D Labeling P C c (C essery, to proces C C C C C C C C C C C C C C C C C C C	astic lass aper ther (Specify) <u>None</u> birections accompanying product <u>Ladiy</u> <u>ccc</u> <u>c</u> <u>c</u> <u>c</u> <u>c</u> css this application.) ccc aphone No. (Include Area Code) 12:542.8849 <u>c</u> <u>c</u> 6. Date Application Received <u>ccc</u> <u>c</u> (Stamped)	

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

ANTIMICROBIAL COPPER ALLOYS - GROUP II AND ASSOCIATED FABRICATED PRODUCTS MASTER LABEL

The Master Label consists of the label that will accompany the Antimicrobial Alloys and a label that will accompany each product fabricated using a registered alloy from Antimicrobial Copper Alloys - Group II.

[Alloy Label – Front Panel]

ANTIMICROBIAL COPPER ALLOYS - GROUP II AND ASSOCIATED FABRICATED PRODUCTS

Active Ingredient:

Copper Other

Total

91.3% 8.7%

100%


EPA Registration No. 82012-2

EPA Establishment No. *****

Made in the United States by ****** Distributed by ******

Net Weight: XXX lbs XXX ounces of [brand name]

Date Reviewed: Hawinswed By



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Antimicrobial Copper Alloys - Group II

These alloys are only intended for the manufacture and fabrication of touch surface components for use in hospitals, healthcare facilities, laboratories, and various public, commercial, and residential buildings. [The claims listed on the attached fabricated product label may be made in connection with the marketing and sale of Antimicrobial Copper Alloys - Group II and fabricated products made from Antimicrobial Copper Alloys - Group II under EPA Registration Number 82012-2.]

A list of components that may be fabricated out of Antimicrobial Copper Alloys - Group II is specified below. Antimicrobial Copper Alloys - Group II are not approved for direct food contact or food packaging uses.

Touch Surface Components

Healthcare Facilities

- o Bedrails, footboards
- o Over-bed tables
- Bed-side tables in hospitals, extended care facilities, senior housing etc. (knobs, pulls, handles; surfaces)
- Handrails, (corridor/hallways) (Senior housing), automatic door push plates
- Stair rails, handrails, tubular railing, and supports, rail fittings T's, elbows and
- brackets
- o Bedrails, assistance rails,
- Toilet safety rails
- o Carts

Hospital carts (table surfaces, handles, legs)

- Computer carts
- Record carts
- Phlebotomy carts
- Other Carts (tables/surfaces, shelving, railings, handles, pulls)
- Equipment carts (horizontal surfaces, frames, handles)
- Door push plates, kick plates, mop plates, stretcher plates
- Sinks: spigots, drains, sinks themselves
- Faucet: handles, spigot, drain control lever
- o Water fountains: bubbler head, drain strainer, handle
- o Alcohol sanitizer dispenser, handle
- o Paper towel holders, facial tissue holders, toilet paper holders
- Air hand dryer, controls and push buttons on air hand dryers
- Hydrotherapy tanks (whirlpool tanks): shells, covers, headrests, drain fittings (outer surfaces without water contact)

ciecc

Field Code Chariged

- Door handles, doorknobs (outer touch surfaces)
- Grab bars in bathrooms showers and bathtubs
- Panic bars on emergency room doors

- o Towel bars
- o Showerheads
- Countertops and tabletops (non-food use only)
- o Hinges, locks, latches, and trim
- o Door stops, door pulls, and protector guards
- o Toilet and urinal hardware, levers, push buttons
- o Toilet seat inlay for lifting of seat
- o Closures
- o Vertical locking arms
- Vertical cover guards
- o Protection bars
- o Light switches, switch plates
- o Visitor chairs: armrests, metal frames
- o Thermostat covers, control knobs and wheels
- Telephone handsets and surfaces (housings), keypad
- Kitchen surfaces (non-food contact only): table tops, counter tops, handles (microwave, refrigerator, stove), cabinet doors, cabinet hinges, pulls, backsplash, hoods, control knobs (appliances, fans)
- o Floor tiles
- Ceiling tiles (non-porous)
- o Wall tiles
- o Instrument handles

Medical equipment knobs, pulls and handles for:

- Drug delivery systems
- Monitoring systems
- Hospital beds
- Office equipment
- Operating room equipment
- Stands and fixtures
- Types of knobs: *e.g.*, Prong, fluted, knurled, push/pull, T-handle, tapered, and ball knobs
- o Intravenous (IV) poles, bases, hangers, clips
- Trays (instruments, non-food contact)
- o Pans (bed)
- o Walkers, wheelchair handles, and tubular components
- o Computer keyboards: keys, housings, computer mouse surfaces
- o Exercise and rehabilitation equipment, handles, bars
- Physical therapy equipment: physical therapy tables, treatment chairs and portable taping tables
- Chairs (shower chairs, patient chairs, visitor chairs): rails, backs, legs, seats
- Lighting products: X-ray illuminators, operating rooms, patient examination rooms, surgical suites, and reading lamps for hospital rooms and assisted living facilities etc. Components can include bases, arms, housings, handles, hinges)
- Headwall systems: the unit themselves, outlet covers, knobs and dials, lighting units (lamp housings and adjustable arms), CRT monitors with rotating knobs and levers and adjustments. Baskets, monitor housings, knobs, baskets, tables, IV poles

ιςεει Field Code Changed

- Critical care cart: Table top, drawer, drawer pull, lock, copper wire baskets for storage of equipment and charts.
- Bedside lavatory: sink, faucet, handles, drawer pulls, toilet seat, toilet seat cover, toilet handle, door and cabinet facings, counter tops
- o Medical records: Chart holders, clipboards, filing systems
- Storage Shelving: wire shelving etc. for medical supplies
- Grab handles on privacy curtains
- Lids of laundry hampers, trash canisters, and other containers
- Bedside pitchers
- Closet rods and hangers
- o Television controls: knobs, buttons, remote
- o Monitor (television, computer, etc.) housing
- o Cup Holder
- o Toothbrush holder
- o Soap holder, dispenser
- Magazine rack
- o Signage
- o Coat rack and hooks
- o Shower curtain rings
- Radiator cover
- o Bracelets
- o Pens
- Badge clips
- o Name tags
- o Patient gown snaps
- o Window sills, pulls and locks
- o Electrical wallplates
- o Medical equipment washers: exterior surfaces, housing, handles, pulls

Community Facilities (including various public and commercial buildings)


- o Shopping cart handles, child seats, handrails
- o Cash registers: housing, keypads
- o ATM machines: keys, housing
- o Gym/Health club lockers, locker handles, locker shelving, trainers' tables
- o Exercise equipment, handles, bars
- Ice and water dispensers (outer surfaces without water contact)
- Elevator: handrail, control panel, buttons, interior walls, floor tiles, exterior call button plate
- Paper towel dispensers. Housing itself, (turn) handle, (push) handle
- Soap holder
- o Soap dispenser (wall mounted): push bar and dispenser itself
- Soap dispenser (sitting on counter): dispenser housing itself, push mechanism
- o Toilet paper dispenser (housing)
- o Windows (crank), Locking mechanism, pull handles
- Window treatments (cord pulls), Venetian blinds (wands, cord pulls)
- o Jalousie Windows (crank)
- o Casement (cranks, levers, hinges)

LLLCC Field Code Changed

- Single and double-hung windows (locks and pulls)
- o Light switches, switch plates
- o Lids of laundry hampers, trash canisters, and other containers
- Magazine rack
- o Signage
- o Coat rack and hooks
- Shower curtain rings
- o Radiator cover
- o Bracelets
- o Badge clips
- o Name tags
- o Vending machines (non-food contact only)
- Window sills
- Electrical wallplates
- o Clip boards
- o Office supplies: paper clips, staplers, tape dispensers

Residential Buildings (including homes, apartments, apartment buildings and other residences)

- Kitchen surfaces (non-food contact only): table tops, counter tops, handles (microwave, refrigerator, stove), cabinet doors, cabinet hinges, pulls, backsplash, hoods, control knobs (appliances, fans)
- o Bedrails, footboards
- o Handrails
- o Stair rails
- o Door push plates
- o Sinks: spigots, drains, sinks themselves
- o Faucet: handles, spigot, drain control lever
- Paper towel holders, facial tissue holders, toilet paper holders
- Door handles, doorknobs (outer touch surfaces)
- o Grab bars in bathrooms showers and bathtubs
- o Towel bars
- o Showerheads
- Countertops and tabletops
- o Hinges, locks, latches, and trim
- o Door stops, door pulls, and protector guards
- o Toilet and urinal hardware, levers, push buttons
- o Toilet seat inlay for lifting of seat
- Light switches, switch plates
- o Thermostat covers, control knobs and wheels
- o Telephone handsets and surfaces (housings), keypad
- o Floor tiles
- Ceiling tiles (non-porous)
- o Wall tiles
- Computer keyboards: keys, housings, computer mouse surfaces
- o Exercise equipment, handles, bars
- o Windows (crank), Locking mechanism, pull handles



- o Window treatments (cord pulls), Venetian blinds (wands, cord pulls)
- o Jalousie Windows (crank)
- o . Casement (cranks, levers, hinges)
- o Single and double-hung windows (locks and pulls)
- o Television control knobs and buttons
- o Lids of laundry hampers, trash canisters, and other containers
- o Bedside pitchers
- o Closet rods and hangers
- o Television remote
- o Cup Holder
- Toothbrush holder
- o Soap holder, dispenser
- Magazine rack
- Coat rack and hooks
- Shower curtain rings
- Radiator cover
- o Window sills
- o Electrical wallplates
- o Baby cribs: rails, fittings, brackets, supports
- o Bowl stands
- o Office supplies: paper clips, staplers, tape dispensers
- o Monitor (television, computer, etc.) housing

Mass Transit Facilities

- o Handrails
- o Stair rails, tubular railing, and supports; elbows and brackets
- o Door push plates, kick plates
- o Door handles, door knobs (outer touch surfaces)
- o Grab bars and handles
- o Tiles: wall, floor, ceiling (non-porous)
- o Chairs and benches: rails, backs, legs, seats
- Window sills, pulls, and handles
- o Signage
- Vending machines (non-food contact only)

Laboratories

- o Incubator interior and outside surfaces, including culture chambers, walls, shelving and support brackets, handles, circulating fan assemblies, pan
- o Laboratory surfaces: table tops, counter tops, handles, cabinet doors, cabinet hinges, pulls, backsplash, hoods, control knobs
- o Laboratory carts, trays, and pans
- o Door handles, knobs, latches and locks
- o Laboratory equipment: safety cabinets, enclosures, vent hoods

Other

• Play area equipment (indoor only): bars, handles, chains, push plates, handrails, stair rails and risers, wheels, knobs, flooring

cicic Field Code Changed

6

- o Chapel pews
- o Eye glass frames and protective eye wear
- o Pens
- o Combs
- o Ashtrays

Do not wax, paint, lacquer, varnish, or otherwise coat touch surfaces.

Antimicrobial_Copper Alloys - Group II - Fabricated Products


The Antimicrobial Copper Alloys - Group II fabricated products listed above may be sold and distributed under EPA Registration Number 82012-2. Products fabricated with Antimicrobial Copper Alloys - Group II must bear the EPA approved fabricated product label, below, with one or more of the listed claims.

STORAGE AND DISPOSAL

Dispose of excess by recycling.

WARRANTY STATEMENT

If used as intended, this product is wear-resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.



ANTIMICROBIAL COPPER ALLOYS - GROUP II Fabricated Product Label

FRONT

Active Ingredient:

⊓otal

Use

name)

[This (touch surface) (product)] made from

Antimicrobial

Copper Alloys -

Group II

See [Back/Side Panel][Insert] for Directions for

Net Weight: XXX lbs XXX ounces of [brand

100.0%]

Copper91.3%

Other...... 8.7%

BACK

ANTIMICROBIAL COPPER ALLOYS - GROUP II

- Laboratory testing has shown that when cleaned regularly this surface: - Continuously reduces bacteria^{*} contamination, achieving 99.9% reduction within 2 hours of exposure.
- Kills greater than 99.9% of Gram-negative and Gram-positive bacteria* within 2 hours of exposure.
- Delivers continuous and ongoing antibacterial* action, remaining effective in killing greater than 99.9% of bacteria* within 2 hours.
- Kills greater than 99.9% of bacteria* within two hours and continues to kill 99% of bacteria* even after repeated contaminations.
 Helps inhibit the buildup and growth of bacteria* within 2 hours of exposure
- Helps inhibit the buildup and growth of bacteria* within 2 hours of exposure between routine cleaning and sanitizing steps.
- [This product/component name] is made (out of)(from) a (copper)(touch) surface that continuously kills bacteria left behind [by dirty hands][on the surface] killing more than 99.9% of bacteria within 2 hours.
- Staphylococcus aureus, Enterobacter aerogenes, Methicillin-Resistant Staphylococcus aureus (MRSA), Escherichia coli O157:H7, Pseudomonas aeruginosa and, Vancomycin – Resistant Enterococcus faecalis (VRE).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Proper Care and Use. Clean and sanitize according to standard practice. Healthcare facilities must maintain the product in accordance with infection control guidelines. The use of this surface is a supplement to and not a substitute for standard infection control practices; users must continue to follow all current infection control practices, including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination, but does not necessarily prevent cross contamination.

This surface may be subject to recontamination and the level of active bacteria at any time will depend on the frequency and timing of recontamination and cleanliness of the surface (among other factors). In order to have proper antimicrobial effect, this product must be cleaned and maintained according to the directions for use.

Do not wax, paint, lacquer, varnish, or otherwise coat this product.

Routine cleaning to remove dirt and fillh is necessary for good sanitation and to assure the effective antibacterial performance of this surface. Cleaning agents typically used for traditional hard, non-porous touch surfaces are permissible. The appropriate cleaning agent depends on the type of soiling and the measure of sanitization required. Normal tarnishing or wear of this surface will not impair antibacterial effectiveness.

Not approved for direct food contact or food packaging uses.

[Items exposed to outdoor environmental conditions are not representative of indoor laboratory test conditions, and, therefore, may impart reduced efficacy if not cleaned when visibly soiled.]

STORAGE AND DISPOSAL Dispose of by recycling or put in trash.

WARRANTY STATEMENT

If used as intended, this product is wear-resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.

EPA Reg. No. 82012-2 EPA Est. No. [Product Manufacturer Number] 82012-NY-001 Manufactured by: [Product Manufacturer Company Name and Address] Copper Development Association, 260 Madison Ave., NY, NY 10016-240, D

8

