

82077-4

01/24/2008

1/15



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, D.C. 20460

JAN 24 2008

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Robert Dahl
CEO
DuraBan International Inc.
230 Capitol Drive, Suite 300
Buffalo, MN 55313.

Subject: Mold Shield
EPA Registration 82077-4
Amendment Dated: Oct 03, 2007
EPA Received Date: Oct 26, 2007

Dear Robert Dahl

The following amendment submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) as amended, is acceptable.

Proposed Amendment

- Revised Label
- Response to letter dated Jan 11, 2007

General Comments

The revisions to the label as listed above are acceptable. A stamped copy of the accepted label is enclosed for your records. Submit (3) copies of your final printed label before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233.

Sincerely,

CONCURRENCES

Velma Noble

SYMBOL	7510c								
SURNAME									
DATE	1-22-08								



Mold Shield

ANTIMICROBIAL AGENT
A Silicone Quaternary Ammonium Salt

Active Ingredient:	3-(trihydroxysilyl) propyldimethyloctadecyl ammonium chloride	0.75%
Inert Ingredients:	99.25%
TOTAL INGREDIENTS:	100.0%

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 82077-4

EPA EST. 82077-MN-01

NET CONTENTS: 2, 4, 8, 16, 20, 22, 32 or 36 fluid oz.; 1, 5, 55, 150, 250, 275 or 300 gal.

Lot No. _____

*An Antimicrobial agent is an agent that inhibits the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease-causing bacteria.

ENVIRONMENTAL HAZARDS

Commercial and industrial uses: This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.


De-activation may be required during clean up if a spill occurs. De-activation of MOLD SHIELD can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of MOLD SHIELD.

Homeowner use: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

DIRECTIONS FOR USE

Approved commercial and Industrial Applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.



2/15

Do not use in any application involving direct or indirect food or drinking water contact.

MOLD SHIELD can be applied to organic or inorganic substrates by brushing, dipping, padding, soaking, spraying, fogging, or by using foam finishing techniques.

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply MOLD SHIELD every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

Approved commercial and industrial applications

The active ingredient in MOLD SHIELD is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. MOLD SHIELD can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

- Air filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems
- Air filters/materials
- Apparel recreational gear, outdoor, sportswear, sleepwear, socks, hosiery, undergarments, gloves and uniforms
- Aquarium filter material
- Athletic gear and sports equipment
- Automotive and vehicular parts
- Awnings
- Building materials and components: siding, insulation and non-food contact cabinetry, wallboard, wood and wood components: interior structural wood as defined as only wood needed for basic building structure as found in the dried in stage of construction, wood dried in contact with foundations, interior and exterior wall sill plates, wood studs, wood or cellulosic sheathing, floor joists and sub-flooring. Not to be used in association with in-ground contact applications, landscape timbers, docks, boardwalks, and deck furniture or other dimensional lumber.
- Blankets
- Bedspreads
- Bed sheets, blankets, and bedspreads
- Bathroom and non-food contact kitchen hardware
- Book covers and pictures
- Buffer pads (abrasive and polishing)
- Carpets, carpet underlay and draperies
- Ceiling Tiles
- Cloth for sails
- Curtains
- Draperies
- Non-food contact counter tops
- Concrete products
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains
- Non-food contact convey or humidifier belts
- Non-woven disposable diapers

- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fire hose fabric
- Fabrics (natural and synthetic, woven and non-woven)
- Fiberglass ductboard for air handling systems at point of manufacture
- Filling and ticking
- Fire hose fabric
- Flooring
- Floor covering
- Foam for packing and cushioning in non-food contact applications
- Footwear (boots, shoes and components)
- Furniture
- General purpose (non-food contact) containers
- Interior non food contact hard surfaces: floors, walls, ceiling tiles, ceramic, tile, concrete, chrome, stainless steel, vinyl, porcelain, paper wall covering, wood and glass fixture, marble, aluminum, book covers, pictures and furniture.
- Leather (natural and synthetic)
- Mattress pads and ticking
- Mats
- Men's underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Disposable polyurethane foam cushions for Lapidus Airfloat Systems;
- MOLD SHIELD can be used in paints and coatings as an in can preservative for protection of paint film and coating film. Types of paints and coatings include : latex indoor/outdoor paints and stains, woodstains,

architectural paints, laquer and maintenance coatings, films, laminates and finishes including alkyd, urethane, enamel, epoxy, siloxaline , amino resins, textile coatings, extrusion coatings, architural coatings and overlays, anti-corrosion coatings, fire-resistant coatings, aliphatic coatings, vinylester and polyester coatings, gel coatings, amino resins, resins used as additive mixes for cement, epoxy laminating resins, and blends and copolymers thereof; *

- Non-food contact conveyor belts, humidifier belts.
- Pillow covers
- Plumbing supplies and fixtures
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mop
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Quilts and pillows
- Roofing materials - defined as shingles, roofing granules, tiles, membranes, underlayment wood shakes, felt, stone and synthetic overcoats
- Rugs
- Sheet and formed glass
- Sand bags, tents, tarpaulins, sails, and ropes
- Athletic and casual shoes
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene/nylon/Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Tarps

4/15

- Tents and other outdoor equipments
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool

- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Women's hosiery
- Women's intimate apparel

*. "Note: Any claims for paint use must be for the preservative of the paint in the can. MOLD SHIELD is to be used as an in can preservative for paints to control the growth of odor causing bacteria, bacteria which causes staining and discoloration, fungi (mold and mildew) and algae."

DIRECTIONS FOR USE

Approved commercial applications used in homes, offices, automobiles and institutions

e.g., schools, hospitals, daycare centers, churches, correctional facilities, hotels, cruise and freight liners

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Do not use in any application involving direct or indirect food or drinking water contact.

For Pump Spray Application: Using pump sprayer, spray entire area 4"- 6"s from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. When treating coarser substrates, more MOLD SHIELD may be required due to absorption. A fan may be used to assist in drying carpeting.

For Commercial Spray Application: For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaners, pressure sprayers apply without dilution and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. When treating coarser substrates, more MOLD SHIELD may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpeting.

For Dipping/Soaking Application: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough MOLD SHIELD solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperatures or at temperatures to a maximum of 160° C (320° F), for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply MOLD SHIELD every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

**Approved commercial applications in homes, offices, automobiles and institutions
e.g., schools, hospitals, day care centers, banks, churches, correctional facilities, hotels, cruise and freight liners**

The active ingredient in MOLD SHIELD is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent.

MOLD SHIELD can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

- Air filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems
- Air filters/materials
- Apparel, recreational gear, outerwear, sportswear, sleepwear, socks, hosiery, undergarments, gloves and uniforms
- Aquarium filter material
- Athletic gear and sports equipment
- Automotive and vehicular parts
- Awnings
- Building materials and components: siding, insulation and non-food contact cabinetry, wallboard, wood and wood components: interior structural wood as defined as only wood needed for basic building structure as found in the dried in stage of construction, wood dried in contact with foundations, interior and exterior wall sill plates, wood studs, wood or cellulosic sheathing, floor joists and sub-flooring. Not to be used in association with in-ground contact applications, landscape timbers, docks, boardwalks, and deck furniture or other dimensional lumber.
- Blankets
- Bedspreads
- Bed sheets, blankets, and bedspreads
- Bathroom and non-food contact kitchen hardware
- Book covers and pictures
- Buffer pads (abrasive and polishing)
- Carpets, carpet underlay and draperies
- Ceiling Tiles
- Cloth for sails
- Curtains
- Draperies
- Non-food contact counter tops
- Concrete products
- Non-food contact convey or humidifier belts
- Non-woven disposable diapers
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fire hose fabric
- Fabrics (natural and synthetic, woven and non-woven)
- Filling and ticking
- Fire hose fabric
- Flooring
- Floor covering
- Foam for packing and cushioning in non-food contact applications
- Footwear (boots, shoes and components)
- Furniture
- General purpose (non-food contact) containers
- Interior non food contact hard surfaces: floors, walls, ceiling tiles, ceramic, tile, concrete, chrome, stainless

PAGE 7 - MASTER LABEL FOR MOLD SHIELD

steel, vinyl, porcelain, paper wall covering, wood and glass fixture, marble, aluminum, book covers, pictures and furniture.

- Leather (natural and synthetic)
- Mattress pads and ticking
- Mats
- Men's underwear and outerwear
- Non-food contact conveyor belts, humidifier belts.
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Disposable polyurethane foam cushions for Lapidus Airfloat Systems;
- Pillow covers
- Plumbing supplies and fixtures
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mop
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants

- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Quilts and pillows
- Roofing materials - defined as shingles, roofing granules, tiles, membranes, underlayment wood shakes, felt, stone and synthetic overcoats
- Rugs
- Sheet and formed glass
- Sand bags, tents, tarpaulins, sails, and ropes
- Athletic and casual shoes
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene/nylon/Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Tarps
- Tents and other outdoor equipments
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas

DIRECTIONS FOR USE

For homeowner applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Does not use in any application involving direct or indirect food or drinking water contact.

Approved homeowner uses

The active ingredient in MOLD SHIELD is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. MOLD SHIELD can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

	Pest controlled	Method of Application
Bedsheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). MOLD SHIELD can be applied to fabrics made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefins, polypropylene, rayon, silk, spandex, vinyl, and wool	Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	<p>DIP/SOAK: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough MOLD SHIELD solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Drying may be attained by dripping dry or wringing excess liquid from treated item. For larger items (e.g., bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and colorfastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160 °C (320 °F); (for example in clothes dryer).</p> <p>If necessary, reapply MOLD SHIELD every three months or if odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>

9/15

PAGE 9 - MASTER LABEL FOR MOLD SHIELD

		<p>SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply MOLD SHIELD every three months or if odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p>
	Pest controlled	Method of Application
<p>Air filters and air filter material for</p> <ul style="list-style-type: none"> • Furnaces, air conditioners • Air purification systems • Automobiles • Recirculating air handling systems • Vacuum cleaner filters • Aquariums 	<p>Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)</p>	<p>SPRAY: When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"- 6" from the surface making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply MOLD SHIELD every three months or if odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.</p>
	Pest controlled	Method of Application
<p>Carpeting</p>	<p>Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold</p>	<p>SPRAY: Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"- 6" from the surface making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add MOLD SHIELD directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions so that the product is not diluted. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small concealed</p>

PAGE 10 - MASTER LABEL FOR MOLD SHIELD

	and mildew)	area prior to application. When treating coarser substrates (e.g., wool carpeting), more MOLD SHIELD may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply MOLD SHIELD every three months or if odor, staining and discoloration due to bacteria, mold stains, and mildew stains return
	Pest controlled	Method of Application
Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon or wool	Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4"- 6" from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply MOLD SHIELD every three months or if odor, staining and discoloration due to bacteria, mold stains and mildew stains return.
	Pest controlled	Method of application
Tents, tarpaulins, sails, ropes.	Odor causing bacteria, bacteria which cause staining and discoloration, and	SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply MOLD SHIELD every three

PAGE 11 - MASTER LABEL FOR MOLD SHIELD

	fungi (mold and mildew)	months or if odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of application
Roofing materials (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats)	Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Make sure the roof is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface making sure the surface is completely covered. After applying the dilute solution of MOLD SHIELD, let stand until dry. If necessary, reapply MOLD SHIELD every three months or if odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Method of application
Buffer pads (polishing and abrasive), Polyurethane and cellulose foam for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes	Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	SPRAY: Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply MOLD SHIELD every three months or if odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Method of application
Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks, washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans,	Odor causing bacteria, bacteria which cause	SPRAY: Using a trigger pump sprayer, spray the entire surface area 4"- 6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply MOLD SHIELD

12/5

appliances, refrigerators (exterior), fiberglass, Formica, glazed tiles, glazed porcelain, synthetic marble, synthetic quartz, synthetic granite, plastic, vinyl	staining and discoloration, and fungi (mold and mildew)	every three months or if odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
--	---	---

MOLD, MILDEW, ODOR PROTECTOR AND INHIBITOR

MOLD SHIELD is an antimicrobial agent effective against odor causing bacteria.

MOLD SHIELD is an antimicrobial agent effective against bacteria which cause staining and discoloration.

MOLD SHIELD is an antimicrobial agent effective against fungi (mold and mildew).

MOLD SHIELD is an antimicrobial agent effective against algae.

MOLD SHIELD, an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen.

Bacteriostatic, fungistatic (mold and mildew), algaestatic.

MOLD SHIELD, an antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow even in the cleanest of homes.

MOLD SHIELD, an antimicrobial agent, inhibits the growth of odor causing bacteria.

Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces made of fiberglass, glazed porcelain, Formica®, Corian®, Silestone®, stainless steel, synthetic marble and synthetic quartz.

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Use on carpet and upholstery to inhibit the growth of odor causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria.

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of algae.

PAGE 13 - MASTER LABEL FOR MOLD SHIELD

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

Resists development of microbial odors.

Resists development of stains and discoloration due to bacteria.

Resists development of stains due to fungi (mold and mildew).

Resists stains due to algae.

Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria.

Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.

Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew).

Provides/creates an invisible barrier to inhibit the growth of algae.

Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read: "Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site."]**

Container Disposal:

Metal Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Glass Container: Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or by other approved by state and local procedures.

[For homeowner use statement will read: "Container Disposal: Securely wrap original container in several layers of newspaper and discard in trash."]

Note: Any claims for paint use must be for the preservative of the paint in the can. MOLD SHIELD is to be used as an in can preservative for paints to control the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS). THE MSDS CAN BE OBTAINED BY WRITING DuraBan International Inc, 230 Capital Drive, Suite 300, Buffalo, MN 55313 or at www.durabanintl.com. Emergency telephone number (763) 682-4482

IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION

DuraBan International Inc., warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this label when used in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use. DURABAN INTERNATIONAL INC. DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.