

82100-1

05/11/2006

1/7



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511C)
1200 Pennsylvania Avenue NW
Washington, DC 20460

EPA Reg. Number:
82100-1

Date of Issuance:
5/11/06

Terms of Issuance:

Unconditional

Name of Pesticide Product:

AgSil@25

NOTICE OF PESTICIDE:

Registration
 Reregistration
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

PQ Corporation
P.O. Box 840
Valley Forge, PA 19482

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This registration does not eliminate the need for continual reassessment of the pesticide. If EPA determines at any time, that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

This product is registered in accordance with FIFRA section 3(c)(5) and is subject to the following terms and conditions:

- 1. Submit three (3) copies of the final printed labeling before you release the product for shipment.

Signature of Approving Official:

(See second page for signature)


Date:

5/11/06

2/7

2. A stamped copy of the label is enclosed for your records.

Sincerely,


Janet L. Andersen, Director
Biopesticides and Pollution
Prevention Division (7511C)

Enclosure

3/7



FUNGICIDE/MITICIDE/INSECTICIDE

For use on vegetables, fruits, nuts, vine crops, field crops, ornamentals and turf for control of fungal diseases, and suppression of spider mites, whiteflies and other insects

ACTIVE INGREDIENT:	
Potassium silicate.....	29%
OTHER INGREDIENTS.....	71%
Total	100%

EPA Reg. No. 82100-E EPA Est. No. 82100-PA-001
Net Weight XX lbs

KEEP OUT OF REACH OF CHILDREN

**CAUTION
PRECAUCION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)


Manufactured by:
PQ Corporation
P.O. Box 840
Valley Forge, PA 19482

PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND
DOMESTIC ANIMALS**

CAUTION

Causes moderate eye irritation. Slightly irritating to the skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling.



FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-866-368-5667 day or night, for emergency medical treatment information.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes and socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

- Users should:
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
 - Remove clothing immediately if pesticide gets inside.
 - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS:

Toxic to Honey Bees. This product is toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product if bees are visiting the treatment area.

This product is for terrestrial uses, do not apply directly to water, or to areas where surface

4/7

mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash water or rinsate.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

In the event of an in-transit environmental release or spill of this product, that may endanger the environment, call 1-800-424-9300.

DIRECTIONS FOR USE

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hour.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes and socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Keep unprotected persons out of treated area until sprays have dried.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation. This product must not be used when honey bees are present or actively foraging.

STORAGE AND DISPOSAL

Storage: Keep pesticide in original container. Keep container tightly closed when not in use. Store product above 40°F. Do not store in aluminum, fiberglass, copper, brass, zinc, or galvanized containers. Protect from excessive heat. Store in a cool, dry place.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse container. Completely empty container into application equipment. Prior to container disposal, rinse out the container three times with water and empty rinse water into application equipment. Then dispose of empty container in a sanitary landfill in accordance with federal, state, and local waste disposal regulations.

GENERAL USE INFORMATION

AgSil® 25 is a broad spectrum preventative fungicide recommended for agricultural crops, fruits, nuts, vines, turf and ornamentals. Optimum disease control is obtained when the fungicide is applied on a regularly scheduled preventative spray program. AgSil® 25 also provides suppression of mites, whiteflies and other insects. Optimum performance is achieved using a sufficient volume of water to insure complete coverage of all stems and foliage.

AgSil® 25 has been evaluated for phytotoxicity and has a wide margin of safety on a variety of crops. However, since all combinations or sequences of pesticide applications including surfactants and adjuvants have not been tested, it is recommended that a small area be sprayed first to make certain that no phytotoxicity occurs.

Read the entire label before using AgSil® 25. Consult your State Agricultural Experimental Station or Extension Service Specialist for additional information on application timing, rates and any additional requirements or restrictions.

MIXING INSTRUCTIONS:

Be sure the sprayer is clean and not contaminated with other materials prior to use. When using an agitated spray tank fill tank 1/2 to

5/7

3/4 full with clean water and start agitation. Be certain that the agitation system is working properly. With the agitator running add the required amount of AgSil® 25 to the tank. If tank mixing with other materials, add them to the tank and continue agitation. Continue filling tank with the remainder of the water. Agitate until mixed thoroughly and avoid excessive foaming. Mix as needed; do not store diluted material.

COMPATIBILITY:

AgSil® 25 is compatible with most commonly used agricultural fungicides. If compatibility is in question, use the compatibility jar test before mixing a whole tank. Because of the wide variety of possible combinations that can be encountered, observe all precautions and limitations on the label of all products used in mixtures.

APPLICATION INSTRUCTIONS:

AgSil® 25 is a broad spectrum pesticide for control of the fungal disease powdery mildew, and suppression of mites, whiteflies and other insects on vegetables, fruits, nuts, vine crops, agronomic crops, and ornamentals and for suppression of gray leaf spot, brown patch and dollar spot on turf.

Rate of application is variable according to pest pressure, timing of sprays and plant stage of growth. Use lower rates under light to moderate pest pressure; higher rates under heavy pest pressure and for mite suppression. Arid climates generally require higher rates.

For all crops, apply AgSil® 25 at a volume to volume concentration of 0.5% to 1% spray solution, unless otherwise specified. For example, 2-4 quarts per 100 gallons of water. See Dilution Table for other volumes. Apply on a preventative schedule for disease control. Begin applications when environmental conditions are conducive to disease development. Repeat applications no sooner than every 7 days. When conditions are conducive for rapid disease development, it is recommended that AgSil® 25 be used in a rotational program with other registered fungicides. For mite and insect suppression, begin applications when pests first appear and repeat applications as necessary to maintain suppression, but no sooner than every 7 days.

For maximum results, use a high analysis non-ionic surfactant such as No-Foam A at recommended label rates.

DILUTION TABLE FOR FOLIAR APPLICATIONS (20-250 gallons per acre)			
Gallons Water	Quarts AgSil® 25 0.5% Sol.	Quarts AgSil® 25 0.75% Sol.	Quarts AgSil® 25 1% Sol.
20	0.4 quarts	0.6 quarts	0.8 quarts
40	0.8 quarts	1.2 quarts	1.6 quarts
50	1 quart	1.5 quarts	2 quarts
100	2 quarts	3 quarts	4 quarts
150	3 quarts	4.5 quarts	6 quarts
200	4 quarts	6 quarts	8 quarts
250	5 quarts	7.5 quarts	10 quarts

For fruit, nut and vine crops: apply 0.5 to 1% solution (2-4 quarts AgSil® 25/100 gal.) in 50 to 250 gallons finished spray per acre.

Specific Use Restrictions:

1. May be applied the day of harvest (0 day PHI).
2. Do not apply more than 10 quarts per acre (7.5 lb ai/a) per application.
3. Do not apply more than 20 gallons per acre (60 lb ai/a) per season.

For vegetable crops and other agronomic crops: apply 0.5 to 1% solution (2-4 quarts AgSil® 25/100 gal.) at a minimum rate of 20 gallons finished spray per acre.

Specific Use Restrictions:

1. May be applied the day of harvest (0 day PHI).
2. Do not apply more than 4 quarts per acre (3.0 lb ai/a) per application.
3. Do not apply more than 7 gallons per acre (21 lb ai/a) per season.

For ornamental crops: apply 0.5 to 1% solution (2-4 quarts AgSil® 25/100 gal.) making sure to get good coverage of the foliage. Apply in 20 to 250 gallons of water per acre.

Specific Use Restrictions:

1. Do not apply more than 10 quarts per acre (7.5 lb ai/a) per application.
2. Do not apply more than 15 gallons per acre (45 lb ai/a) per season.

For turf use: apply 1 to 2% solution (4-8 quarts AgSil® 25/100 gal.) in a minimum of 40 gallons finished spray per acre.

Specific Use Restrictions:

1. Do not apply more than 8 quarts per acre (6.0 lb ai/a) per application.
2. Do not apply more than 10 gallons per acre (30 lb ai/a) per season.

Hydroponics: AgSil® 25 may also be used in nutrient solutions for hydroponics growing to suppress powdery mildew, black spot, pythium, fusarium crown and root rot, and whiteflies, when concentrations of 100 to 250 ppm SiO₂ are maintained.

Specific Use Restrictions:

1. May be applied the day of harvest (0 day PHI).
2. Do not exceed 250 ppm SiO₂ in nutrient solutions.

DISEASE MONITORING:

AgSil® 25 is a broad spectrum, preventative fungicide. If not applied on a routine protectant spray schedule, plants should be observed for disease sign or symptoms. Fungicide application should be made, at the recommended label use rate and spray schedule, at the first sign of disease, report of disease in the area, or during environmental conditions favorable for disease development.

POME FRUIT, NUT CROPS, STONE FRUITS
(Including but not limited to)

Apples	Crabapple	Loquat
Mayhaw	Pear	Quince
Apricot	Cherry	Nectarine
Peach	Plum	Prune
Almond	Beech nut	Filbert
Butternut	Cashew	Chestnut
Chinquapin	Brazil nut	Macadamia
Hickory	Pecan	Walnut

BERRIES AND VINE CROPS
(Including but not limited to)

Blackberry	Blueberry	Gooseberry
Loganberry	Raspberry	Strawberry
Grapes		

ROOT & BULB VEGETABLES
(Including but not limited to)

Beet, garden	Chicory	Rutabaga
Beet, sugar	Ginseng	Salsify
Horseradish	Carrot	Parsley root
Celeriac	Radish	Turnip
Chervil	Potato	Cassava
Ginger	Sweet Potato	Yam
Garlic	Leek	
Onion	Shallot	

LEAFY & BRASSICA VEGETABLES
(Including but not limited to)

Arugula	Celery	Endive
Fennel	Parsley	Radicchio

Rhubarb	Spinach	Swiss chard
Broccoli	Brussels sprouts	Cabbage
Cauliflower	Collards	Kale
Kohlrabi	Mustard Greens	Lettuce

LEGUME VEGETABLES
(Including but not limited to)

Beans	Broad bean	Chickpea
Lentil	Pea	Soybean

CUCURBIT & FRUITING VEGETABLES
(Including but not limited to)

Cucumber	Gherkin	Pumpkin
Muskmelon	Squash	Watermelon
Eggplant	Pepper	Tomato

CITRUS FRUITS

(Including but not limited to)

Grapefruit	Orange	Lime
Lemon	Mandarin	Pummelo
Tangerine		

CEREAL GRAINS

(Including but not limited to)

Barley	Oats	Sorghum
Popcorn	Corn	Rice
Wheat	Millet	Rye
Wild rice		

TURF & ORNAMENTALS

(Including but not limited to)

Broadleaf Shrubs & Trees

Andromeda	Ash	Aspen
Azalea	Buckeye	Camellia
Cherry Laurel	Crabapple	Dogwood
Eucalyptus	Euonymus	Firethorn
Flowering almond		Flowering cherry
Flowering peach		Flowering plum
Flowering quince		Hawthorn
Holly	Lilac	Magnolia
Maple	Laurel	Oak
Red-tip	Poplar	Privet
Rhododendron	Sequoia	Spiraea
Sycamore	Viburnum	Walnut

FLOWERING PLANTS & BULBS

African violet	Begonia	Carnation
Chrysanthemum	Crocus	Daffodil
Daisy	Geranium	Gladious
Hollyhock	Hydrangea	Iris
Lily	Marigold	Narcissus
Pansy	Petunia	Phlox
Poinsettia	Rose	Statice
Tulip	Zinnia	

FOLIAGE PLANTS

Aglaonema	Palm	Artemesia
Boston fern	Dracaena	Dumbcane
Fatsia	Ficus	Ruffia fern
Lipstick plant	Ming aralia	Oyster plant
Psychandra	Parlor palm	Peperomia
Philodendron	Prayer plant	Syngonium
Zebra plant	Leatherleaf fern	

ADDITIONAL CROPS

Artichoke	Asparagus	Chayote
Coffee	Cotton	Hops
Jofoba	Ornamental	Turf grass

Sesame

Sunflower

Tee

7/7

CONDITIONS OF SALE – Limited Warranty and Limitations of Liability and Remedies

Read the Conditions of Sale – Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return unopened container at once to the seller for full refund of purchase price paid.

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control or suppression of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of PQ Corporation or the seller. PQ Corporation recommends that the user or grower test this product on a portion of the crop to determine suitability for the intended use. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment.

PQ Corporation warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the factors noted above which are beyond the control of PQ Corporation. PQ Corporation makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

The exclusive remedy against PQ Corporation for any cause of action relating to the handling or use of this product shall be limited to, at PQ Corporation's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used

To the extent allowed by law, PQ Corporation shall not be liable and any and all claims against PQ Corporation are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. PQ Corporation and the seller offer this product, and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

AgSil[®] is a registered trademark of PQ Corporation.