



Manufactured by:  
FQ Corporation  
P.O. Box 840  
Venezky Forge, PA 19482  
800-944-7411

**FUNGICIDE/MITICIDE/INSECTICIDE**

For use on vegetables, fruits, nuts, vine crops, field crops, ornamentals and turf for control of fungal diseases, and suppression of spider mites, aphids, whiteflies and other insects

ACTIVE INGREDIENT:  
Potassium silicate.....29%  
OTHER INGREDIENTS:.....71%  
Total 100%

EPA Reg. No. 82100-1 EPA Est. No. 82100-PA-001

Net Weight 565 lbs  
55 Gal

**Keep out of Reach of Children**  
**CAUTION PRECAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

First Aid	
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<p><b>HOT LINE NUMBER:</b> Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Product Safety Hotline 1-866-359-5667 day or night, for emergency medical treatment information.</p>	

**Precautionary Statements**

**Hazards to Humans and Domestic Animals**

Caution: Causes moderate eye irritation. Do not get in eyes or on clothing. Wear goggles or face shield when handling concentrate. After product is diluted in accordance with the directions for use, goggles or face shield are not required. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Wear appropriate personal protective equipment (PPE).

**PERSONAL PROTECTIVE EQUIPMENT (PPE)**

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes and socks.
- Chemical resistant gloves
- Goggles or face shield when handling undiluted concentrate

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS:**

- Users should:
- Remove clothing immediately if pesticide gets inside.
  - Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS:**

For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not

discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

In the event of an in-transit environmental release or spill of this product, that may endanger the environment, call Chemtrec at 1-800-424-9300.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation system.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves made of any waterproof material
- Shoes and socks
- Goggles or face shield when handling undiluted concentrate

#### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treated area until sprays have dried.

### GENERAL USE INFORMATION

AgSil® 25 is a broad spectrum preventative fungicide recommended for agricultural crops, fruits, nuts, vines, turf and ornamentals. Optimum disease control is obtained when the fungicide is applied on a regularly scheduled preventative spray program. AgSil® 25 also provides suppression of mites, aphids, whiteflies and other insects. Optimum performance is achieved using a sufficient volume of water to insure complete coverage of all stems and foliage.

AgSil® 25 is for use on Ornamental Turf Lawns (Residential, Industrial and Institutional), Parks, cemeteries, Athletic Fields and Golf Courses (Fairways, Aprons, Tees, and Roughs), and similar turf areas. Also for use on Sod Farms.

Since all combinations or sequences of pesticide applications including surfactants and adjuvants have not been tested, before wide spread application, test a small area to be sprayed first to make certain that no phytotoxicity occurs.

Avoid contact with glass. Remove promptly from glass surfaces. Read the entire label before using AgSil® 25. Consult your State Agricultural Experimental Station or Extension Service Specialist for additional information on application timing, rates and any additional requirements or restrictions.

#### MIXING INSTRUCTIONS:

Be sure the sprayer is clean and not contaminated with other materials prior to use. When using an agitated spray tank fill tank 1/2 to 3/4 full with clean water and start agitation. Be certain that the agitation system is working properly. With the agitator running add the required amount of AgSil® 25 to the tank. If tank mixing with other materials, add them to the tank and continue agitation. Continue filling tank with the remainder of the water. Agitate until mixed thoroughly and avoid excessive foaming. Mix as needed; do not store diluted material.

#### COMPATIBILITY:

AgSil® 25 is compatible with most commonly used agricultural pesticides. If compatibility is in question, use the compatibility jar test before mixing a whole tank. Dilute AgSil® 25 to its use rate and then with stirring add the other components in the appropriate amounts. If precipitation, gelation, or sedimentation occurs, do not use the combination of pesticides. Because of the wide variety of possible combinations that can be encountered, observe all precautions and limitations on the label of all products used in mixtures.

**APPLICATION INSTRUCTIONS:**

AgSil® 25 is a broad spectrum pesticide for control of the fungal disease powdery mildew, and suppression of mites, aphids, whiteflies and other insects on vegetables, fruits, nuts, vine crops, agronomic crops, and ornamentals; for control of gray mold rot (*Botrytis cinerea*) on blueberry; for suppression of Asian soybean rust on soybean, and for suppression of gray leaf spot, brown patch, dollar spot, and snow mold on turf.

Rate of application is variable according to pest pressure, timing of sprays and plant stage of growth. Use lower rates under light to moderate pest pressure; higher rates under heavy pest pressure and for mite suppression. Arid climates generally require higher rates.

**For all crops, apply AgSil® 25 at a volume to volume concentration of 0.5% to 1% spray solution, unless otherwise specified.** For example, 2-4 quarts per 100 gallons of water. See Dilution Table for other volumes. Apply on a preventative schedule for disease control. Begin applications when environmental conditions are conducive to disease development. Repeat applications no sooner than every 7 days. When conditions are conducive for rapid disease development, it is recommended that AgSil® 25 be used in a rotational program with other registered fungicides. For mite and insect suppression, begin applications when pests first appear and repeat applications as necessary to maintain suppression, but no sooner than every 7 days. For best results, apply AgSil® 25 before leaf hardening.

**For maximum results, use a high analysis non-ionic surfactant such as No-Foam A at recommended label rates.**

**For fruit, nut and vine crops:** apply 0.5 to 1% solution (2-4 quarts AgSil® 25/100 gal.) in 50 to 250 gallons finished spray per acre.

Specific Use Restrictions:

1. Apply up to the day of harvest (0 day PHI).
2. Do not apply more than 10 quarts per acre (7.5 lb ai/a) per application.
3. Do not apply more than 20 gallons per acre (60 lb ai/a) per season.
4. Do not make post harvest applications.

**For vegetable crops and other agronomic crops:** apply 0.5 to 1% solution (2-4 quarts AgSil® 25/100 gal.) at a minimum rate of 20 gallons finished spray per acre.

Specific Use Restrictions:

1. Apply up to the day of harvest (0 day PHI).

2. Do not apply more than 4 quarts per acre (3.0 lb ai/a) per application.
3. Do not apply more than 7 gallons per acre (21 lb ai/a) per season.
4. Do not make post harvest applications

**For ornamental crops:** apply 0.5 to 1% solution (2-4 quarts AgSil® 25/100 gal.) making sure to get good coverage of the foliage. Apply in 20 to 250 gallons of water per acre.

Specific Use Restrictions:

1. Do not apply more than 10 quarts per acre (7.5 lb ai/a) per application.
2. Do not apply more than 15 gallons per acre (45 lb ai/a) per season.

**For turf use:** apply 1 to 2% solution (4-8 quarts AgSil® 25/100 gal.) in a minimum of 40 gallons finished spray per acre [or 1 gallon finished spray per 1000 ft<sup>2</sup>].

Specific Use Restrictions:

1. Do not apply more than 8 quarts per acre (6.0 lb ai/a) per application. **Do not apply more than 5.8 fluid ounces per 1000 ft<sup>2</sup> (0.14 lb ai/1000 ft<sup>2</sup>) per application.**
2. Do not apply more than 10 gallons per acre (30 lb ai/a) per season. **Do not apply more than 29 fluid ounces per 1000 ft<sup>2</sup> (0.7 lb ai/1000 ft<sup>2</sup>) per season.**

**DISEASE MONITORING:**

AgSil® 25 is a broad spectrum, preventative fungicide. If not applied on a routine protectant spray schedule, observe plants for disease signs or symptoms. Apply appropriate fungicide, at the listed label use rate and spray schedule, at the first sign of disease, report of disease in the area, or during environmental conditions favorable for disease development.

DILUTION TABLE FOR FOLIAR APPLICATIONS (20-250 gallons per acre)			
Gallons Water	Quarts AgSil® 25 0.5% Sol.	Quarts AgSil® 25 0.75% Sol.	Quarts AgSil® 25 1% Sol.
20	0.4 quarts	0.6 quarts	0.8 quarts
40	0.8 quarts	1.2 quarts	1.6 quarts
50	1 quart	1.5 quarts	2 quarts
100	2 quarts	3 quarts	4 quarts
150	3 quarts	4.5 quarts	6 quarts
200	4 quarts	6 quarts	8 quarts
250	5 quarts	7.5 quarts	10 quarts

**OUTDOOR AND GREENHOUSE CROPS:  
POME FRUIT, NUT CROPS, STONE FRUITS  
(Including but not limited to)**

- |         |           |           |
|---------|-----------|-----------|
| Apples  | Crabapple | Loquat    |
| Mayhaw  | Pear      | Quince    |
| Apricot | Cherry    | Nectarine |
| Peach   | Plum      | Prune     |

- |            |            |           |
|------------|------------|-----------|
| Almond     | Beech nut  | Filbert   |
| Butternut  | Cashew     | Chestnut  |
| Chinquapin | Brazil nut | Macadamia |
| Hickory    | Pecan      | Walnut    |

**BERRIES AND VINE CROPS**  
(Including but not limited to)

- |            |           |            |
|------------|-----------|------------|
| Blackberry | Blueberry | Gooseberry |
| Loganberry | Raspberry | Strawberry |
| Grapes     |           |            |

**ROOT & BULB VEGETABLES**  
(Including but not limited to)

- |              |              |              |
|--------------|--------------|--------------|
| Beet, garden | Chicory      | Rutabaga     |
| Beet, sugar  | Ginseng      | Salsify      |
| Horseradish  | Carrot       | Parsley root |
| Celeriac     | Radish       | Turnip       |
| Chervil      | Potato       | Cassava      |
| Ginger       | Sweet Potato | Yam          |
| Garlic       | Leek         |              |
| Onion        | Shallot      |              |

**LEAFY & BRASSICA VEGETABLES**  
(Including but not limited to)

- |             |                  |             |
|-------------|------------------|-------------|
| Arugula     | Celery           | Endive      |
| Fennel      | Parsley          | Radicchio   |
| Rhubarb     | Spinach          | Swiss chard |
| Broccoli    | Brussels sprouts | Cabbage     |
| Cauliflower | Collards         | Kale        |
| Kohlrabi    | Mustard Greens   | Lettuce     |

**LEGUME VEGETABLES**  
(Including but not limited to)

- |        |            |          |
|--------|------------|----------|
| Beans  | Broad bean | Chickpea |
| Lentil | Pea        | Soybean  |

**CUCURBIT & FRUITING VEGETABLES**  
(Including but not limited to)

- |           |         |            |
|-----------|---------|------------|
| Cucumber  | Gherkin | Pumpkin    |
| Muskmelon | Squash  | Watermelon |
| Eggplant  | Pepper  | Tomato     |

**CITRUS FRUITS**  
(Including but not limited to)

- |            |          |         |
|------------|----------|---------|
| Grapefruit | Orange   | Lime    |
| Lemon      | Mandarin | Pummelo |
| Tangerine  |          |         |

**CEREAL GRAINS**  
(Including but not limited to)

- |           |        |         |
|-----------|--------|---------|
| Barley    | Oats   | Sorghum |
| Popcorn   | Corn   | Rice    |
| Wheat     | Millet | Rye     |
| Wild rice |        |         |

**ADDITIONAL CROPS**

- |                      |                 |           |
|----------------------|-----------------|-----------|
| Artichoke            | Asparagus       | Chayote   |
| Coffee               | Cotton          | Hops      |
| Jojoba               | Ornamental      | Pistachio |
| Turf grass           | Industrial Hemp |           |
| Sesame               | Sunflower       | Tea       |
| Grass grown for Seed |                 |           |

**TURF & ORNAMENTALS**

(Including but not limited to broadleaf shrubs and trees, flowering plants and bulbs, and foliage plants.)

**IMPORTANT NOTE:** Plant sensitivities to AgSil® 25 have been found to be acceptable for plants listed on this label; however it is impossible to know sensitivities under all conditions and phytotoxicity may occur. Due to

the large number of species and varieties of ornamentals and nursery plants, it is impossible to test every one for sensitivity to AgSil® 25. Neither the manufacturer nor seller endorses use upon species not listed on the label, nor has it been determined that AgSil® 25 can be safely used on ornamental or nursery plants not listed on this label. The user must determine if AgSil® 25 can be used safely prior to commercial use. In a small area, apply the listed rates to the plants in question, i.e. foliage, fruit, etc., and observe for 7-10 days for symptoms of phytotoxicity prior to commercial use. **Do not apply foliar sprays to open blooms of Geranium, Marigold, Pansy, and Petunia.**

**BROADLEAF SHRUBS & TREES**

- |                  |           |                  |
|------------------|-----------|------------------|
| Andromeda        | Ash       | Aspen            |
| Azalea           | Buckeye   | Camellia         |
| Cherry Laurel    | Crabapple | Dogwood          |
|                  | Euonymus  | Firethorn        |
| Flowering almond |           | Flowering cherry |
| Flowering peach  |           | Flowering plum   |
| Flowering quince |           | Hawthorn         |
| Holly            | Lilac     | Magnolia         |
| Maple            | Laurel    | Oak              |
| Red-tip          | Poplar    | Privet           |
| Rhododendron     | Sequoia   | Spirea           |
| Sycamore         | Viburnum  | Walnut           |

**FLOWERING PLANTS & BULBS**

- |                |           |           |
|----------------|-----------|-----------|
| African violet | Begonia   | Camation  |
| Chrysanthemum  | Crocus    | Daffodil  |
| Daisy          | Geranium* | Gladiolus |
| Hollyhock      | Hydrangea | Iris      |
| Lily           | Marigold* | Narcissus |
| Pansy*         | Petunia*  | Phlox     |
|                | Rose      | Statice   |
| Tulip          | Zinnia    |           |

\*NOTE: Do not apply foliar sprays of AgSil 25 to open blooms of these species.

**FOLIAGE PLANTS**

- |                |                  |              |
|----------------|------------------|--------------|
| Aglaonema      | Palm             | Artesia      |
| Boston fern    | Dracaena         | Dumbcane     |
| Fatsia         | Ficus            | Ruffle fern  |
| Lipstick plant | Ming aralias     | Oyster plant |
| Pachysandra    | Parlor palm      | Peperomia    |
| Philodendron   | Prayer plant     | Syngonium    |
| Zebra plant    | Leatherleaf fern |              |

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage and disposal.

**Storage:** Keep pesticide in original container. Keep container tightly closed when not in use. Store product above 40°F. Do not store in aluminum, fiberglass, copper, brass, zinc, or galvanized containers. Protect from excessive heat. Store in a cool, dry place.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** This container is not refillable. Do not reuse container. Completely empty container into application equipment. Prior to container disposal, rinse out the container three times with water and empty rinse water into application equipment. Then dispose of empty container in a sanitary landfill in accordance with federal, state, and local waste disposal regulations. Do not recycle.

Container Batch or Lot Code #

---

## Limited Warranty and Limitations of Liability and Remedies

---

**Read the Conditions of Sale – Warranty and Limitations of Liability and Remedies before using this product. If the terms are not acceptable, return unopened container at once to the seller for full refund of purchase price paid.**

The directions on this label are believed to be reliable and should be followed carefully. Insufficient control or suppression of pests and/or injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of PQ Corporation or the seller. PQ Corporation recommends that the user or grower test this product on a portion of the crop to determine suitability for the intended use. In addition, failure to follow label directions may cause injury to crops, animals, man or the environment.

PQ Corporation warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the factors noted above which are beyond the control of PQ Corporation. To the extent allowed by law, the PQ Corporation makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty of merchantability or fitness for any particular purpose, and no such warranty shall be implied by law.

To the extent allowed by law, the exclusive remedy against PQ Corporation for any cause of action relating to the handling or use of this product shall be limited to, at PQ Corporation's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used

To the extent allowed by law, PQ Corporation shall not be liable and any and all claims against PQ Corporation are waived for special, indirect, incidental, or consequential damages or expense of any nature, including, but not limited to, loss of profits or income. PQ Corporation and the seller offer this product, and the buyer and user accept it, subject to the foregoing conditions of sale and limitation of warranty, liability and remedies.

AgSil® is a registered trademark of PQ Corporation.

AS25-1007