

82200-1

12-16-2010

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Charles S. Rose
VIACHEM LLC
2 Hicks Street
Lindenhurst, NY 11757

DEC 16 2010

Subject: Notification: Alternate Brand Name
Turf and Garden Seven % Granular Carbaryl Insecticide
EPA Reg. No. 82200-1
Date Submitted: December 2, 2010

Alternate Brand Name: Tick Tock Tick Insecticide

Dear Mr. Rose:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated December 2, 2010 for the product referenced above. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact me at (703) 306-0415 or davis.kable@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Kable Bo Davis".

Kable Bo Davis
Entomologist
Insecticide-Rodenticide Branch
Office of Pesticide Programs

"Red-lined/highlighted copy"

4
6

~~Turf and Garden Tick Tick Insecticide~~ Destroy
~~Seven Percent Granular Carbaryl Insecticide~~
To Kill Ticks Which May Vector Lyme Disease

Intended For Outdoor Home Insecticide Use

Active Ingredient: Carbaryl (1-naphthyl N-methylcarbamate)..... 7.0% by wt.
Other Ingredients: 93.0% by wt.
Total 100.0%

E.P.A. Reg. No. 82200 - 1

E.P.A. Est. No.

KEEP OUT OF REACH OF CHILDREN
CAUTION

NOTIFICATION

For MEDICAL and TRANSPORTATION Emergencies ONLY
Call 24 Hours A Day at CHEMTREC (800) 424-9300

DEC 16 2010

For PRODUCT USE Information Call (631) 752-8700

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious or convulsing person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

~~SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS~~

MEDICAL INFORMATION

Contact a physician immediately in all cases of suspected poisoning. Transport to a physician or hospital immediately and SHOW A COPY OF THIS LABEL TO THE PHYSICIAN. If poisoning is suspected in animals, contact a veterinarian.

ANTIDOTE STATEMENT

ATROPINE SULFATE IS HIGHLY EFFECTIVE AS AN ANTIDOTE. See NOTE TO PHYSICIAN.

NOTE TO PHYSICIAN

Carbaryl is a N-methyl carbamate insecticide, which is a cholinesterase inhibitor. Atropine is antidotal. Narcotics and other sedatives should not be used. Further, drugs like 2-PAM (pyridine-2-aldoxime methiodide) are NOT recommended.

Consultation on diagnosis, therapy and analysis can be obtained at all hours by calling the emergency number.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH THE SKIN.

Avoid contact with eyes, skin or clothing. Wear long-sleeved shirt, long pants, shoes plus socks and chemical resistant gloves when handling this product. Change clothing as soon as possible after use. Wash the outside of gloves before removing. Wash hands thoroughly with soap and water immediately after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Keep and wash contaminated clothing separately from other laundry. Do not allow children or pets to contact treated area until dust has settled.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE

Store unused product in original container only, in cool, dry area out of reach of children and animals. Do not store in areas where temperatures frequently exceed 100°F.

PESTICIDE DISPOSAL

Partially filled containers may be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.

CONTAINER DISPOSAL

Non-refillable container. Do not reuse or refill this container. Discard container in trash or offer for recycling, if available.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using this product.

~~Turf and Garden Tick~~ ~~Rock Tick Destroy~~ • R Seven Percent Granular Carbaryl Insecticide is a granular formulation of carbaryl that may be applied by a properly calibrated push type spreader.

Do not apply product by hand, spoon or by using a belly grinder.

Apply when air is calm. For plants above chest height, consider using a liquid carbaryl product.

Do not apply this product in a way that will contact any person or pet, either directly or through drift.

Keep people and pets out of the area during application.

Do not allow people or pets to enter treated area until dusts have settled.

Product must be watered in immediately following application to lawns.

Do not allow people (except those involved in watering-in) or pets to enter the treated area until the watering-in is completed and the area has dried.

Not for use on plants grown for sale or commercial use, research, or commercial seed production.

For outdoor use only.

PLANT RESPONSE PRECAUTIONS

Application to wet foliage or during periods of high humidity may cause injury to tender foliage.

APPLICATION STATEMENT

Calibrate and adjust spreader to insure specified rate and accurate placement.

USE DIRECTIONS

RESIDENTIAL LAWNS

To Kill Ticks Which May Vector Lyme Disease

To kill juvenile and adult *Ixodes spp.* ticks (Deer tick, Bear tick, and Black legged tick) and *Amblyomma spp.* ticks (Lone star tick), apply granules uniformly to dry grass using a spreader at the rate of 2.8 pounds of formulated product per 1000 square feet. Will only kill ticks that are present at the time of application. Ticks must be directly contacted to be effective.

Begin applications in late spring or early summer (May/June). Apply the product uniformly across the entire lawn, perimeter wooded areas, and property boundaries including shrub beds, ornamental plantings, and wooded areas where exposure to ticks may occur. Irrigate treated areas immediately after application to remove chemical from granules. Repeat applications as needed up to a total of 4 times per year. Do not apply more often than once every week.

NOTICE OF DISCLAIMER

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER SHALL BE SOLELY RESPONSIBLE FOR ANY AND ALL INJURY, LOSS OR DAMAGE WHICH RESULTS FROM THE USE OF THIS PRODUCT IN ANY MANNER WHICH IS INCONSISTENT WITH THE LABEL DIRECTIONS, WARNINGS, OR CAUTIONS.

VIACHEM LLC
2 Hicks Street
Lindenhurst, NY 11757
(631) 752-8700