

82498-4

7/30/2009

1085



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND
TOXIC SUBSTANCES

Jane Miller
Biologic Inc.
115 Obtuse Hill
Brookfield, Connecticut 06804

730-09

Subject: EPA Reg. 82498-4 / Glyphosate 2% RTU Label Amendment

Dear Ms. Miller:

The labeling is acceptable.

A stamped copy of your labeling is enclosed for your records. Products shipped after 12 months from the date of this letter or the next printing of the label whichever occurs first, must bear the new revised label. If these conditions are not complied with, the registration will subject to cancellation in accordance with FIFRA. Your release for shipment of the product constitutes acceptance of these conditions. If you have any questions please call Erik Kraft at 703-308-9358 or email at Kraft.Erik@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Jim Tompkins".

Jim Tompkins
Product Manager 25
Herbicide Branch
Registration Division (7505P)

GLYPHOSATE 2% RTU Herbicide

Alternate Brand Name: Grandslam Weed & Grass Killer

Contains Glyphosate, the same active ingredient in RoundUp®

Ready-to-Use

- [Fully Loaded]
- [Knocks Weeds Out of the Field]
- [For Nonselective Postemergent Weed Control]
- [Covers Approximately 650 sq. ft. (24 fl. oz.)]
- [Systemic Weed and Grass Killer for Spot Treatment of Unwanted Weeds and Grasses]
- [Kills Weeds and Grasses Listed on This Label]
- [Will Not Remain In the Soil]
- [Weeds Start to Die in Less than 24 Hours]
- [Fast Acting Formula - Starts to Work in Hours]
- [Kills to the Root]
- [Kills Weeds Roots and All in 1 - 2 Weeks]
- [Rainproof in Hours]
- [For Use Around Flower Beds, Trees, Shrubs, Fences, Walks, Mulch Beds, Gravel and Driveways]
- [May be Used for Vegetable Garden Weed Control]
- [Kills Tough Brushy Weeds]
- [Kills Tough Weeds like Poison Ivy and Poison Oak]

For Outdoor Residential Use Only

ACTIVE INGREDIENTS:

Glyphosate, isopropylamine salt 2.0 %

OTHER INGREDIENTS: 98.0 %
100.0%

Net Contents: 24 fl. oz. (709 mL) or 1 Gal. (3.78 L)

EPA Reg. No. 82498-4

EPA Est. No. XXXXX-XX-XXX

KEEP OUT OF REACH OF CHILDREN

CAUTION

See [Side Panel][Back Panel Booklet] for Additional Precautionary Statements

**ACCEPTED
with COMMENTS
In EPA Letter Dated:
7-30-09**
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

82498-4

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

BEFORE YOU USE read and follow all directions for use on this label.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID	
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
NOTE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact [insert optional telephone #] for emergency medical treatment.	

ENVIRONMENTAL HAZARDS


Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

STORAGE AND DISPOSAL
<p>Pesticide Storage: Store in original container in a cool, dry place, out of the reach of children, preferably in a locked storage cabinet. Protect from freezing.</p> <p>Pesticide Disposal: Do not reuse container. Container Disposal: Nonrefillable container. Do not reuse or refill this container. Empty Container: Offer for recycling if available. Partially Filled Container: Call your local waste disposal service or 1-800-CLEANUP. Never pour product down any drain.</p>

GLYPHOSATE 2% RTU HERBICIDE is a fast-acting, ready-to-use product that effectively kills unwanted weeds, grass, vines and brush - roots and all. It can be used on & around walkways, driveways & patios, in flower beds, vegetable & herb gardens and around fences, buildings, trees & shrubs. **GLYPHOSATE 2% RTU HERBICIDE** also controls hard-to-kill weeds such as poison ivy, poison oak & blackberry.

HOW IT WORKS

GLYPHOSATE 2% RTU HERBICIDE is a nonselective systemic herbicide that is absorbed by plants through the leaves and then moves into the root system, killing weeds by inhibiting the ability to produce amino acids necessary for the plants survival. Excess product that is not absorbed by the plant breaks down into natural materials which will not move into or on the soil to desirable plants. Weeds will yellow and wilt within hours and will be completely killed in 1 to 2 weeks.



HOW TO USE

Shake well before using. For best results, apply to actively growing weeds. Apply on sunny days with daytime temperatures above 60 °F. Rain or watering 2 hours after application will not wash away effectiveness. Adjust nozzle to a coarse spray. Spray the weeds or grasses you want to kill until thoroughly wet but not dripping.

Note: To protect desirable plants from contact with this product, use a piece of cardboard or plastic. Keep children and pets off treated areas until sprays have dried.

IMPORTANT

- **GLYFOSATE 2% RTU HERBICIDE** will kill or injure all green vegetation contacted. If a desirable plant is accidentally sprayed, immediately rinse it off with plenty of water.
- Apply when wind is calm.
- Keep people and pets off treated areas until spray has dried to avoid tracking the product onto desirable plants (such as lawns).
- This product is not recommended for spot weed control in lawns since it also kills lawn grasses. To control these weeds without harming the lawn, use a selective herbicide such as [product to be inserted by distributor].
- All ornamental flowers, trees & shrubs as well as the following berries, fruits, vegetables and herbs may be planted 1 day after application: artichoke (Jerusalem), beans (all), beet greens, blackberry, blueberry, boysenberry, broccoli, Brussels sprout, cabbage (all), carrot, cauliflower, celery, chard (Swiss), chicory, collards, currant, dewberry, elderberry, endive, gooseberry, horseradish, huckleberry, kale, kohlrabi, leek, lentil, lettuce, loganberry, mustard greens, okra, dallieberry, onion, parsley, parsnip, potato, radish, rape greens, raspberry (black & red), rhubarb, rutabaga, spinach, sweet potato, turnip, & yams.
- These fruits, vegetables and herbs may be planted 3 days after application: corn, cucumber, eggplant, garlic, gourds, melons (all), pea (all), pepper (all) pumpkin, squash (summer & winter), tomatillo, tomato (by seed), & watercress.
- Tomatoes from transplants and all berries, fruits, vegetables and herbs not listed in the previous 2 bullet points may be planted 30 days after application.
- If used to control weeds around berries, wait 14 days after the last application before harvesting.

To Kill Vines:


- For vines growing up non-living objects, such as poles & fences, or tree trunks with mature bark, cut the vines to a height of 3 - 4 feet and spray thoroughly.
- For vines growing up shrubs or trees with green bark, cut the vines at their base and spray thoroughly.

To Kill Brush:

- For brush taller than 5 feet, cut to the ground and spray regrowth.

To Kill Stumps:

- Cut living stump close to the ground,
- Immediately spray all remaining surfaces thoroughly.



KILLS

Alder	Dog Fennel	Maple	Sowthistle
Artichoke,	Elderberry	Mayweed	Spotted Spurge
Jerusalem	Elm	Milkweed	Sprangletop
Bahiagrass	Evening Primrose	Mock Orange	Spurge
Barberry	Fall Panicum	Mouseear Chickweed	Sumac
Barnyardgrass	False Dandelion	Mutiflora Rose	Sunflower
Beggarweed	Fennel	Nimblewill	St. Augustinegrass
Bentgrass	Fescue Grass	Nutsedge	Tansy Mustard
Bermudagrass	Fiddleneck	Oak	Tansy Ragwort
Bittercress	Field Bindweed	Oleander	Texas Panicum
Blackberry	Field Pennycress	Orchardgrass	Thistle
Black Medic	Field Sandbur	Oxalis	Timothy
Bluegrass	Filaree	Pampasgrass	Toadflax
Broadleaf Plantain	Florida Pusley	Paspalum spp.	Torpedograss
Bromegrass	Foxtail	Pennsylvania	Trailing Lantana
Buckhorn Plantain	Garden Spurge	Smartweed	Trumpetcreeper
Buffalograss	Goosegrass	Pennywort	Tumble Mustard
Bull Thistle	Green Foxtail	Pigweed	Vaseygrass
Burclover	Guineagrass	Pine	Velvetleaf
Buttercup	Hemp Sesbania	Plantain	Virginia-creeper
Canada Thistle	Henbit	Poison Hemlock	Western Red Cedar
Canarygrass	Hickory	Poison Ivy	White Clover
Carpetgrass	Honeysuckle	Poison Oak	Whitetop
Ceanothus spp.	Horsenettle	Prickly Lettuce	Wild Barley
Cherry	Horseradish	Primrose	Wild Blackberry
Chickweed	Horseweed or	Prostrate Spurge	Wild Carrot
Clover	Marestail	Puncturevine	Wild Geranium
Cocklebur	Iceplant	Purple Cudweed	Wild Morninglory
Cogongrass	Ironweed	Purslane	Wild Mustard
Common Groundsel	Johnsongrass	Quack Grass	Wild Oats
Common Mullein	Kikuyugrass	Quaking Aspen	Wild Sweet Potato
Common Ragweed	Knapweed	Ragweed	Willow
Coral-bead	Knawel	Raspberry	Witchgrass
Coyotebrush	Knotweed	Red Clover	Yarrow
Crabgrass Creeping	Kudzu	Redroot Pigweed	Yellow Oxalis
Beggarweed	Lambsquarters	Red Sorrel	Yellow Starthistle
Creeping Charlie	Lantana	Ryegrass	Zoysiagrass or
Curly Dock	London Rocket	Shepherdspurse	Japanese
Dallisgrass	Lovegrass	Smartweed	Lawngrass
Dandelion	Mallow	Smooth Catsear	and many other
Dewberry	Manzanita	Smooth Pigweed	weeds

WARRANTY AND DISCLAIMER NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions. Product guaranteed to the extent of purchase price only when used according to label directions.

Manufactured By:
 Agri Packaging & Logistics
 2509 South Frontage Road
 Sardis, MS 38666