



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division (7511P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

82633-102

Date of Issuance:

2/28/2025

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration
(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Sharda Neem Oil 70% EC

Name and Address of Registrant (include ZIP Code):

SHARDA CROP CHEM LIMITED
2nd Floor, Prime Business Park, Dashrathlal Joshi Rd.
Vile Parle (West), Mumbai - 400056, India

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product, always refer to the above EPA Registration Number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA or the Act).

Registration is in no way to be construed as an endorsement or recommendation of this product by the U.S. Environmental Protection Agency (EPA). In order to protect health and the environment, the Administrator, on his or her motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under the Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration or registration review of your product when the EPA requires all registrants of similar products to submit such data.
2. Make the following labeling change before you release this product for shipment:
Revise the EPA Registration Number to read, "EPA Reg. No. 82633-102".
3. Submit one (1) copy of the final printed labeling for the record before you release this product for shipment.

Signature of Approving Official:

Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution Prevention Division (7511M)
Office of Pesticide Programs

Date:

2/28/2025

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the EPA. If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6. A stamped copy of the labeling is enclosed for your records. Please also note that the record for this product currently contains the following acceptable Confidential Statement of Formula (CSF):

- Basic CSF dated 09/18/2023

If you have any questions, please contact Chris Pfeifer of my team by phone at 202-566-1599 or via email at pfeifer.chris@epa.gov.

Sincerely,



Andrew Bryceland, Team Leader
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511M)
Office of Pesticide Programs

{MASTER LABEL:

Consisting of Sub-Label A (Commercial Ag); Sub-Label B (Ornamental); Sub-Label C (Homeowner)}

Sharda Neem Oil* 70% EC**[ABN: Nile
ABN: Benign
ABN: Begin]****ACCEPTED****02/28/2025**Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 82633-102**{Sub-Label A: For Use on Vegetables, Fruits, Nuts, Melons, Outdoor Ornamental Plants, and Agronomic Crops. For Foliar Control of Fungal Disease, and Insect Pests. Can be Used Up to Day of Harvest.****Sub-Label B: For Indoor/Outdoor Use on Ornamental Flowering Plants, Trees, Shrubs, Foliage, Vegetables, and Fruit Grown in: Nurseries, Greenhouses, other covered structures, Interiorscapes, and Landscapes. Controls Fungal Diseases Including Black Spot, Mildews, Rusts, Scab, and Insect/Mite Pests. Can be Used Up to Day of Harvest.****Sub-Label C: For Use on Roses, Flowers, Houseplants, Ornamental Trees and Shrubs, Fruits, Nuts, Vegetables, and Home Lawns. For Use in and around the Home and Home Garden. Controls Blackspot, Powdery Mildew, Rust, Needle Rust, Downy Mildew, Spider Mites, Aphids, Whiteflies, Flower, Twig and Tip Blight, Anthracnose, Scab, Botrytis, Alternaria, Turf Diseases, and Other Insect Pests. Can be Used Up to Day of Harvest.}****ACTIVE INGREDIENT:**Clarified Hydrophobic Extract of Neem Oil* **WT. BY %** 70.0%**OTHER INGREDIENTS:** 30.0%**TOTAL:** **100.0%**

*This product contains 5.41 lbs. of clarified hydrophobic extract of neem oil per US gallon.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you **DO NOT** understand the label, find someone to explain it to you in detail.)

FIRST AID	
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
IF IN EYES:	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
HOTLINE NUMBERS	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at 1-800-222-1222 . For general information about this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378 , Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu .	

{Optional referral statements when booklets and container labels are used:}

[See label booklet for [complete] [additional] [First Aid,] [Precautionary Statements], [Directions For Use], and [Storage and Disposal].]

EPA Reg. No.: 82633-RNE**EPA Est. No.:** _____**Manufactured For [By]:**Sharda Cropchem Limited
2nd Floor, Prime Business Park, Dashrathlal Joshi Rd.
Vile Parle (West), Mumbai - 400056, India**Net Contents:** _____ **Gals. [L]****[Batch Code/Lot No.:** _____ **]**

{SUB-LABEL A – Commercial Ag}

Sharda Neem Oil* 70% EC

For Use on Vegetables, Fruits, Nuts, Melons, Outdoor Ornamental Plants, and Agronomic Crops.
For Foliar Control of Fungal Disease and Insect Pests.
Can be Used Up to Day of Harvest.

ACTIVE INGREDIENT:	WT. BY %
Clarified Hydrophobic Extract of Neem Oil*	70.0%
OTHER INGREDIENTS:	30.0%
TOTAL:	100.0%

*This product contains 5.46 lbs. of clarified hydrophobic extract of neem oil per US gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you **DO NOT** understand the label, find someone to explain it to you in detail.)

FIRST AID	
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • DO NOT give anything by mouth to an unconscious person.
HOTLINE NUMBERS	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at 1-800-222-1222 . For general information about this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378 , Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu .	

{Optional referral statements when booklets and container labels are used:}

[See label booklet for [complete] [additional] [First Aid,] [Precautionary Statements], [Directions For Use], and [Storage and Disposal].]

EPA Reg. No.: 82633-XX

EPA Est. No.: _____

Manufactured For [By]:

Sharda Cropchem Limited
2nd Floor, Prime Business Park, Dashrathlal Joshi Rd.
Vile Parle (West), Mumbai - 400056, India

Net Contents: _____ Gals. [L]

[Batch Code/Lot No.: _____]

[This container will treat up to a half-acre when used at the highest application rate (only for containers less than 5 gallons).]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, including barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinyl chloride (PVC) or Viton
- Shoes plus socks

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is hazardous to fish and aquatic invertebrates.

For Terrestrial Uses: DO NOT apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. **DO NOT** contaminate water when disposing of equipment wash water or rinsate.

BEE HAZARD

This product is toxic to bees exposed to direct treatment. **DO NOT** apply this product while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

DO NOT use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of **12 hours**.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, including plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves, including barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinylchloride (PVC) or Viton
- Shoes plus socks

PRODUCT INFORMATION

Thorough coverage is necessary to provide good disease and mite control. **Sharda Neem Oil 70% EC** prevents fungal attack of plant tissue and contact activity to mite pressure on the plant. Avoid excessive runoff of spray material for maximum control. For best results, maintain constant agitation in spray equipment. When used in conjunction with beneficial insects, conduct a small trial to assure compatibility before using on a large scale. As with other oil-based products, exercise care in timing applications to early

morning/late evening to minimize the potential for leaf burn. Use with care on plants with tender tissue. Check for leaf burn in small scale trials prior to use.

Restrictions:

- For optimal performance, **DO NOT** mix with cold water (less than 45°F).
- **DO NOT** apply when weather conditions favor drift or when the likelihood of runoff is high.
- **DO NOT** apply this product through any type of irrigation system.
- **DO NOT** apply to known sensitive plant species, including impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, or some carnation varieties without prior testing.
- **DO NOT** apply to wilted or otherwise stressed plants, or to newly transplanted materials or crops prior to root establishment.
- **DO NOT** use this product after bloom on table grapes or following bunch closure on wine grapes.
- **DO NOT** use this product after pit hardening on stone fruit.

Tank Mixing

Sharda Neem Oil 70% EC has been found to be compatible with most commonly used fungicides, insecticides and fertilizers. Check physical compatibility first with other products before mixing by using a jar test. Using a quart jar, add the proportionate amounts of the products to 1 quart of water. After thoroughly mixing, let mixture stand for at least 5 minutes. Growers must tank mix combinations for phytotoxicity on a sample of plants prior to use. Due to the wide variation in climatic conditions, cultural practices, and other factors, the User assumes full responsibility for any crop damage or other liability resulting from the use of **Sharda Neem Oil 70% EC** in a tank mix combination. Avoid tank mixes with captan, chinomethionat, chlorothalonil, and sulfur, or other chemically similar products as unpredictable results or leaf burn may occur.

Mixing Instructions

Add **Sharda Neem Oil 70% EC** to one-half (1/2) full tank under agitation containing water of 45°F or greater before filling to desired level. If water temperature is below 45°F, premix **Sharda Neem Oil 70% EC** at a 1:1 ratio with tepid water to ensure good emulsification. Then dilute to final volume. When combining with other products, including wettable powder insecticides or fungicides, add these items first when the tank is approximately 1/3 full. Ensure that there is good agitation while mixing for complete emulsification. Maintain agitation during spray application. **DO NOT** use if this oil does not form a uniform cloudy emulsion.

LANDSCAPE AND NURSERY USE INSTRUCTIONS

FUNGICIDE USE**Ornamental Disease Control**

Sharda Neem Oil 70% EC is an effective fungicide for the prevention and control of various fungal diseases including black spot on roses, powdery mildew, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab, flower, twig, and tip blight, and alternaria.

Sharda Neem Oil 70% EC will provide broad-spectrum control of many fungal diseases affecting ornamental flowering plants, trees, shrubs, and foliage when used at the rate of 1 gallon per 100 gallons of water. Apply **Sharda Neem Oil 70% EC** at a rate of 1:100 when spraying as a preventative for outdoor applications. Under extreme outdoor conditions, apply **Sharda Neem Oil 70% EC** at the 1:50 application rate (refer to the below **Management of Landscape and Ornamental Diseases** and/or **Management of Turf Diseases** tables for detailed use rates). This will provide the necessary control under the extreme outdoor conditions. When using **Sharda Neem Oil 70% EC** as a preventative, make application on a 14-day schedule. If disease is present, use a 7-day application schedule to control the disease and prevent further damage from occurring.

Application Instructions

Apply until plant surface is uniformly wet with minimal runoff at 25 - 40 PSI with hand sprayer or 100 - 200 PSI with power sprayer as a fine spray to both leaf surfaces. Avoid excessive application.

Management of Landscape and Ornamental Diseases

Spray Target	Concentration	Spray Interval	Restrictions
Outdoor Flowering Plants	1:50 - 1:100 (2% - 1%)	7 - 14 days	DO NOT spray impatiens flowers.
Outdoor Woody Plants	1:50 - 1:100 (2% - 1%)	14 days	—

Management of Turf Diseases

Spray Target	Concentration	Spray Interval	Precautions
Snow Mold	1:100 - 1:50 (1% - 2%)	14 days	In Fall before first snow.
Dollar Spot	1:100 - 1:200 (1% - 0.5%)	7 - 14 days	At first sign of disease.
Brown Patch	1:100 - 1:200 (1% - 0.5%)	7 - 14 days	At first sign of disease.

INSECTICIDE/MITICIDE USE

For use to control whiteflies, mealybugs, aphids, leafhoppers, mites and scales on ornamentals, trees, and shrubs in and around commercial nurseries and other commercial structures.

Use **Sharda Neem Oil 70% EC** at the rate of 1 - 2 gals. per 100 gals. of water. The low rate (1%) can be used when pest pressure is low. Use the high rate (2%) for high pest infestations or to control more troublesome pests, including mites and scales. Determine the best rate for your particular situation.

Make sprays on a 7- to 14-day interval depending on the severity of the pest problem. Use the 7-day schedule until the pest population is reduced. Then use a 14-day interval for control.

AGRICULTURAL USE INSTRUCTIONS

Sharda Neem Oil 70% EC is a broad-spectrum fungicide of certain diseases and controls mites in citrus, deciduous fruits and nuts, vegetable crops, cereal grains, and other miscellaneous crops.

Apply **Sharda Neem Oil 70% EC** by conventional, low-volume, and aerial application equipment.

Restrictions:

- **DO NOT** use **Sharda Neem Oil 70% EC** after bloom on table grapes or following bunch closure on wine grapes. **DO NOT** use **Sharda Neem Oil 70% EC** after pit hardening on stone fruit.
- Use care when applying near streams, ponds, lakes, or other bodies of water. **DO NOT** apply **Sharda Neem Oil 70% EC** when weather conditions favor drift or when the likelihood of runoff is high.

Pest Control	Suppression	Diseases		
Aphids	Whiteflies	<i>Alternaria</i>	Greasy Spot	Molds
Mealybugs	Thrips	<i>Anthracnose</i>	Leaf Spot	Scabs
Mites		Early Blight	Downy Mildew	Rusts
Rust Mites		Leaf Blight	Post-Bloom Fruit Drop	Shothole
Spider Mites		<i>Botrytis</i>	Powdery Mildew	
Scales (Soft Scale)				

For Diseases: Apply **Sharda Neem Oil 70% EC** as a 1% solution in sufficient amounts of water to achieve complete coverage of foliage (see the **SPECIFIC CROP LISTINGS** for directions per crop groupings). When used as a foliar fungicide, begin applications when conditions are favorable for disease but before infection. Apply **Sharda Neem Oil 70% EC** every 7 - 14 days until threat of disease is over. Use **Sharda Neem Oil 70% EC** in rotation with other fungicides to increase the spectrum of control.

For Mites: For best results, apply **Sharda Neem Oil 70% EC** in sufficient amounts of water to achieve complete coverage. **Sharda Neem Oil 70% EC** is most effective when applied before mites or eggs are present in large numbers (see the **SPECIFIC CROP LISTINGS** for directions per crop groupings). Apply at a rate of 1% - 2% **Sharda Neem Oil 70% EC**. Reapply **Sharda Neem Oil 70% EC** every 7 - 21 days until pressure is over.

For Insects: For best results, apply **Sharda Neem Oil 70% EC** at 1% - 2% in sufficient amounts of water to achieve complete coverage. **Sharda Neem Oil 70% EC** is most effective when applied before insects or eggs are present in large numbers. Repeat application based on pest pressure and field scouting for best results. Use the dilution tables to calculate dilution rates.

Application Instructions

- **Ground Application:** Apply **Sharda Neem Oil 70% EC** by ground application in a minimum of 25 gals. of water per acre.
- **Chemigation:** **DO NOT** apply this product through any type of irrigation system.
- **Aerial Application:** For those crops where aerial applications are indicated, apply a minimum of 5 gals. of water per acre unless otherwise specified. Avoid application under conditions when uniform coverage cannot be obtained or when excessive drift may occur. **DO NOT** apply directly to humans, animals, or aquatic animals.

Dilution Table for Low-Volume (Including Aerial) Applications (5 - 30 Gallons per Acre)

Gallons of Water	Sharda Neem Oil 70% EC	DILUTION
5	1 Quart*	5%
10	1 Quart*	2.5%
15	1 Quart*	1.67%
20	1 Quart*	1.25%
25	1 Quart*	1%
30	1 Quart	0.83%

*For Citrus, Stone Fruit, Tropical Fruit, Pome Fruit, and Nuts, refer to specific application instructions.

Dilution Table for High-Volume Application (25 - 250 Gallons per Acre)*

Gallons of Water	Gals. of Sharda Neem Oil 70% EC (0.5% Solution)	Gals. of Sharda Neem Oil 70% EC (1% Solution)	Gals. of Sharda Neem Oil 70% EC (1.5% Solution)	Gals. of Sharda Neem Oil 70% EC (2% Solution)
25	Use 1% solution	0.25 (32 fl. oz.)	0.375 (48 fl. oz.)	0.5 (64 fl. oz.)
50	0.25 (32 fl. oz.)	0.5 (64 fl. oz.)	0.75 (96 fl. oz.)	1
75	0.375 (48 fl. oz.)	0.75 (96 fl. oz.)	1.125	1.5
100	0.5	1	1.5	2
125	0.625 (80 fl. oz.)	1.25	1.875	2.5
150	0.75	1.5	2.25	3
175	0.875 (112 fl. oz.)	1.75	2.625	3.5
200	1	2	3	4
225	1.125	2.25	3.375	4.5
250	1.25	2.5	3.75	5

*For Vegetable, Cereal Grains, and Other Miscellaneous Crops, refer to specific use directions.

SPECIFIC CROP LISTINGS

BULB, COLE, AND LEAFY VEGETABLES

Refer to specific application instructions found directly below the heading **AGRICULTURAL USE INSTRUCTIONS**.

CROPS (including but not limited to)			
Arugula	Chervil	Garlic	Orach
Broccoli	Chicory	Greens	Parsley
Broccoli Raab	Red Chicory	Collard Greens	Purslane
Chinese Broccoli (Gai Lan)	Cilantro	Mustard Greens	Radicchio
Brussels Sprouts	Collards	Rape Greens	Rappini
Cabbage (Heads and Leaf)	Corn Salad	Kale	Rhubarb
Chinese Cabbage (Bok Choy, Napa)	Cress	Kohlrabi	Shallots
Chinese Mustard Cabbage (Gai Choy)	Watercress	Leek	Spinach
Cauliflower	Daikon	Lettuce (Head and Leaf)	Chinese Spinach (Amaranth, Tampala)
Celery	Endive	Low-Bok	Swiss Chard
Celtuce	Fennel	Onions	Turnip Tops

CITRUS, POME (DECIDUOUS FRUITS), STONE, AND TROPICAL FRUITS

CITRUS

Use **Sharda Neem Oil 70% EC** on citrus to control diseases to include Anthracnose, Post-Bloom Fruit Drop, and Scab. Apply as a foliar application at the rate of 1% in 25 - 200 gals. of water for high-volume applications or a minimum of 0.5 gal. **Sharda Neem Oil 70% EC** in a minimum of 5 gals. of water per acre for low-volume applications. **DO NOT** apply more than 2.5 gals. of **Sharda Neem Oil 70% EC** per acre, per application.

Reapply **Sharda Neem Oil 70% EC** every 7 - 14 days until threat of disease is over.

For control of Alternaria and Greasy Spot, apply **Sharda Neem Oil 70% EC** at a 1% solution in 25 - 125 gals. of water per acre in combination with copper (refer to EPA registered product label for specific use and application information) as a preventative disease spray tank mixture.

Use **Sharda Neem Oil 70% EC** on citrus to control mites at a rate of 1% - 2% in 25 - 200 gals. of water for high-volume application or 0.5 gal. **Sharda Neem Oil 70% EC** in a minimum of 5 gals. of water per acre for low-volume application. As a dormant oil spray, use **Sharda Neem Oil 70% EC** as a 2% solution or 1 quart **Sharda Neem Oil 70% EC** minimum per acre. **DO NOT** apply more than 5 gals. of **Sharda Neem Oil 70% EC** per acre, per application.

POME (DECIDUOUS FRUITS)

Fungicide Use

Apply **Sharda Neem Oil 70% EC** at a rate of 1% in 25 - 100 gals. of water per acre or 0.5 quart **Sharda Neem Oil 70% EC** in a minimum of 5 gals. of water per acre for low-volume application. Apply no more than 2.5 gals. of **Sharda Neem Oil 70% EC** per acre in solution per application. Repeat applications every 7 - 14 days.

Miticide Use

Use **Sharda Neem Oil 70% EC** at a rate of 1% - 2% in 25 - 100 gals. of water per acre or 0.5 quart **Sharda Neem Oil 70% EC** in a minimum of 5 gals. of water per acre for low-volume application. Apply no more than 2 gals. of **Sharda Neem Oil 70% EC** per acre per solution.

Apply at first sign of pests or pest damage. Repeat application as needed for adequate control every 7 - 21 days. **DO NOT** apply more than 5 gals. **Sharda Neem Oil 70% EC** per acre, per application.

STONE AND TROPICAL FRUITS

Fungicide Use

Apply **Sharda Neem Oil 70% EC** at a rate of 1% in 25 - 200 gals. of water for high-volume applications or 0.5 gal. **Sharda Neem Oil 70% EC** in a minimum of 5 gals. of water per acre for low-volume application. Reapply **Sharda Neem Oil 70% EC** every 7 - 14 days until threat of disease is over.

Miticide Use

Use **Sharda Neem Oil 70% EC** at first sign of pests or pest damage at the appropriate rate listed below as a foliar spray in sufficient water for thorough coverage. Repeat applications as needed for adequate control every 7 - 21 days. Apply a 1% - 2% solution of **Sharda Neem Oil 70% EC** for high-volume application or a minimum of 1 quart **Sharda Neem Oil 70% EC** in a minimum of 5 gals. of water per acre for low-volume application. **DO NOT** apply more than 5 gals. of **Sharda Neem Oil 70% EC** per acre, per application.

DO NOT use **Sharda Neem Oil 70% EC** after pit hardening on stone fruit.

CROPS (including but not limited to)			
Apples	Coconuts	Loquats	Pears
Apricots	Crabapples	Lychee	Oriental Pears
Avocados	Dates	Mangoes	Pineapples
Bananas	Feijoa	Mandarins	Plantains
Calamondin	Figs	Satsuma Mandarins	Plums
Cherries	Grapefruits	Nectarines	Pomegranates
Barbados Cherries	Guavas	Olives	Prunes
Sour Cherries	Jujubes	Oranges	Pummelos
Sweet Cherries	Kiwifruit	Papayas	Quinces
Cherimoya	Kumquats	Passion Fruit	Tangelos
Citrus Citron	Lemons	Peaches	Tangerines
Citrus Hybrids	Limes		

CUCURBITS

Refer to specific application instructions found directly below the heading **AGRICULTURAL USE INSTRUCTIONS**.

CROPS (including but not limited to)			
Balsam Pears (Bitter Melons)	Crenshaw	Melons (Incl. Hybrids)	Pumpkins
Cantaloupes	Cucumbers	Honeydew Melons	Squashes
Casaba	Gherkins	Muskmelons	Watermelons (Incl. Hybrids)
Chinese Wax Gourds	Gourds	Persian Melons	Zucchini
Citron Melons	Honey Balls		

HERBS AND SPICES

Refer to specific application instructions found directly below the heading **AGRICULTURAL USE INSTRUCTIONS**.

CROPS (including but not limited to)			
Anise	Chives	Marjoram	Sage
Balm	Coriander	Mint	Savory
Basil	Cumin	Nasturtium	Spearmint
Borage	Curry Leaf	Pennyroyal	Sweet Bay
Chamomile	Dandelion	Peppermint	Tarragon
Caraway	Dill	Rosemary	Thyme
Catnip	Fennel	Rue	Wintergreen
Celery	Marigold		

LEGUME AND FRUITING VEGETABLES

Refer to specific application instructions found directly below the heading **AGRICULTURAL USE INSTRUCTIONS**.

CROPS (including but not limited to)			
Beans	Ground Cherries	Peanuts	Snow Peas
Broad Beans	Guar	Pepinos	Soybeans
Calabaza	Lentils	Peppers	Tomatillos
Chickpeas	Peas	Pigeon Peas	Tomatoes
Eggplants			

NUTS

Fungicide Use

Apply **Sharda Neem Oil 70% EC** at a rate of 1% in 25 - 100 gals. of water per acre or 0.5 quart **Sharda Neem Oil 70% EC** in a minimum of 5 gals. of water per acre for low-volume application. Apply no more than 2.5 gals. of **Sharda Neem Oil 70% EC** per acre in solution per application. Repeat applications every 7 - 14 days.

Miticide Use

Use **Sharda Neem Oil 70% EC** at a rate of 1% - 2% in 25 - 100 gals. of water per acre or 0.5 quart **Sharda Neem Oil 70% EC** in a minimum of 5 gals. of water per acre for low-volume application. Apply no more than 2 gals. of **Sharda Neem Oil 70% EC** per acre per solution. Apply at first sign of pests or pest damage. Repeat application as needed for adequate control every 7 - 21 days. **DO NOT** apply more than 5 gals. **Sharda Neem Oil 70% EC** per acre, per application.

Walnuts: Avoid spraying after husk split.

CROPS (including but not limited to)			
Almonds	Cashews	Hickory Nuts	Pecans
Beech Nuts	Chestnuts	Japanese Horse Chestnuts	Pistachios
Brazil Nuts	Chinquapins	Macadamia Nuts	Walnuts
Butternuts	Filberts		

ROOT AND TUBER VEGETABLES

Refer to specific application instructions found directly below the heading **AGRICULTURAL USE INSTRUCTIONS**.

CROPS (including but not limited to)			
Artichokes	Ginger	Sweet Potatoes	Turmeric
Beets	Ginseng	Radishes	Turnips
Cardone	Horseradish	Rutabaga	Yams
Carrots	Parsnips	Taro (Dasheen)	Yam Beans
Cassava	Potatoes		

SMALL FRUITS AND BERRIES

Refer to specific application instructions found directly below the heading **AGRICULTURAL USE INSTRUCTIONS**.

CROPS (including but not limited to)			
Blackberries	Currants	Grapes	Raspberries (Black and Red)
Blueberries	Dewberries	Huckleberries	Strawberries
Boysenberries	Elderberries	Loganberries	Youngberries
Cranberries	Gooseberries	Olallie Berries	

VEGETABLE, CEREAL GRAINS, AND OTHER MISCELLANEOUS CROPS**Fungicide Use**

Apply **Sharda Neem Oil 70% EC** at the rate of 0.5% - 1% in 25 - 100 gals. of water per acre or 2 pints **Sharda Neem Oil 70% EC** in a minimum of 5 gals. of water per acre for low-volume applications. Repeat applications every 7 - 14 days. Apply no more than 2 gals. of **Sharda Neem Oil 70% EC** per acre per application. Larger plants will require higher amounts of water to obtain good coverage. For mushrooms, apply **Sharda Neem Oil 70% EC** at a rate of 0.5% -2% in 25 - 100 gals. of water per 8,000 square feet. Repeat applications every 7 - 14 days.

Miticide Use

Apply **Sharda Neem Oil 70% EC** at a rate of 0.5% - 2% in 25 - 100 gals. of water per acre or 2 pints **Sharda Neem Oil 70% EC** in a minimum of 5 gals. of water per acre for low-volume application. Apply no more than 2 gals. **Sharda Neem Oil 70% EC** per acre in solution per application. Apply in a solution of sufficient volume to achieve complete coverage of foliage. Reapply **Sharda Neem Oil 70% EC** every 7 - 21 days as needed for adequate control. Larger plants will require higher amounts of water to obtain good coverage.

CROPS (including but not limited to)			
Acerola	Coriander	Mushrooms	Sesame
Alfalfa	Corn	Nispero	Sorghum
Arracacha (Apio)	Popcorn	Oats	Soursop (Guanabanas)
Asparagus	Sweetcorn	Okra	Star Apples
Barley	Cotton	Quenepa	Sugarcane
Breadfruit	Hops	Rice	Sunflowers
Buckwheat	Jicama	Safflower	Tobacco
Canola	Jojoba	Seagrapes	Wheat
Coffee	Kinep		

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep in original container. Store in a dry place, away from direct sunlight, feed, or foodstuffs. Keep container tightly sealed when not in use. **DO NOT** store below 40°F (4°C).

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste

representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

[Rigid Plastic Less Than or Equal to 5 Gallons] [Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures allowed by State and local authorities.]

[Rigid Plastic Greater Than 5 Gallons] [Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of empty container in a sanitary landfill or by other procedures allowed by State and local authorities.]

[Rigid Plastic Bulk and Mini-Bulk Containers] [Refillable container. Refill this container with pesticide only. **DO NOT** use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the person refilling. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures allowed by State and local authorities.]

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Sharda Cropchem Limited or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Sharda Cropchem Limited and Seller harmless for any claims relating to such factors.

Sharda Cropchem Limited warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Sharda Cropchem Limited and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, SHARDA CROPCHEM LIMITED MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither Sharda Cropchem Limited nor Seller shall be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SHARDA CROPCHEM LIMITED AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SHARDA CROPCHEM LIMITED OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Sharda Cropchem Limited and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Sharda Cropchem Limited.

[All trademarks are the property of their respective owners.]

{OPTIONAL MARKETING LANGUAGE:}

1	[www.shardausa.com] 
---	--

2	[Handle with Care]
3	[This side Up]
4	{The below graphic to be added to box if formulated in the United States}  Proudly Formulated & Packaged In The U.S.A.

{SUB-LABEL B – Ornamental}

Sharda Neem Oil* 70% EC

For Indoor/Outdoor Use on Ornamental Flowering Plants, Trees, Shrubs, Foliage, Vegetables, and Fruit Grown in: Nurseries, Greenhouses, other Covered Structures, Interiorscapes, and Landscapes.

Controls Fungal Diseases Including Black Spot, Mildews, Rusts, Scab, and Insect/Mite Pests.

Can be Used Up to Day of Harvest.

ACTIVE INGREDIENT:	WT. BY %
Clarified Hydrophobic Extract of Neem Oil*	70.0%
OTHER INGREDIENTS:	30.0%
TOTAL:	100.0%

*This product contains 5.41 lbs. of clarified hydrophobic extract of neem oil per US gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you **DO NOT** understand the label, find someone to explain it to you in detail.)

FIRST AID	
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • DO NOT give anything by mouth to an unconscious person.
HOTLINE NUMBERS	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at 1-800-222-1222 . For general information about this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378 , Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu .	

{Optional referral statements when booklets and container labels are used:}

[See label booklet for [complete] [additional] [First Aid,] [Precautionary Statements], [Directions For Use], and [Storage and Disposal].]

EPA Reg. No.: 82633-XX

EPA Est. No.: _____

Manufactured For [By]:

Sharda Cropchem Limited

2nd Floor, Prime Business Park, Dashrathlal Joshi Rd.

Vile Parle (West), Mumbai - 400056, India

Net Contents: _____ Gals. [L]

[Batch Code/Lot No.: _____]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, including barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinyl chloride (PVC) or Viton
- Shoes plus socks

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product.
- Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is hazardous to fish and aquatic invertebrates.

For Terrestrial Uses: DO NOT apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high-water mark. **DO NOT** contaminate water when disposing of equipment wash water or rinsate.

BEE HAZARD

This product is toxic to bees exposed to direct treatment. **DO NOT** apply this product while bees are actively visiting the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

DO NOT use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted entry interval (REI) of **12 hours**.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, including plants, soil, or water is:

- Coveralls
- Chemical-resistant gloves, including barrier laminate or butyl rubber or nitrile rubber or neoprene rubber or polyvinylchloride (PVC) or Viton
- Shoes plus socks.

PRODUCT INFORMATION

Sharda Neem Oil 70% EC is a broad-spectrum fungicide of certain diseases and controls mites in citrus, deciduous fruits and nuts, vegetables, and other miscellaneous crops. Use care when applying near streams, ponds, lakes, or other bodies of water.

Thorough coverage is necessary to provide good disease and insect/mite control. **Sharda Neem Oil 70% EC** prevents fungal attack of plant tissue preventing and controlling black spot on roses, anthracnose, rust and powdery mildew, and offers contact activity to mite pressure on the plants. **Sharda Neem Oil 70% EC** kills eggs, larvae, and adult insects.

Shake well before using. For best results maintain constant agitation in spray equipment. Use spray solution within several hours of preparation for maximum effectiveness. **DO NOT** store diluted solution for later use. As with other oil-based products, care must be exercised in timing applications to early morning/late evening to minimize the potential for leaf burn. Avoid excessive runoff of spray material for maximum control.

Use with care on plants with tender tissue. Check for leaf burn in small-scale trials prior to use.

When used in conjunction with beneficial insects, conduct a small trial to assure compatibility before using on a large scale.

Restrictions:

- For optimal performance, **DO NOT** mix with cold water (less than 45°F).
- **DO NOT** apply **Sharda Neem Oil 70% EC** when conditions favor drift or when the likelihood of runoff is high.
- **DO NOT** apply this product through any type of irrigation system.
- **DO NOT** apply to known sensitive plant species, including impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees or some carnations varieties, without prior testing.
- **DO NOT** apply to wilted or otherwise stressed plants, or to newly transplanted materials prior to root establishment.

Tank Mixing

Sharda Neem Oil 70% EC has been found to be compatible with most commonly used fungicides, insecticides and fertilizers. Check physical compatibility first with other products before mixing by using a jar test. Using a quart jar, add the proportionate amounts of the products to 1 quart of water. After thoroughly mixing, let mixture stand for at least 5 minutes. Growers must tank mix combinations for phytotoxicity on a sample of plants prior to use. Due to the wide variation in climatic conditions, cultural practices, and other factors, the User assumes full responsibility for any crop damage or other liability resulting from the use of **Sharda Neem Oil 70% EC** in a tank mix combination. Avoid tank mixes with captan, chinomethionat, chlorothalonil, and sulfur, or other chemically similar products as unpredictable results or leaf burn may occur.

Mixing Instructions

Add **Sharda Neem Oil 70% EC** to one-half (1/2) full tank under agitation containing water of 45°F or greater before filling to desired level. If water temperature is below 45°F, premix **Sharda Neem Oil 70% EC** at a 1:1 ratio with tepid water to ensure good emulsification. Then dilute to final volume. When combining with other products, including wettable powder insecticides or fungicides, add these items first when the tank is approximately 1/3 full. Ensure that there is good agitation while mixing for complete emulsification. Maintain agitation during spray application. **DO NOT** use if this oil does not form a uniform, cloudy emulsion.

GREENHOUSE, LANDSCAPE, AND NURSERY USE INSTRUCTIONS

FUNGICIDE USE**Ornamental Disease Control**

Sharda Neem Oil 70% EC is an effective fungicide for the prevention and control of various fungal diseases including black spot on roses, powdery mildew, downy mildew, anthracnose, rust, leaf spot, botrytis, needle rust, scab, flower, twig, and tip blight, and alternaria.

Landscape, Greenhouse, and Nursery Ornamentals

Sharda Neem Oil 70% EC will provide broad-spectrum control of many fungal diseases affecting ornamental flowering plants, trees, shrubs, and foliage when used at the rate of 1 gallon per 100 gallons of water. Apply **Sharda Neem Oil 70% EC** at a rate of 1:100 when spraying as a preventative for outdoor applications. Under extreme outdoor conditions, apply **Sharda Neem Oil 70% EC** at the 1:50 application rate (refer to the below **Management of Landscape and Ornamental Diseases** and/or **Management of Turf Diseases** tables for detailed use rates). This will provide the necessary control under the extreme outdoor conditions. When using **Sharda Neem Oil 70% EC** as a preventative, make application on a 14-day schedule. If disease is present, use a 7-day application schedule to control the disease and prevent further damage from occurring.

Greenhouse

When **Sharda Neem Oil 70% EC** is used as a preventative, the lower rate (1:200) will provide adequate control for most greenhouse situations. If disease pressure is evident, use the higher rate (1:100). Make applications for disease prevention on a 7- to 14-day schedule depending on the anticipated severity of the disease pressure. To control existing disease, apply **Sharda Neem Oil 70% EC** on a 7-day schedule until the disease pressure is eliminated. Use a 14-day schedule to prevent disease pressure from returning. **NOTE:** Spray greenhouse roses only in a rotation program, which includes **Sharda Neem Oil 70% EC** once every 4 weeks.

Landscape Ornamentals

In outdoor landscape applications, apply **Sharda Neem Oil 70% EC** at rates of 1:50 - 1:100 rate (refer to the below **Management of Landscape and Ornamental Diseases** and/or **Management of Turf Diseases** tables for detailed use rates). This will provide the necessary control under the extreme outdoor conditions. When using **Sharda Neem Oil 70% EC** as a preventative, make application

on a 14-day schedule. If disease is present, use a 7-day application schedule to control the disease and prevent further damage from occurring.

Application Instructions

Apply until plant surface is uniformly wet with minimal runoff at 25 - 40 PSI with hand sprayer or 100 - 200 PSI with power sprayer as a fine spray to both leaf surfaces. Avoid excessive application.

Management of Landscape and Ornamental Diseases

Spray Target	Concentration	Spray Interval	Restrictions
Potted Plants (Greenhouse)	1:100 - 1:200 (1% - 0.5%)	14 days	Trial first on open blooms.
Flowering Bench Crops (Greenhouse)	1:100 - 1:200 (1% - 0.5%)	7 - 14 days	Trial first on open blooms – not suggested for use on open blooms. DO NOT use on poinsettias.
Outdoor Flowering Plants	1:50 - 1:100 (2% - 1%)	7 - 14 days	DO NOT spray on impatiens flowers.
Outdoor Woody Plants	1:50 - 1:100 (2% - 1%)	14 days	–

Management of Turf Diseases

Spray Target	Concentration	Spray Interval	Precautions
Snow Mold	1:100 - 1:50 (1% - 2%)	14 days	In Fall before first snow.
Dollar Spot	1:100 - 1:200 (1% - 0.5%)	7 - 14 days	At first sign of disease.
Brown Patch	1:100 - 1:200 (1% - 0.5%)	7 - 14 days	At first sign of disease.

INSECTICIDE/MITICIDE USE

For use to control whiteflies, mealybugs, aphids, leafhoppers, mites and scales on ornamentals, trees and shrubs in and around greenhouses, nurseries, and other structures.

Use **Sharda Neem Oil 70% EC** at the rate of 1 - 2 gals. per 100 gals. of water. The low rate (1%) can be used when pest pressure is low. Use the high rate (2%) for high pest infestations or to control more troublesome pests, including mites and scales. Determine the best rate for your particular situation.

Make sprays on a 7- to 14-day interval depending on the severity of the pest problem. Use the 7-day schedule until the pest population is reduced. Then use a 14-day interval for control.

For Mites: For best results, apply **Sharda Neem Oil 70% EC** in sufficient amounts of water to achieve complete coverage. **Sharda Neem Oil 70% EC** is most effective when applied before mites or eggs are present in large numbers. Apply at a rate of 0.5% - 2%. **DO NOT** exceed 1% in the greenhouse. Reapply every 7 - 21 days until pressure is over.

For Insects: For best results, apply **Sharda Neem Oil 70% EC** at 0.5% - 2% (not to exceed 1% in the greenhouse) in sufficient amounts of water to achieve complete coverage. **Sharda Neem Oil 70% EC** is most effective when applied before insects or eggs are present in large numbers. Repeat application based on pest pressure and field scouting for best results.

SPECIFIC CROPS BY TRANSPLANT TYPE

(including but not limited to)

BULB, COLE, AND LEAFY VEGETABLE TRANSPLANTS

Refer to the **GREENHOUSE, LANDSCAPE, AND NURSERY USE INSTRUCTIONS** for specific application instructions.

Arugula	Chervil	Garlic	Orach
Broccoli	Chicory	Greens	Parsley
Broccoli Raab	Red Chicory	Collard Greens	Purslane
Chinese Broccoli (Gai Lan)	Cilantro	Mustard Greens	Radicchio
Brussels Sprouts	Collards	Rape Greens	Rappini
Cabbage (Heads and Leaf)	Corn Salad	Kale	Rhubarb
Chinese Cabbage (Bok Choy, Napa)	Cress	Kohlrabi	Shallots
Chinese Mustard Cabbage (Gai Choy)	Watercress	Leek	Spinach
Cauliflower	Daikon	Lettuce (Head and Leaf)	Chinese Spinach (Amaranth, Tampala)
Celery	Endive	Low-Bok	Swiss Chard
Celtuce	Fennel	Onions	Turnip Tops

CUCURBIT TRANSPLANTS

Refer to the **GREENHOUSE, LANDSCAPE, AND NURSERY USE INSTRUCTIONS** for specific application instructions.

Balsam Pears (Bitter Melons)	Crenshaw	Melons (Incl. Hybrids)	Pumpkins
Cantaloupes	Cucumbers	Honeydew Melons	Squashes
Casaba	Gherkins	Muskmelons	Watermelons (Incl. Hybrids)
Chinese Wax Gourds	Gourds	Persian Melons	Zucchini
Citron Melons	Honey Balls		

HERBS AND SPICES TRANSPLANTS

Refer to the **GREENHOUSE, LANDSCAPE, AND NURSERY USE INSTRUCTIONS** for specific application instructions.

Anise	Chives	Marjoram	Sage
Balm	Coriander	Mint	Savory
Basil	Cumin	Nasturtium	Spearmint
Borage	Curry Leaf	Pennyroyal	Sweet Bay
Chamomile	Dandelion	Peppermint	Tarragon
Caraway	Dill	Rosemary	Thyme
Catnip	Fennel	Rue	Wintergreen
Celery	Marigold		

LEGUME AND FRUITING VEGETABLE TRANSPLANTS

Refer to the **GREENHOUSE, LANDSCAPE, AND NURSERY USE INSTRUCTIONS** for specific application instructions.

Beans	Ground Cherries	Peanuts	Snow Peas
Broad Beans	Guar	Pepinos	Soybeans
Calabaza	Lentils	Peppers	Tomatillos
Chickpeas	Peas	Pigeon Peas	Tomatoes
Eggplants			

ROOT AND TUBER VEGETABLES

Refer to the **GREENHOUSE, LANDSCAPE, AND NURSERY USE INSTRUCTIONS** for specific application instructions.

Artichokes	Ginger	Sweet Potatoes	Turmeric
Beets	Ginseng	Radishes	Turnips
Cardone	Horseradish	Rutabaga	Yams
Carrots	Parsnips	Taro (Dasheen)	Yam Beans
Cassava	Potatoes		

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep in original container. Store in a dry place, away from direct sunlight, feed, or foodstuffs. Keep container tightly sealed when not in use. **DO NOT** store below 40°F (4°C).

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

[Rigid Plastic Less Than or Equal to 5 Gallons] [Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures allowed by State and local authorities.]

[Rigid Plastic Greater Than 5 Gallons] [Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of empty container in a sanitary landfill or by other procedures allowed by State and local authorities.]

[Rigid Plastic Bulk and Mini-Bulk Containers] [Refillable container. Refill this container with pesticide only. **DO NOT** use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the person refilling. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate

vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures allowed by State and local authorities.]

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Sharda Cropchem Limited or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Sharda Cropchem Limited and Seller harmless for any claims relating to such factors.


Sharda Cropchem Limited warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Sharda Cropchem Limited and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, SHARDA CROPCHEM LIMITED MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither Sharda Cropchem Limited nor Seller shall be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SHARDA CROPCHEM LIMITED AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SHARDA CROPCHEM LIMITED OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Sharda Cropchem Limited and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Sharda Cropchem Limited.

[All trademarks are the property of their respective owners.]

{OPTIONAL MARKETING LANGUAGE:}

1	[www.shardausa.com] 
2	[Handle with Care]
3	[This side Up]
4	{The below graphic to be added to box if formulated in the United States}  Proudly Formulated & Packaged In The U.S.A.

{SUB-LABEL C – Homeowner}

Sharda Neem Oil 70% EC

For Use on Roses, Flowers, Houseplants, Ornamental Trees and Shrubs, Fruits, Nuts, Vegetables, and Home Lawns.

For Use in and around the Home and Home Garden.

Controls Blackspot, Powdery Mildew, Rust, Needle Rust, Downy Mildew, Spider Mites, Aphids, Whiteflies, Flower, Twig and Tip Blight, Anthracnose, Scab, Botrytis, Alternaria, Turf Diseases, and Other Insect Pests.

Can be Used Up to Day of Harvest.

ACTIVE INGREDIENT:	WT. BY %
Clarified Hydrophobic Extract of Neem Oil	70.0%
OTHER INGREDIENTS:	30.0%
TOTAL:	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you **DO NOT** understand the label, find someone to explain it to you in detail.)

FIRST AID	
IF ON SKIN OR CLOTHING:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	• Call a poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • DO NOT induce vomiting unless told to do so by a poison control center or doctor. • DO NOT give anything by mouth to an unconscious person.
HOTLINE NUMBERS	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at 1-800-222-1222 . For general information about this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378 , Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu .	

{Optional referral statements when booklets and container labels are used:}

[See label booklet for [complete] [additional] [First Aid,] [Precautionary Statements], [Directions For Use], and [Storage and Disposal].]

EPA Reg. No.: 82633-XX

EPA Est. No.: _____

Manufactured For [By]:

Sharda Cropchem Limited
2nd Floor, Prime Business Park, Dashrathlal Joshi Rd.
Vile Parle (West), Mumbai - 400056, India

Net Contents: _____ Gals. [L]
[Batch Code/Lot No.: _____]

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

DO NOT apply directly to water. **DO NOT** contaminate water when disposing of equipment wash waters or rinsate. To protect the environment, **DO NOT** allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

BEE HAZARD

This product is toxic to bees exposed to direct treatment. **DO NOT** apply this product while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRODUCT INFORMATION

- Defends your roses against insects, diseases, and mites.
- Stops powdery mildew in 24 hours.
- Kills eggs, larvae, and adult insects.
- Shake well before using.
- Prevents and controls black spot on roses, anthracnose, rust, and powdery mildew.
- May also be used as a dormant or delayed dormant spray to control overwintering eggs of various insects on fruit and shade trees, shrubs, roses, and other ornamentals and vegetables. Spray to visibly wet or until all plant surfaces are completely wet.
- As with other oil-based products, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn.
- Use with care on plants with tender tissue. Check for leaf burn in small scale trials prior to use.
- Can be used as a leaf polish on hardy plants.

Restrictions:

- **DO NOT** add adjuvants (spreaders, stickers, extenders, etc.) to this product.
- **DO NOT** apply to known sensitive plant species, including impatiens flowers, fuchsia flowers, hibiscus flowers, some rose flowers, ornamental olive trees, or some carnation varieties without prior testing.
- **DO NOT** apply to wilted or otherwise stressed plants, or to newly transplanted materials prior to root establishment.

FUNGICIDE USE

For use on Fruits, Vegetables, Herbs, Spices, Roses, Houseplants, Flowers, Trees and Shrubs, and Home Lawns.

Management of Turf Diseases

Sharda Neem Oil 70% EC may be used on all turf including Kentucky bluegrass, perennial ryegrass, turf type tall fescue, Bermuda grass, zoysia grass, and St. Augustine grass around the home. Refer to below table for detailed application rates.

Spray Target	Concentration	Spray Interval	Precautions
Snow Mold	1:100 - 1:50 (1% - 2%)	14 days	In Fall before first snow.
Dollar Spot	1:100 - 1:200 (1% - 0.5%)	7 - 14 days	At first sign of disease.
Brown Patch	1:100 - 1:200 (1% - 0.5%)	7 - 14 days	At first sign of disease.

Application Instructions

Sharda Neem Oil 70% EC is an effective fungicide for the prevention and control of various fungal diseases including powdery mildew,

black spot, downy mildew, anthracnose, rust, leaf spot, *botrytis*, needle rust, scab, and flower, twig and tip blight, and *alternaria*. As a preventative, apply **Sharda Neem Oil 70% EC** on a 7- to 14-day schedule until disease development is no longer present. To control disease already present, apply **Sharda Neem Oil 70% EC** on a 7-day schedule until disease pressure is eliminated. Then continue spraying on a 14-day schedule to prevent the disease from reoccurring. To prevent rust leaf spot diseases, anthracnose and scab, begin applications at the first sign of spring budding. To prevent powdery mildew, apply in mid-summer or when disease is first detected. Continue applications until disease pressure no longer exists.

Mixing Instructions

Mix **Sharda Neem Oil 70% EC** at the rate of 2 tablespoons (1 fluid ounce) per gallon of water. Mix 0.5 tablespoon (0.25 fl. oz.) of **Sharda Neem Oil 70% EC** per quart of water. Thoroughly mix solution and spray all plant surfaces (including undersides of leaves) until completely wet. Frequently mix solution as you spray.

[Hose End Sprayer Use Instructions]

{Optional Subheadings:}

[USING THE READY SPRAY NOZZLE] [HOSE END SPRAYER INSTRUCTIONS]

[HOW TO USE THE [INSERT SPRAYER TRADENAME]] [DIRECTIONS FOR HOSE END SPRAYER]

For optimal performance, **DO NOT** mix with cold water (less than 34°F).

INSECTICIDE/MITICIDE USE

For use on Fruits, Vegetables, Herbs, Spices, Roses, Houseplants, Flowers, Trees, and Shrubs.

Application Instructions

Apply **Sharda Neem Oil 70% EC** at first sign of insects/mites. For control of aphids, spider mites, scale, whiteflies, beetles, leafrollers, and other insect pests. **Sharda Neem Oil 70% EC** is most effective when applied every 7 to 14 days. For heavy insect populations, spray on a 7-day schedule.

Mixing Instructions

Mix **Sharda Neem Oil 70% EC** at the rate of 2 - 4 tablespoons (1 - 2 fluid ounces) per gallon of water. Mix 0.5 - 1 tablespoons (0.25 - 0.5 fl. oz.) per quart of water. Thoroughly mix solution and spray all plant surfaces (including underside of leaves) until completely wet. Frequently mix solution as you spray.

{If desired, pick one Ready Spray Option. Only one option will appear on any particular FPL.}

{Option #1 - Ready Spray Nozzle}

[The sprayer attached to the container is ready-to-use. Simply attach to your garden hose and follow these instructions:

1. Insure the large, round on/off knob is set to OFF.
2. Turn on water.
3. PUSH IN small knob near front of sprayer. This allows water and product to mix.
4. Hold sprayer and container level and point towards area to be sprayed.
5. Turn large, round on/off knob to ON.
6. Begin spraying product evenly over area you wish to treat.
7. Spray to visibly wet.
8. To stop spraying, turn large, round on/off knob to OFF.
9. PULL OUT small knob near front of sprayer. This prevents product from mixing with water.
10. Turn off water at faucet. Relieve water pressure in the hose by turning large, round on/off knob ON until water pressure is reduced.
11. Turn the knob to OFF for storage of unused product/and/or disposal of empty container.]

{Option #2 - Ready Spray Nozzle}

[The sprayer attached to the container is ready-to-use. Simply attach to your garden hose and follow these instructions:

1. Connect sprayer to hose.
2. Turn on water.
3. To begin spraying, point nozzle in the direction you want to spray.
4. Bend plastic tab back and turn knob back to ON position.
5. Spray evenly to area being treated.
6. To stop spraying, turn knob to OFF position.
7. Turn off water.
8. Relieve water pressure by bending plastic tab back and turning knob to ON position until water slows to a drip. Then turn knob back to OFF position.
9. Disconnect sprayer from hose.]

{Option #3 - Ready Spray Nozzle}

1. [Shake container well before using.
2. Attach a garden hose to the Ready spray nozzle. For first time use remove the safety tab above the trigger by pushing to the left or right until the tab breaks free.

3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you **DO NOT** come into contact with the treated area.
4. To BEGIN spraying point nozzle toward treatment site and squeeze the trigger to the fully on position. Water will automatically mix with the product.
5. Spray until wet to control listed weeds. Walk at a steady pace while spraying using an even sweeping motion, slightly overlapping treated areas.
6. To STOP spraying release the trigger Turn water off at faucet. To relieve pressure before removing nozzle squeeze the trigger until water stops spraying.
7. To STORE unused product, make sure the trigger is in the closed position. Place in a cool area away from heat, sunlight or open flame.]

{Option #4 - Ready Spray Nozzle}

1. [Shake container well before using.
2. Connect a garden hose to the sprayer nozzle. Make sure switch is fully forward in the "OFF" position.
3. Turn on water at faucet. Extend hose to the farthest area to be treated and work back toward the faucet so you don't come in contact with the treated area.
4. [Remove safety tab from sprayer's right side by pulling straight out. [[You may] Discard or keep for future re-use.]]
5. To BEGIN spraying, point nozzle toward treatment site and pull switch backwards [with thumb] [with finger] towards hose connection. Water will automatically mix with the product.
6. Spray until wet [to control insects, fungus and mites]. Walk at a steady pace, working back toward the faucet while spraying using an even sweeping motion, slightly overlapping treated areas.
7. To STOP spraying, push switch forward [with thumb] [with finger] toward nozzle. Turn water off at faucet. To relieve pressure before removing nozzle from hose, pull switch backwards [with thumb] [with finger] towards hose connection until water stops spraying.
8. To STORE unused product, make sure switch is fully forward in the "OFF" position.
9. [Re-install safety tab into sprayer's right side. With sprayer in the full "OFF" position, push tab into position.]
10. Place in cool area away from heat, sunlight or open flame.]

{Option #5 - Ready Spray Nozzle}

[CONNECT

1. Shake well before use.
2. Securely Connect sprayer to garden hose.
3. Be sure that ON/OFF Switch is in OFF position, toward hose end of sprayer.
4. Turn on water at faucet.
5. For first time use, remove plastic shipping lock from beneath switch.

SPRAY

1. Extend hose to farthest area to be treated, point sprayer nozzle in direction to be sprayed.
2. Begin spraying - Push ON/OFF Switch forward into ON position.
3. Walk at a steady pace while spraying, using an even sweeping motion, and slightly overlap treated areas. Work back toward faucet to avoid walking over wet, treated grass.

FINISH

1. To stop spraying, push ON/OFF Switch to OFF position.
2. Turn off water at faucet.
3. Relieve water pressure in hose by turning ON/OFF Switch back to ON position until water slows to a drip, then return ON/OFF switch to OFF position.
4. Disconnect sprayer from hose.]

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

Pesticide Storage: Store and transport in an upright position. Store only in original container, in a cool dry place inaccessible to children or pets.

CONTAINER HANDLING:

Pesticide Storage and Container Handling: Nonrefillable container. **DO NOT** reuse or refill this container. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

{Note to EPA Reviewer – the below container handling is for when product is shipped in bulk to formulator for repacking, if applicable.}

[Rigid Plastic Greater Than 5 Gallons] [Nonrefillable container. **DO NOT** reuse or refill this container. Offer for recycling, if available.]

Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of empty container in a sanitary landfill or by other procedures allowed by State and local authorities.]

[Rigid Plastic Bulk and Mini-Bulk Containers] [Refillable container. Refill this container with pesticide only. **DO NOT** use this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the person refilling. To clean container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10% full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by other procedures allowed by State and local authorities.]

CONTAINER IS NOT SAFE FOR FOOD, FEED, OR DRINKING WATER!

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Sharda Cropchem Limited or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Sharda Cropchem Limited and Seller harmless for any claims relating to such factors.

Sharda Cropchem Limited warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Sharda Cropchem Limited and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, SHARDA CROPCHEM LIMITED MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.


To the extent consistent with applicable law, neither Sharda Cropchem Limited nor Seller shall be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SHARDA CROPCHEM LIMITED AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SHARDA CROPCHEM LIMITED OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Sharda Cropchem Limited and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Sharda Cropchem Limited.

[All trademarks are the property of their respective owners.]

{OPTIONAL MARKETING LANGUAGE:}

1	www.shardausa.com 
2	[Handle with Care]
3	[This side Up]
4	{The below graphic to be added to box if formulated in the United States}

	 Proudly Formulated & Packaged In The U.S.A.
5	[For use on roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, vegetables, and home lawns.] {Use graphic to be added}
6	[For use in and around the home and home garden]
7	[Controls blackspot, powdery mildew, rust, needle rust, downy mildew, spider mites, aphids, whiteflies, flower, twig and tip blight, anthracnose, scab, <i>botrytis</i> , <i>alternaria</i> , turf diseases, and other insect pests]
8	[Can be Used Up to Day of Harvest]
9	[Multi-purpose fungicide, insecticide, miticide]
10	[Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.]
11	[Questions or Comments? Call _____ or visit our website at _____.]
12	{Companies may include company specific graphics and images}
13	{Optional Marketing Claims for use with Hose End Sprayers} [Easy on/off-- spray [only] where you want]