

U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

82691-2

FEB 23 2006

NOTICE OF PESTICIDE:

x Registration
Reregistration

(under FIFRA, as amended)

Name of Pesticide Product:

Stay Clean Additive B

Term of Issuance: Conditional

Name and Address of Registrant (include ZIP Code):

American Standard Companies, Inc.

865 Centennial Avenue

Piscataway, N. J. 08855

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
 - 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. "82691-2".

Marshall Swindell, PM 33
Regulatory Management Branch 1
Antimicrobial Division (7510C)

Date:

FEB 23 2006

Page 2 EPA Registration No. 82691-2

b. Please note that the Storage Stability and Corrosion Characteristics studies must be submitted, reviewed and found to be acceptable by February 23, 2007.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely,

Marshall Swindell Product Manager 33

Regulatory Management Branch 1 Antimicrobial Division (7510C)

Enclosure

STAY CLEAN ADDITIVE B

Stay Clean Additive B is an antimicrobial additive that safely and effectively inhibits the growth of stain and odor causing bacteria, mold, and mildew on the product to which it is applied. It is intended for use in the manufacture of commercial and consumer products to impart antimicrobial properties.

INGREDIENTS

Active Ingredient:

Silver

100%

ACCEPTED with COMMENTS EPA Letter Dated:

TOTAL:

100%

FEB 2 3 2006

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

Under the Federal Insecticide. Fungicide, and Rodenticide Act as amended, for the pesticide. registered under EPA Reg. No.

82691-2

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled, or absorbed through the skin. May cause eye irritation. Prolonged skin contact may cause skin irritation and/or dermatitis. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

FIRST AID:

If Swallowed Call a poison control center or doctor immediately. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if applicable, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of U.S. EPA.

Follow DIRECTIONS FOR USE On Back Panel

Manufactured for: American Standard Companies Inc. 865 Centennial Avenue Piscataway, New Jersey 08855 EPA Company No. 82691

EPA Registration No. **** EPA Establishment No. *****

Net Contents: ******

DIRECTIONS FOR USE

4/6

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Stay Clean Additive B is intended for use in the manufacture of the products listed below to impart antimicrobial properties. Stay Clean Additive B inhibits the growth of stain and odor causing bacteria, mold, and mildew on the product to which it is applied. Products containing Stay Clean Additive B may not make claims of antimicrobial activity other than protection of the article itself against growth of bacteria, mold, and mildew.

This product is not approved for any food contact or food packaging uses.

MAXIMUM CONCENTRATION: Stay Clean Additive B may be incorporated into the types of products listed below at maximum concentration of no more than one (1) percent on a weight basis of the finished products.

TYPES OF PRODUCTS - Stay Clean Additive B may be incorporated into the following types of products:

1) Ceramics, ceramic glazes, porcelain enamels, and other glasses.

Specific materials: vitreous china, ceramics, glazes, earthenware, stoneware, dental glasses, borosilicate glasses, lead glasses, soda lime glasses, special glasses, porcelains, porcelain enamels, clays, concretes, and grouts.

Applications: This product may not be used for any applications involving food contact, food packaging, or storage of human drinking water. Applications include toilets, sinks, urinals, bidets, lavatories, bathtubs, tile, flooring, windows, shower doors, shower walls, shower trays, bath and kitchen accessories, countertops, handles, and knobs.

2) Plastics and plastic composite materials..

Specific materials: Resins including alkyds, amino resins, (melamine formaldehyde and urea formaldehyde), polyester (PET, PBT, and PEN), polyamide (Nylon), polyimide, polypropylene (PP), polyethylene (PE), polybutylene, polymethylpentene (PMP), polysiloxane, polyvinyl alcohol (PVOH), polyvinyl acetate (PVA), ethylene vinyl acetate (EVA), polyethylene copolymer, polyvinyl chloride (PVC), epoxies, phenolic, polycarbonate, cellulosics, cellulose acetate, polystyrene, polyeurethane, acrylic, polymethyl methacrylate, acrylonitrile-butadiene-styrene copolymer (ABS), acrylonitrile -styrene-acrylic copolymer (ASA), acetals, polyketones, polyphelylene, polyphenylene sulfide, polyphenylene oxide, polysulfones, liquid crystal polymer and fluoropolymers, amino resins, thermoplastic elastomer, rubber (including styrene, butadyene, common acrylonitrile rubber, CR) polyacetal (polyoxymethylene), and blends and copolymers thereof.

Applications: This product may not be used for any applications involving food contact, food packaging, or storage of human drinking water. Applications include toilet seats, toilets, sinks, urinals, bidets, lavatories, bathtubs, spas, tile, flooring, shower doors, shower walls, shower trays, bath and kitchen accessories, plumbing supplies and fixtures, countertops, handles, knobs, automobile parts, shower curtains, mats, protective covers, waste containers, general purpose containers, shower heads, mops, brooms, tapes, packaging, gaskets, pipes, tubing, pipe fittings, whirlpool tub and spa components, structural reinforcement composites (e.g., fiber reinforced resin backings), furniture, HVAC parts and equipment, window blinds, tools, keyboards, personal grooming equipment, footwear including boots, sports equipment, telephones, and computer equipment.

3) Coatings.

Types of coatings: All application methods including water borne, nonaqueous solvent borne, 100% solids, physical vapor deposition, radiation cure, thermal cure, liquid, slurry, and powder coatings.

Specific materials: Resins including alkyds, amino resins, (melamine formaldehyde and urea formaldehyde), polyester (PET, PBT, and PEN), polyamide (Nylon), polyimide, polypropylene (PP), polyethylene (PE), ACCEPTED polybutylene, polymethylpentene (PMP), polysiloxane, polyvinyl alcohol (PVOH), polyvinyl acetate (PWM), COMMENTS ethylene vinyl acetate (EVA), polyethylene copolymer, polyvinyl chloride (PVC), epoxies, phenolic, EPA Letter Dated: polycarbonate, cellulosics, cellulose acetate, polystyrene, polyeurethane, acrylic, polymethyl methacrylate,

FEB 2 3 2006

5/6

acrylonitrile-butadiene-styrene copolymer (ABS), acrylonitrile -styrene-acrylic copolymer (ASA), acetals, polyketones, polyphelylene, polyphenylene sulfide, polyphenylene oxide, polysulfones, liquid crystal polymer and fluoropolymers, amino resins, thermoplastic elastomer, rubber (including styrene, butadyene, common acrylonitrile rubber, CR) polyacetal (polyoxymethylene), and blends and copolymers thereof.

Applications: This product may not be used for any applications involving food contact, food packaging, or storage of human drinking water. Applications include toilet seats, toilets, sinks, urinals, bidets, lavatories, bathtubs, spas, tile, flooring, shower doors, shower walls, shower trays, bath and kitchen accessories, plumbing supplies and fixtures, countertops, handles, knobs, automobile parts, shower curtains, mats, protective covers, waste containers, general purpose containers, shower heads, mops, brooms, tapes, packaging, gaskets, pipes, tubing, pipe fittings, whirlpool tub and spa components, structural reinforcement composites (e.g., fiber reinforced resin backings), furniture, HVAC parts and equipment, window blinds, tools, keyboards, personal grooming equipment, footwear including boots, sports equipment, telephones, and computer equipment.

4) Fibers.

Specific materials: Resins including polyester ("Dacron" PET, and PTT), acetate, polyolefins, polyamides (Nylon), polypropylene (PP), polyethylene (PE), acrylics, viscose, polyurethane, "Rayon," polyvinyl alcohol (PVOH), polyvinyl chloride (PVC), polyvinylidene chloride, polysaccharides, and blends and copolymers thereof.

Applications: This product may not be used for any applications involving food contact, food packaging, or storage of human drinking water. Applications include fabrics for household applications, home furnishings, automotive fabrics, and apparel.

5) Adhesives and Sealants.

Specific materials: Resins including alkyds, amino resins, (melamine formaldehyde and urea formaldehyde), polyester (PET, PBT, and PEN), polyamide (Nylon), polyimide, polypropylene (PP), polyethylene (PE), polybutylene, polymethylpentene (PMP), polysiloxane, polyvinyl alcohol (PVOH), polyvinyl acetate (PVA), ethylene vinyl acetate (EVA), polyethylene copolymer, polyvinyl chloride (PVC), epoxies, phenolic, polycarbonate, cellulosics, cellulose acetate, polystyrene, polyeurethane, acrylic, polymethyl methacrylate, acrylonitrile-butadiene-styrene copolymer (ABS), acrylonitrile –styrene-acrylic copolymer (ASA), acetals, polyketones, polyphelylene, polyphenylene sulfide, polyphenylene oxide, polysulfones, liquid crystal polymer and fluoropolymers, amino resins, thermoplastic elastomer, rubber (including styrene, butadyene, common acrylonitrile rubber, CR) polyacetal (polyoxymethylene), and blends and copolymers thereof.

Applications: This product may not be used for any applications involving food contact, food packaging, or storage of human drinking water. Applications include adhesives used in the manufacture of toilet seats, toilets, sinks, urinals, bidets, lavatories, bathtubs, spas, tile, flooring, shower doors, shower walls, shower trays, bath and kitchen accessories, plumbing supplies and fixtures, countertops, handles, knobs, automobile parts, shower curtains, mats, protective covers, waste containers, general purpose containers, shower heads, mops, brooms, tapes, packaging, gaskets, pipes, tubing, pipe fittings, whirlpool tub and spa components, structural reinforcement composites (e.g., fiber reinforced resin backings), furniture, HVAC parts and equipment, window blinds, keyboards, personal grooming equipment, footwear including boots, sports equipment, telephones, and computer equipment.

STORAGE AND DISPOSAL

STORAGE: Keep tightly closed in a dry, cool and well-ventilated place. Avoid dust formation -- Dust may form explosive mixture in air. Keep container closed to prevent contact with moist air. Do not store in area where food or feed may come in contact with the product. Keep away from direct sunlight.

DISPOSAL: Unused material should be disposed of in accordance with federal, state and local environmentary control regulations. Where possible recycling is preferred to disposal or incineration.

With COMMENTS EPA Letter Dated:

FEB 2 3 2006

CONTAINER DISPOSAL: En la container retains product residue. Observall labeled safeguards until container is destroyed. Completely empty contents into equipment. Then dispose of empty container in a sanitary landfill or by other approved method.

6/6