

82744-1

3/6/2012

1063



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL, SAFETY  
AND POLLUTION PREVENTION

MAR 6 2012

Dejan Radivojevic  
Unichem D.O.O.  
8711 W Bryn Mawr Ave, #403  
Chicago, IL 60631

Subject: Amendment to remove "urban and non-urban" language from product labels and a few other minor label language corrections  
EPA Registration No.: 82744-1, 82744-2  
Primary Brand Name: Ratimor Wax Block , Ratimor Soft Bait  
Submission Date: February 1, 2012

Dear Mr. Radivojevic:

The labels referred to above, submitted under FIFRA, as amended, are **acceptable**. Please submit one final printed copy for the above mentioned labels before releasing the product for shipment. If you have any questions, please contact Gene Benbow at (703) 347-0235 or via email at [benbow.gene@epa.gov](mailto:benbow.gene@epa.gov).

Sincerely,

John Hebert  
Product Manager 07  
Insecticide-Rodenticide Branch  
Registration Division (7505P)

# RATIMOR<sup>®</sup>

## WAX BLOCK for mice and rats

ACCEPTED  
MAR 6 2012

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide

Registered under EPA Reg. No. 2744-1



**KILLS RATS AND MICE  
KILLS WARFARIN  
RESISTANT NORWAY RATS**

**ACTIVE INGREDIENT:**  
Bromadiolone (CAS #28772-56-7): ..... 0.005%  
OTHER INGREDIENTS\*: ..... 99.995%  
Total ..... 100.000%

\*Contains Denatonium Benzate

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See Back Panel for additional precautionary labeling.  
Manufactured by: UNICHEM d.o.o.  
Sinja Gorica 2, 1360 Vrhnika, Slovenia  
Distributed by: ITB Co. Incorporated  
P.O. Box 2505, London, KY 40743  
Phone: (800) 866-1357, Fax: (877) 866-1357  
EPA Reg. No. 82744-1  
EPA Est. No. 82744-SLO-001



20 lbs

LEADER IN RODENT CONTROL TECHNOLOGY | UNICHEM

# RATIMOR®

## WAX BLOCK for mice and rats

### FIRST AID

Have label with you when obtaining treatment advice.

*If swallowed:*

- Call a poison control center, doctor, or 1-800-222-1222 (toll free number optional) immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

*If on skin or clothing:*

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.
- If in the eyes:*
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.

### NOTE TO PHYSICIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K1 intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

### TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian at once.

### NOTE TO VETERINARIAN

**Anticoagulant Bromadiolone:** For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K1. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL:** Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT:** Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hooved livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pests, non-target mammals, or bird may access the bait.

**USE RESTRICTIONS:** This product may only be used to control Norway rats, roof rats, and house mice in and around homes and residential buildings, food processing facilities, industrial, commercial, agricultural and public buildings, and similar man-made structures. It may also be used in transport vehicles (ships, trains, aircraft) and in and around related port or terminal buildings. Do not apply further than 50 feet from buildings. Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. When used in USDA inspected facilities, this product must be applied in tamper-resistant bait stations.

**SELECTION OF TREATMENT AREAS:** After removing as much food, water and harborage as possible, determine dry areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by grafted openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where signs of rats or house mice have been seen. Protect bait from rain and snow.

### APPLICATION DIRECTIONS:

Each RATIMOR WAX BLOCK weighs approximately 1.0 oz.

**Norway Rats and Roof Rats:** Apply 6 to 7 bait blocks per placement for controlling rats. Space placements 15 to 30 feet apart at appropriate locations within the infested area. Maintain a continuous supply of bait blocks for at least 10 days or until signs of new feeding by rats on bait cease to appear.

**House Mice:** Apply 1 to 2 bait blocks per placement, usually spaced 6 to 16 feet apart. Maintain a constant supply of bait blocks for 15 days or until signs of mouse activity cease.

**Follow-up:** While wearing gloves, replace contaminated or spoiled bait immediately. Collect and properly dispose of dead animals and leftover bait and bait bags, as well as any bait that has become accessible to non-target animals. To discourage re-infestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

### PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION:** Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Causes moderate eye irritation. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear shoes plus socks, and chemical resistant gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

### USER SAFETY REQUIREMENTS

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco or using the toilet and change into clean clothing.

### ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. This pesticide is toxic to fish. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. [Plastic:] Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in sanitary landfill, or by incineration. In most states, burning is not allowed.

[Paper:] Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration. In most states, burning is not allowed.

**WARRANTY:** To the extent consistent with applicable law, seller makes no warranty expressed or implied, concerning the use of this product other than indicated on the label, to the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

Production date and serial No.: Printed on label.



za dotisk



31267

30x3