UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



OFFICE OF PREVENTION, PESTICIDES. AND TOXIC SUBSTANCES

March 4, 2008

Andrej Branc Unichem d.o.o. c/o Bimex Corp. HC 2, Box 180 A Brodheadsville, PA 18322

Dear Mr. Branc:

Subject:

Submission of proposed labeling

Ratimor Soft Bait

EPA Registration No. 82744-2

Your submission dated January 28, 2008 (via email)

The proposed labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable. Submit two copies of your final printed labeling before you release the product for shipment. A stamped copy is enclosed for your records. If you have any questions, please contact Julie Chao at (703) 308-8735 or chao.julie@epa.gov.

Regards,

Jøhn Hebert

Insecticide-Rodenticide Branch Registration Division (7505P)

delat

[Large Transport Container Label - Front Panel]

RATIMOR SOFT BAIT

ACTIVE INGREDIENT:

Bromadiolone (CAS #28772-56-7):.....0.005%

INERT INGREDIENTS*:.....99.995%

Total

100.000%

*Contains Denatonium Benzoate

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminate clothing before reuse.

Applicators and other handlers must wear:

Long sleeve shirt, long pants, chemical-resistant gloves, shoes, and socks.

FIRST AID Have label with you when obtaining treatment advice.		
If swallowed	•Call a poison control center, doctor, or 1-800-222-1222 (toll free number optional) immediately for treatment advice. •Have person sip a glass of water if able to swallow. •Do not induce vomiting unless told to do so by the poison control center or doctor.	
If on skin or clothing	•Take off contaminated clothing. •Rinse skin immediately with plenty of water for 15-20 minutes. •Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.	
In in eyes	•Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	•Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	•Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.	

ACCEPTED

MAR 04 2008

Under the Federal Insecticide.
Fungicide, and Rodenticide Act.
as amended, for the pesticide
Registered under
EPA Reg. No. 82744-2

NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin Kı intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

Net Weight:

Manufactured by: UNICHEM d.o.o. Sinja Gorica 2, 1360 Vrhnika, Slovenia

EPA Reg. No. 82744-2 EPA Est. No. 82744-SLO-001 Comment [d1]: Prefer "DISCLAIMER" to "WARRANTY"

[Outer Container Label - Front Panel]

Comment [d2]: No inner label

RATIMOR SOFT BAIT

KILLS RATS KILLS WARFARIN RESISTANT NORWAY RATS

ACTIVE INGREDIENT:

Bromadiolone (CAS #28772-56-7):.....0.005%

INERT INGREDIENTS*:......99.995%

Total

100.000%

*Contains Denatonium Benzoate

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID Have label with you when obtaining treatment advice.		
If swallowed	 Call a poison control center, doctor, or 1-800-222-1222 (toll free number optional) immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. 	
If on skin or clothing	•Take off contaminated clothing. •Rinse skin immediately with plenty of water for 15-20 minutes. •Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.	
In in eyes	•Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	•Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	•Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.	

NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin Krintramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

See Back/Side Panel for additional precautionary labeling.

Outer Container Label - Side/Back Panel

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

1. Store unused product out of reach of children and pets.

2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget

wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.

3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats and roof rats only at the Urban and Non-urban sites identified below. Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

Urban Areas: This product may only be used in and around homes, industrial, commercial, and public buildings, and similar man-made structures; in transport vehicles (ships, trains, and aircraft) and in and around related port or terminal buildings; and in alleys. All outdoor bait placements must be made in tamper-resistant bait stations, locked and secured as necessary, unless children, pets, domestic animals, and nontarget wildlife are reliably denied access to the bait placement locations.

Non-urban Areas: This product may only be used inside of homes, and agricultural buildings.



[Outer Container Label - Side/Back Panel - continued]

SELECTION OF TREATMENT AREAS: Determine areas where rats will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where rats or their signs have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS: Each bag of **RATIMOR** *Pasta bait* contains approximately 0.38 ounces (10.75 grams) of bait.

[Qualifier statement for 30 bag product] This package contains enough bait (3 blocks) to kill 3 to 6 rats.

[Qualifier statement for 20 bag product] This package contains enough bait (2 blocks) to kill 2 to 4 rats.

[Qualifier statement for 10 bag product] This package contains enough bait (1 block) to kill 1 to 2 rats.

[Note: Product may not be sold in packages of less than 10 bags.]

Norway Rats and Roof Rats: Apply 10 to 42 bait bags per placement for controlling rats. Space placements 15 to 30 feet apart at appropriate locations within the infested area. Maintain a continuous supply of fresh bait for at least 10 days or until signs of new feeding by rats on bait cease to appear.

Follow-up: Replace contaminated or spoiled bait immediately. Collect and properly dispose of dead animals and leftover bait and bait bags, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminate clothing before reuse.

Applicators and other handlers must wear:

Long sleeve shirt, long pants, chemical-resistant gloves, shoes, and socks.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is

present or to intertidal areas below the mean high water mark.

[Outer Container Label - Side/Back Panel - continued]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals. PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility. PESTICIDE CONTAINER: Do not reuse empty container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

Comment [d3]: Prefer, "DISCLAIMER" to "WARRANTY".

[Bait Bag Label]

RATIMOR SOFT BAIT

ACTIVE INGREDIENT: Bromadiolone0.005%

CAUTION: KEEP OUT OF REACH OF CHILDREN

See outer container for complete directions for use and precautionary statements.

IT IS ILLEGAL TO SELL OR DISTRIBUTE THESE BAIT BAGS INDIVIDUALLY.

Net Weight: 0.38 ounces (10.75 grams)

EPA Reg. No. 82744-2, EPA Est. No. 82744-SLO-001

Dan Peacock, Flash Drive, 2gb, P:\Documents\Word, WP, Excel, etc\Bromadiolone\82744-R; -E\82744-E\82744-2, Label, 9-14-2007.doc