



PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

September 11, 2008

Bimex Corp HC2, Box 180A Brodheadsville, PA 18322-9802

Attention: Mr. Andrej Branc

Subject **Ratimor Soft Bait** 

EPA Reg. No. 82744-2

Your amended application of April 18, 2008

Your resubmission of September 10, 2008

You have submitted mouse efficacy data and revised the label to add Purpose

claims for House Mice, for this product, under sec 3 of the Federal

Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Review The revisions to your text are acceptable.

Labeling The labeling submitted with the above letter is acceptable, provided that

you submit one (1) copy of final printed labeling to us, before you ship the

product.

Existing Stocks of product with existing labels may be used for eighteen (18)

stocks months.

**Forms** 

Consequence If this condition is not complied with, the registration will be subject to for noncancellation in accordance with FIFRA section 6(e). Your release for

compliance shipment of the product constitutes acceptance of these conditions. Questions

If you have questions about this letter, please contact me at 703-305-5407 (phone); 703-305-6596 (fax); or peacock dan@epa.gov (E-Mail).

Sincerely,

DBN

Daniel B. Peacock, Biologist Insecticide-Rodenticide Branch Registration Division (7504C)

File Location Dan Peacock, Flash Drive, J:\4G Dan\Documents\Word, WP, Excel, etc\Bromadiolone\82744-R; -E\82744-2\82744-2, add mice, 4-18-2008\82744-2, add mice, EL, 9-11-2008.doc

ACCEPTE

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide

[Large Transport Container Label - Front Panel]

#### **RATIMOR SOFT BAIT**

**ACTIVE INGREDIENT:** 

ral 100.000%

\*Contains Denatonium Benzoate

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminate clothing before reuse.

Applicators and other handlers must wear:

Long sleeve shirt, long pants, chemical-resistant gloves, shoes, and socks.

F	FIRST AID  Iave label with you when obtaining treatment advice.
If swallowed	<ul> <li>Call a poison control center, doctor, or 1-800-222-1222 (toll free number optional) immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
If on skin or clothing	•Take off contaminated clothing. •Rinse skin immediately with plenty of water for 15-20 minutes. •Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.
In the eyes	•Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	•Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	•Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.



#### NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K<sub>1</sub> intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

**DISCLAIMER:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

Net Weight:

Manufactured by: UNICHEM d.o.o. Sinja Gorica 2, 1360 Vrhnika, Slovenia

EPA Reg. No. 82744-2 EPA Est. No. 82744-SLO-001 [Outer Container Label – Front Panel]

#### **RATIMOR SOFT BAIT**

#### KILLS RATS AND MICE KILLS WARFARIN RESISTANT NORWAY RATS

**ACTIVE INGREDIENT:** 

# KEEP OUT OF REACH OF CHILDREN CAUTION

I	FIRST AID  Have label with you when obtaining treatment advice.
If swallowed	•Call a poison control center, doctor, or 1-800-222-1222 (toll free number optional) immediately for treatment advice. •Have person sip a glass of water if able to swallow. •Do not induce vomiting unless told to do so by the poison control center or doctor.
If on skin or clothing	•Take off contaminated clothing. •Rinse skin immediately with plenty of water for 15-20 minutes. •Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.
In in eyes	•Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	•Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	•Call a poison control center, doctor, or 1-800-222-1222 immediately for treatment advice.

#### NOTE TO PHYSICIAN OR VETERINARIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K1 intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

See Back/Side Panel for additional precautionary labeling.

<sup>\*</sup>Contains Denatonium Benzoate

### [Outer Container Label - Front Panel - continued]

Net Weight:

Manufactured by: UNICHEM d.o.o. Sinja Gorica 2, 1360 Vrhnika, Slovenia

EPA Reg. No. 82744-2 EPA Est. No. 82744-SLO-001

#### Outer Container Label - Side/Back Panel

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ THIS LABEL**: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

**IMPORTANT**: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent accidents:

- 1. Store unused product out of reach of children and pets.
- 2. Apply bait in locations out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from bait stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled, or unconsumed bait as specified on this label.

USE RESTRICTIONS: This product may be used to control Norway rats, roof rats and house mice only at the Urban and Non-urban sites identified below. Do not use this product in sewers. Do not place bait near to or inside of ventilation duct openings. Do not contaminate water, food, feed, food or feed handling equipment, milk or meat handling equipment, or any area where there is a possibility of contaminating food, feed, milk, or meat, or surfaces that come into contact with food, feed, milk, or meat. All placements of this product in USDA-inspected facilities must be in tamper-resistant bait stations. Do not broadcast bait. Wear water-resistant gloves when handling bait.

Urban Areas: This product may only be used in and around homes, industrial, commercial, and public buildings, and similar man-made structures; in transport vehicles (ships, trains, and aircraft) and in and around related port or terminal buildings; and in alleys. All outdoor bait placements must be made in tamper-resistant bait stations, locked and secured as necessary, unless children, pets, domestic animals, and nontarget wildlife are reliably denied access to the bait placement locations.

Non-urban Areas: This product may only be used inside of homes, and agricultural buildings.

[Outer Container Label – Side/Back Panel – continued]

SELECTION OF TREATMENT AREAS: Determine areas where rats and mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, beside burrows, in corners and concealed places, between floors and walls, or in locations where signs of rats or house mice have been seen. Protect bait from rain and snow. Remove as much alternative food as possible.

APPLICATION DIRECTIONS: Each bag of RATIMOR *Soft bait* contains approximately 0.38 ounces (10.75 grams) of bait.

Norway Rats and Roof Rats: Apply 10 to 42 bait bags per placement for controlling rats. Space placements 15 to 30 feet apart at appropriate locations within the infested area. Maintain a continuous supply of fresh bait for at least 10 days or until signs of new feeding by rats on bait cease to appear.

House Mice: Apply 1 bait bag per placement, usually spaced 8 to 12 feet apart. Two bags may be needed at points of very high mouse activity. Maintain a constant supply of fresh bait for 15 days or until signs of mouse activity cease.

Follow-up: Replace contaminated or spoiled bait immediately. Collect and properly dispose of dead animals and leftover bait and bait bags, as well as any bait that has become accessible to non-target animals. To discourage reinfestation, limit sources of rodent food, water, and harborage as much as possible. If re-infestation does occur, repeat treatment. For continuous sources of infestation, set up permanent bait stations and replenish them as needed.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or on clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminate clothing before reuse.

Applicators and other handlers must wear:

Long sleeve shirt, long pants, chemical-resistant gloves, shoes, and socks.

#### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds and other wildlife. Predatory and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten bait. Do not apply this product directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.

[Outer Container Label - Side/Back Panel - continued]

**PESTICIDE CONTAINER:** Do not reuse empty container. Dispose of empty container by placing in trash, at an approved waste disposal facility or by incineration or, if allowed by state and local authorities, by burning. If burned stay out of smoke. Call your Local Waste Agency for any questions on proper disposal.

**DISCLAIMER:** To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions

{Bait	Bag	La	bel]
-------	-----	----	------

#### **RATIMOR SOFT BAIT**

ACTIVE INGREDIENT: Bromadiolone ....0.005%

### CAUTION: KEEP OUT OF REACH OF CHILDREN

See outer container for complete directions for use and precautionary statements.

## IT IS ILLEGAL TO SELL OR DISTRIBUTE THESE BAIT BAGS INDIVIDUALLY.

Net Weight: 0.38 ounces (10.75 grams)

EPA Reg. No. 82744-2, EPA Est. No. 82744-SLO-001