



U.S. ENVIRONMENTAL PROTECTION AGENCY
 Office of Pesticide Programs
 Registration Division (7505T)
 1200 Pennsylvania Ave., N.W.
 Washington, D.C. 20460

EPA Reg. Number:

82752-2

Date of Issuance:

3/25/24

NOTICE OF PESTICIDE:

Registration
 Reregistration
 (under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

EZ-Gro Clones

Name and Address of Registrant (include ZIP Code):

Higrocorp Inc.
 c/o Spring Regulatory Sciences,
 6620 Cypresswood Drive, Suite 250
 Spring, TX 77379

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

Continues page 2

Signature of Approving Official:

Shaja B. Joyner, Product Manager 20
 Fungicide-Herbicide Branch
 Registration Division 7505T

Date:

3/25/24

EPA Form 8570-6

2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, “EPA Reg. No. 82752-2.”
3. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):

- Basic CSF dated 08/31/2023

If you have any questions, please contact Ernest Kraka at 202-566-2822 or at kraka.ernest@epa.gov.

Enclosure

[Denotes Optional Text]
{Denotes Notes to EPA Reviewer}
{Front Panel start}

EZ-Gro Clones

[Professional Rooting Compound]

ACTIVE INGREDIENT(S):	
Indole-3-butyric acid (IBA).....	0.15%
1-naphthylacetic acid (NAA).....	0.08%
INERT INGREDIENTS.	99.77%
TOTAL	100.00%


KEEP OUT OF REACH OF CHILDREN
CAUTION

See additional Precautionary Statements [inside booklet] [on [back panel] [side panel] [other panel]].

EPA Reg. No. 82752-2 EPA Est. No. XXXXX-XX-X Lot No [Batch No]. XXX

NET CONTENTS:
16 oz (500 ml)

{End Front Panel}



[label updated, 2/15/2024]

{Note to reviewer: First aid may be listed in table or paragraph format }

FIRST AID	
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergency treatment, call 1-800-222-1222. For non-emergency information on this product, contact the National Pesticides Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu .	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Physical or Chemical Hazards

COMBUSTIBLE: Do not use or store near heat or open flame.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. **Do not** contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

[For use in nurseries, greenhouses, shade houses, and residential locations]

General Propagating:

1. Ready-to-use. No dilution necessary. Pour a small amount of EZ-Gro CLONES liquid rooting solution into a clean small container. Performing a small trial prior to mass use is required.
2. Using a clean scalpel, razor or scissors, take a 3-6 inch cutting from a healthy, disease-free mother plant directly beneath the node at a 45 degree angle. Remove large leaves or cut them in half to help prevent water loss through transpiration. The cutting is less likely to wilt.
3. Immediately submerge the cutting's stem into the rooting solution to the most desired rooting depth for at least 5 seconds (OPTIMAL – 0.5 to 1 inch in height from the base for 5-20 seconds for softwood plants and 10 to 30 seconds for hardwood plants). Increase dipping time to 1-3 minutes for hard to root cuttings.
4. Insert the cutting into the moist, preferred choice of growing medium. Optimally use a plant propagation kit with a clear humidity dome, maintain an ideal environment with temperatures ranging from 72-78°F and high humidity of 80% and up with good air circulation and lighting.

[label updated, 2/15/2024]

[Mist Propagation: Mix ½ tsp Clones per gallon of water and add to the systems holding tank. Keep the cutting moist at all times.]

[Total Immersion: Use room temperature water. Place cuttings in strainer. In a separate container mix 1 parts Clones with 20-30 parts water. Submerge cuttings for 10 seconds, place in growing medium and allow to air dry.]

[Foliar application: spray 1 TBSP Clones per quart of water (50-100 ppm) on leaves and stem until runoff. Repeat spray every 7-10 days until roots are established. Adding a surfactant may improve performance.]

[Reduce transplant shock in newly divided or transplanted plants by watering weekly with 1 tsp of Clones per gallon of water for 3-4 weeks].

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool dark place and out of direct sunlight. Place in a locked storage area. Protect from freezing.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

CONTAINER HANDLING: Nonrefillable container. **Do not** reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

To the fullest extent permitted by law, neither the manufacturers nor the seller make any warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use of this material when such use is contrary to label instructions. Read and follow the label directions carefully.

Manufactured by:

Higrocorp Inc
661 Justus Drive
Kingston, Ontario, Canada K7M 4H5

{ OPTIONAL MARKETING LANGUAGE – can be listed anywhere on the label }

[Promotes vigorous root growth.]

[Helps overcome transplant shock]

[Improves propagation of plant cuttings.]

[Revitalizes damaged or poor root systems.]

[Ready-to-use. No dilution necessary.]

[can be used on tobacco and hemp cuttings]