



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Brad Keffer Regulatory Specialist Turf Care Supply Corporation 50 Pearl Road, Suite 200 Brunswick, OH 44212 MAY 1 2009

SUBJECT:

Applications for Pesticide Notification – Amending the Storage and Disposal Section

per PR Notice 2007-4

GrowStarTM Atrazine 0.92% Plus Fertilizer GrowStarTM Atrazine 0.76% Plus Fertilizer

EPA Reg. No. 82757-2 EPA Reg. No. 82757-3

Applications Dated March 26, 2009

Dear Mr. Keffer:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 2007-4 and finds that the actions requested fall within the scope of PRN 2007-4. The labels submitted with the applications are considered "acceptable", date stamped "Notification", and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Figs 5 sed instructions on i	reverse before completing form.		Form Appr	roved.	OMB No. 20	70-0060	Print Form
\$EPA	United States Environmental Protectio Washington, DC 204	_		×	Registra Amenda Other	tion	OPP Identifier Number
	Applicatio	n for F	Pesticide - Sec	tion	l		
1, Company/Product Numbe 82757-2	7		2. EPA Product Man Jim Tompkins	rager			oposed Classification
4. Company/Product (Name) Growstar Atrazine 0.92%	+ Fertilizer		PM# 25			\exists	None Restricted
5. Name and Address of App Turf Care Supply Corp. 50 Pearl Road, Suite 200 Brunswick, OH 44212		+	(b)(i), my product to: EPA Reg. No		ilar or identi		FIFRA Section 3(c)(3) mposition and labeling FION
Cneck if this	TIS & NOW BOOKESS		Product Name		***************************************		
		Sec	tion - II		<u></u>	 	
Amendment - Explain below. Resubmission in response to Agency letter dated							
requirements of EPA's req	ge per PR Notice 2007-4. This not gulations at 40 CFR §§ 156.10, 150 dential Statement of Formula for	6.140, 15 this prod	6.144, 156.146, and luct.				
		Sect	tion - III		·	<u></u>	
1. Material This Product Will Child-Resistant Packaging Yes* X No * Certification must be submitted	I Be Packaged In: Unit Packaging X Yes No If "Yes" Unit Packaging wgt. 50	Water X If "Yes Package		er e	2. Type of	Metal Plastic Glass Paper	Specify)
3. Location of Net Contents Label C	Information 4. Size(s) Ref	tail Contai	ner	5. Lo	Cation of Lab On Label On Label		ons npanying product
6. Manner in Which Label is	Affixed to Product Lithog Paper Stenci	raph glued iled	Othe	or			
`		Sect	ion - IV				
1, Contact Point (Complete	items directly below for identification	n of indiv	idual to be contacted,	, if nec	essary, to pr	ocess this	application.)
Name Brad Keffer		Title Regulat	ory Specialist	•		Telephon 330-558	e No. (Include Area Code)
I certify that the state	Certifica ments I have made on this form and		ments thereto are tru	Je, acc	urate and co		6. Däte Application Regalval

I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or

Regulatory Specialist

5. Date

Mar 26, 2009

both under applicable law.

4. Typed Name

Brad Keffer

(Stamped)



U.S. Environmental Protection Agency Office of Pesticide Programs Registration Division (Mail Code 7505P) 1200 Pennsylvania Avenue, NW Washington, DC 20460

May 12, 2009

To Whom It May Concern:

This is to notify the EPA that Turf Care Supply Corp. agrees with the notification of label changes per PR Notice 2007-4, as it is stated below...

"Notification of label change per PR Notice 2007-4: This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

This applies to notification-applications Dated March 26, 2009 for EPA Registration Number(s)/82757-2 & 82757-3.

If you need or require further information, please feel free to contact me at the number listed below. Thank you in advance for your help and assistance.

Sincerely,

Bradley James Keffer Regulatory Specialist

(330)-558-0772



Atrazine 0.92% Plus Fertilizer

50 Pounds covers up to 13,370 Sq Ft of Turfgrass. Prevents Crabgrass, Paspalums, and Spotted Spurge. **Controls** Dollarweed, Florida Pusley, Lippia, Pigweed and over forty-five more weeds as listed.

A WEED & FEED FOR ST. AUGUSTINE GRASS AND CENTIPEDE GRASS LAWNS.

AOTHE	BIODED	CNITO
ACTIVE	INGRED	IEN IS:

Atrazine; 2-chloro-4-ethylamino-6-isopropylamino-s-triazine	0.92%
Related active triazine compounds	0.02%
OTHER INGREDIENTS:	99.06%
Total	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

OAUTION				
FIRST AID				
If swallowed	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by the poison control center or doctor.			
	Do not give anything by mouth to an unconscious person.			
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.			
lf on skin	Take off contaminated clothing.			
or clothing	Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.			
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.			

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact PERS at 1-800-633-8253 for emergency medical treatment information.

• Call a poison control center or doctor for further treatment advice.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Atrazine can travel (seep or leach) through soil and can enter ground water which may be used as drinking water. Atrazine has been found in ground water. Users are advised not to apply Atrazine on sand and loamy sand soils where the water table (ground water) is close to the surface and where these soils are very permeable; i.e., well-drained. Your local agricultural agencies can provide further information on the type of soil in your area and the location of ground water.

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Runoff and drift from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water.



(Optional Language: Greens Grade, Fairway, Professional Turf Fertilizer)

GUARANTEED ANALYSIS	
TOTAL NITROGEN (N)	XX.XX%
XX.XX% Ammoniacal Nitrogen	
XX.XX% Urea Nitrogen*	
XX.XX% Water Insoluble Nitrogen	
XX.XX% Water Soluble Controlled Release Nitrogen	
AVAILABLE PHOSPHATE (P2O5)	
SOLUBLE POTASH (K₂O)	XX.XX%
MAGNESIUM (Mg) Total	XX.XX%
XX.XX% Water Soluble Magnesium (Mg)	
SULFUR (S) Total	XX.XX%
XX.XX% Free Sulfur (S)	
XX.XX (Complete Sulface (S)	
COPPER (CI) THE CATION	XX.XX%
XX.XX% Soluble Copper (Cu)	
IRON (Fe) MAY	XX.XX%
XX.XX% Water Soluble 2 to 1 (Fe)	
MANGANESE (Mn) Total	XX.XX%
XX.XX% Water Soluble Manganese (Mn)	
ZINC (Zn) Total	XX.XX%
XX.XX% Soluble Zinc (Zn)	
DERIVED FROM: XXXXX, XXXXX, XXXXX, Etc.	
CHLORINE (CI) Max.	XX.XX%
*XX.XX% Slowly available Nitrogen from Sulfur-Coated Urea	

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Avoid breathing dust.

Do not apply granular lawn products by hand. Avoid contact with hands or skin.

Broadcast applications must NOT be made using hand-held devices, such as a belly grinder or handheld rotary applicator. Such equipment may only be used for spot treatments.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handlers must wear long-sleeved shirt and long pants, shoes and socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

When applying multiple products containing Atrazine active ingredient (a.i.), the total pounds of atrazine a.i. applied in pounds of atrazine a.i. per acre may not exceed 4 pounds of atrazine a.i. from all applications made in a year.

Turfgrass at Residential Sites (including homes, daycare facilities, schools, playgrounds, parks, recreational areas, and sports fields.)

This product must be watered in immediately after application. Watering-in must be performed by the commercial applicator or the commercial applicator must provide the following instructions to the resident or owner in writing:

- This product must be watered in immediately.

- Do not enter or allow others (including children or pets) to enter the treated areas (except those involved in the watering) until the watering-in is complete and the surface is dry.

For any requirements specific to your States or Tribe, consult the agency responsible for pesticide regulation.

ANY USE OF THIS PRODUCT IN AN AREA WHERE USE IS PROHIBITED IS A VIOLATION OF FEDERAL LAW. Before using this product, you must consult the Atrazine Watershed information Center (AWIC) to determine whicher the use of this product is prohibited in your watershed. AWIC can be accessed through www.atrazine-watershed.info or 1-866-365-3014. If use of this product is prohibited in your watershed, you may return this product to your point of purchase or contact Turf Care Supply Corp. for a refund.





3/5

Atrazine 0.92% Plus Fertilizer

WEEDS CONTROLLED OR SUPPRESSED

Annual Bluegrass (Poa annua) Annual Sowthistle Clover Black Medic Blue Toadflax Bull Paspalum Buckhorn Plantain Bur Clover Carolina Geranium (Cranesbill) Chickweed (Common and Mouse Ear) Cocklebur Common Dandelion Common Purslane Craborass

Crowfoot Grass

Cudweed

Cutleaf Evening Primrose
Dichondra
Dichondra
Dollarweed
Florida Beggarweed
Florida Betony
(Rattlesnake Weed)
Florida Pusley
Fragrant Cudweed
(Rabbit Tobacco)
Henbit
Knotweed
Lambsquarter

Fragrant Cudweed (Rabbit Tobacco)
Henbit
Knotweed
Lambsquarter
Lespedeza
Lippia (Matchweed)
Moneywort
Moming Glory
Narrowleaf Vetch
Parsley-Piert

Oxalis (Common and Yellow Woodsorrel) Pigweed Purslane Ragweed Red Sorrel Rescuegrass Sandspur Shepherds Purse Sicklepod Spotted Spurge Spurweed

Swinecrest Venus Looking Glass Virginia Creeper Wild Mustard Wood Sorrel

Stinging Nettle

NON-AGRICULTURAL REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. <u>Do not enter</u> or allow others to enter the treated area until dusts have settled. If soil incorporation is required after the application, do not enter or allow others to enter the treated area (except those persons involved in the incorporation) until the incorporation is complete. If the incorporation is accomplished by watering-in, do not enter or allow others to enter the treated area until the surface is dry after the watering-in.

IMPORTANT: In addition to providing turfgrass with required plant nutrients this product will control both "weeds that are present" and "weeds germinating from seeds"

FOR WEEDS THAT ARE PRESENT: Includes broadleaf weeds from the list such as: Chickweed, Creeping Charlie, Dandelion, Evening Primrose, Florida Betony, Florida Pusley, Lippia, Oxalis, Pigweed, Plantain, Rabbit Tobacco, and Toadflax.

FOR WEEDS GERMINATING FROM SEEDS: Applied before weed seeds germinate, includes grassy weeds from the list such as: Crabgrass, Paspalum, and Spotted Spurge.

WHERE TO USE

FOR CONTROL of weeds in St. Augustine and Centipede grass in or on residential lawns, corporate lawns, parks, recreational areas, golf course, cemeteries, and athletic fields.

NOT FOR USE on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

NOT FOR USE on Bluegrass, Fescue, Bentgrass, Bahiagrass, Ryegrass, Bermudagrass, or Dichondra lawns.

WHEN TO APPLY

Best weed control will result if applied before weeds sprout since the product acts as a "pre-emergent" and also as a "post-emergent" herbicide. Established weeds are harder to kill and may require an additional application in the fall or spring. For newly seeded centipede, wait until grass has been mowed at least once. Do not plant "springs" within one month after application, or seed within 6 months after application. For broadleaf weeds apply anytime the weeds are present and actively growing. Apply in early Spring for best control (January 1st – March 1st), otherwise it may be applied up to June 15th with good weed control.

For pre-emergence weed control (see above) apply before seeds germinate. A fall application will be needed for control of certain annuals such as Chickweed, Henbit, Rabbit Tobacco, Florida Betony and Evening Primrose. In case of heavy weed infestation or low soil moisture, a repeat application may be necessary. Wait 2 months for a repeat application. Apply when air is calm to prevent particle wind drift. Apply this product only when grass blades are dry. To verify proper application timing consult your State Agricultural Extension Service, Turfgrass Specialist.

USE PRECAUTIONS

Sweep product off walks and painted surfaces following application to avoid possible discolorations. Do not apply this product on or over the root zone of ornamental trees and shrubs, nor to bedding plants, flowers, or garden plants since injury to these plants may result. Do not apply to lawns containing grasses or mixtures of grasses other than St. Augustine or Centipede grasses, since injury to those other grasses may result.

EPA REG. NO. 82757-2 EPA EST. NO. 82757-FL-001 (S) First letter of lot code indicates manufacturing site.



F1595 Manufactured by: Turf Care Supply Corp. 722 Webster Turn Drive Sebring, FL 33870

DO NOT APPLY THIS PRODUCT IN A WAY THAT WILL CONTACT ANY PERSON OR PET, EITHER DIRECTLY OR THROUGH DRIFT. KEEP PEOPLE AND PETS OUT OF THE AREA DURING APPLICATION. THIS PRODUCT MUST BE WATERED IN IMMEDIATELY AFTER APPLICATION. DO NOT ENTER OR ALLOW OTHERS (INCLUDING CHILDREN OR PETS) TO ENTER THE TREATED AREAS (EXCEPT THOSE INVOLVED IN THE WATERING) UNTIL THE WATERING-IN IS COMPLETE AND THE SURFACE IS DRY.

HOW TO APPLY

Apply 3.74 lbs to 5.00 lbs product uniformly over 1,000 sq ft of lawn area (equivalent to 1.5 – 2.0 lb Atrazine a.i. per acre). Use the lower rate for average weed problems; the higher rate for heavy weed populations. Do not exceed listed rates. Do not apply more than 4 lb a.i. Atrazine (2 applications at 5.00 lbs product rate) per acre per year. Apply to dry grass. This product must be watered in immediately after application.

Application with rotary or pendulum spreaders is suggested for uniform distribution. Consult your spreader manual or spreader manufacturer to determine proper application rates and spreader settings. You may need to adjust the setting depending on the walking speed, spreader condition, and product.

After application, sweep or blow any residual fertilizer on paved or other surfaces back onto the turf area.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal

PESTICIDE STORAGE: Store product in original labeled container in a cool, dry, locked place out of reach of children.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State and/or local procedures. Or call (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

<u>SPILL</u>: In case of spill, sweep up material and dispose of material according to "product disposal" directions listed above.

WARRANTY

Turf Care Supply Corp. warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label only when used in accordance with label directions under normal conditions of use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW TURF CARE SUPPLY CORP. MAKES NO OTHER EXPRESS OR IMPLIED WARRANTIES EITHER OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE. Handling, storage and use of the product by Buyer or User are beyond the control of Turf Care Supply Corp. and Seller. Risks such as crop injury, ineffectiveness or other unintended consequences resulting from, but not limited to, weather or soil conditions, presence of other materials, disease, pest, drift to other crops or property or failure to follow label directions will be assumed by the Buyer or User. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE WILL TURF CARE SUPPLY CORP. OR SELLER BE HELD LIABLE FOR CONSEQUENTIAL, SPECIAL OR THIS PRODUCT.

Information concerning the raw materials contained in this product can be obtained by writing to: Turf Care Supply Corp., Attn: EHS Dept., 50 Pearl Road, Suite 200, Brunswick, Ohio 44212, referring to the item number found on this bag.

If this product is being sold in a state requiring the publication? of information regarding its metal content, information regarding the contents and levels of metals in this product is available at the following websites: http://www.tuncaresupply.condnetals.htm or by calling 1-877-220-1014. c C c

TCS GrowStar[®] is a Registered Trademarkof Turf Care Supply Corp.

Net Weight: 850 lb (22.7 kg)

Lift Care™

