

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

July 11, 2019

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Sherri Gray Authorized Representative for Vital Solutions, LLC. Vital Solutions, LLC. P.O. Box 9932 West Palm Beach, FL 33419

Subject: Notification per PRN 98-10: Minor Label Revisions for Marketing Claims Product Name: VITAL OXIDE EPA Registration Number: 82972-1 Application Date: May 31, 2019 Decision Number: 552329

Dear Ms. Gray:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Melanie Bolden at (703) 347-0165 or via email at Bolden.Melanie@epa.gov.

Melanie Bolen for

Demson Fuller, Product Manager 32 Antimicrobials Division (7510P) Regulatory Management Branch I Office of Pesticide Programs

VITAL OXIDE®

ACTIVE INGREDIENTS

| Chlorine Dioxide | 0.200% |
|--|----------|
| Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) | |
| dimethyl benzyl ammonium chloride | 0.125% |
| Alkyl (68% C ₁₂ , 32% C ₁₄) | |
| dimethyl ethylbenzyl ammonium chloride | 0.125% |
| OTHER INGREDIENTS | .99.550% |
| Total | 100.000% |
| | |

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: (optional text)

NOTIFICATION

82972-1

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

07/11/2019

FIRST AID: If in eyes: Hold eye open and rinse slowly with water 15-20 mins. Remove contact lenses after first 5 mins. and continue rinsing. Call a Poison Control Center or doctor for treatment advice. Have product container or label with you when calling a poison control center or doctor, or going for treatment

STORAGE AND DISPOSAL: Store in original closed container in a cool, dry, place away from heat and open flame. Do not allow product to become overheated in storage. Avoid prolonged storage temperature above 40°C, 90°F. This may cause increased degradation of the product, which will decrease product effectiveness. Non-refillable -or- Refill only with this product. Do not reuse or refill this container unless the directions for use allow a different (concentrated) product to be diluted in the container. Container Disposal: Rinse and offer empty container for recycling. If recycling is not available, discard container in trash. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Discard excess or used (product) solution in drain with running water.

To refill [spray bottles]:

[Remove]

1. Remove trigger sprayer-or-cap from empty bottle.


[Pour]

2. Unscrew cap on refill and pour contents directly into empty bottle.

[Use]

3. Replace trigger sprayer and use as you normally would -or- unscrew cap and transfer your trigger to this bottle.

Manufactured by: Vital Solutions, LLC, PO Box 9932, W. Palm Beach, FL 33419 Made in the USA (may include graphic of American flag) (Formulated by Vital Solutions)






As seen on TV (**_____**) Customer Service: 1-800-303-5405. [<u>www.vitaloxide.com</u>] Visit us at-or- For MSDS information (*Insert company website*)

[Contains no CFC's or other ozone depleting substances(







[Carpet and Rug Institute Seal of Approval Pet Stain and Odor Cleaning Chemical (

[[Use your phone to] go here -and/or- scan [[the] tag -or- [this] code] to learn -or- get -or- see [more] uses ~or" information [on how-to-use [This Product]] –or [how-to] tips -or- [how-to [-use]] videos]





{No rinse required for food-contact surfaces (D-2)}

EPA Reg. No. 82972-1 EPA Est. No. 85804-NC-1 EPA Est. No. 29909-CA-1 EPA Est. No. 58455-IN-1 EPA Est. No. 71681-IL-1 (See batch code for actual establishment number) NOTICE: Seller expressly warrants that the product conforms to its chemical description. There are no other warranties associated with the sale of this product.

[GUARANTEE –If you are not satisfied with this product for any reason, send your written request for a refund and your reason for the return to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.]

[Questions or Comments? Call 1-800-645-5154 or visit our website at www.natures-miracle.com]

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Test fabric for color fastness. Contains a dilute oxidizing agent. Do not mix with vinegar or acidic cleaners.

{Always refer to manufacturer's care instructions before using equipment or devices}

Pre-cleaning Instructions: Remove visible soil by cleaning. Spray product straight onto soils, scrub and wipe clean with a dry paper towel or cloth. For cleaning floors add one cup product per gallon of water in bucket and clean with sponge, mop, or pad.

Cleaning and General Claims:

To Clean [Nonporous] Surfaces -and/or- Floors dog crates and litter boxes: Spray soiled area, then wipe clean, -or- For spot cleaning, spray and wipe clean with damp sponge -or- mop or cloth.

For hard to reach areas, apply electrostatic, compression sprayer or misting device.

To Spot Clean Carpet: Spray on soiled area until wet. Gently blot area with a clean, damp, color safe cloth. Repeat as needed for (for stubborn stains). Let air dry.

To Use as a Pre-Spray (Pre-Cleaner) on Carpet. Spray a light even coating over the soiled area (until wet).

CLEANING MOLDS and MILDEWS on Carpet:

Successful treatment of carpet and textiles requires that cleaning removes sufficient visible mold growth and that the material can be thoroughly moistened by the product. Mold infested carpets and textiles are difficult to adequately clean If carpet or textile is not readily accessible for application of product to obtain thorough wetting the carpet or textile must be removed and discarded in a manner consistent with application regulations and instructions.

Cleaning Methods:

For small spots of mold growth, apply product by cloth, hand-spray, electric or compression sprayer, paintbrush, roller, immersion, wipe, brush, sponge or use extraction device with undiluted product to remove mold growth. Dry carpet within 24 hours to eliminate conditions favorable to mold growth. To assist the drying process, the use of fans, dehumidifiers, heaters or other methods of ventilation are encouraged. Please consult with your local county extension office or EPA, (www.epa.gov/mold/moldresoures.html) for more information.

After through drying, the carpet or textile should be vacuumed thoroughly, and the vacuum cleaner bag discarded in a well seal plastic bag or container, if a bagless vacuum is used spray container with undiluted product and let stand for 10 minutes.

After a flood or water damage, vacuum or extract as much water as possible before application. Apply full strength with sprayer until moist to carpet nap and rake or brush in. Allow to remain until dry. For best results carpets should be cleaned before application.

SPONGES To [prevent] [stop] [control] the growth of odor-causing bacteria [in your] sponge[s], spray sponge [with this product] until saturated and let stand 5 minutes.

| Cleaning and General Claims: | • Ideal for use in schools -and/or- daycare-and/or- |
|---|--|
| • 100% biodegradable surfactant | universities -and/or- colleges -and/or- offices |
| •7 in 1 Cleaner Technology | Ideal for use on high touch surfaces |
| • A shining [pure] clean you can see/trust | • Just spray[,] [and] wipe [and you're done] |
| • [Available in] Economical refill | Labor saving no-rinse formula |
| • Bathrooms, sinks and faucets and floor areas | Makes cleaning easier |
| • Brightens | Multi surface cleaner |
| • Cleans | • No added [perfumes] [and] [or] [dyes] |
| Cleans bathroom soils | [and] [or] fragrance |
| Cleans blood stains | No fragrance added |
| Cleans everyday messes | • Fresh Scent |
| Cleans fingerprints | Clean Scent |
| Cleans food stains | • No harsh chemical fumes -or- smell -or odor |
| Cleans rust | -and/or- build-up -and/or- residue |
| Cleans to a shine | • No phosphates |
| • Cleans [up] grease and grime | • No rinsing |
| •Cleans away allergens and odor | • No sticky or dulling residue on hard floors |
| Clear drying | • No sticky residue on carpets |
| | • No VOCs |
| • Compatible with equipment surfaces | Non-abrasive |
| • [Compatible with -or- Suitable] [for use on] | • Non-corrosive |
| equipment surfaces | • Packaging made with [x%] recycled –or |
| • Compatible with -or- Suitable –or compatible | recyclable plastic |
| with equipment surfaces for use on hospital | • Pleasant smell |
| surfaces | Proof is in the clean |
| • Complies with VOC laws | Removes dried on [blood] stains |
| • Cuts -and/or- removes grease -and/or grime | • Smell of clean |
| -and/or- sweat | • Will not harm most hard, nonporous surfaces |
| • Cuts cleaning time | • Will not harm natural stones [Granite, Marble, |
| • Designed -or- Ideal for daily [cleaning] | Travertine] |
| [use] | • Fast & effective cleaning (for pet accidents) |
| • Easy [cleaning] | • For a cleaner, fresher household |
| • Effective [cleaner -or- cleaning] [formula] | • Effectively (removes) (eliminates) tough (dirt) |
| • Fecal matter | (stains) (spots) (and) (grime) |
| • For a cleaner, fresher household | • Spot treatment for (pet stains and odors) (insert |
| • For direct application | usage site) |
| • In testing per Boeing D6-7127Revision P | • Cleans tough (pet spots) (spots) (and) (pet stains) |
| specifications, product conformed to specified tests conducted. | (stains) |
| | (removes) (eliminates) (tough) (dirt) (and) (stains) |
| • For easy cleaning | |
| For terminal cleaningGood for use with microfiber cloths | (pet stains) • X5 Concentrate |
| | • X9 Concentrate |
| • Great for Kitchen[s] -and/or- bathroom[s] [too] | Removes dirt, dust, and common |
| • Ideal for use in gyms -and/or-health clubs- | allergens(**Cockroach, Dust mite and Pet |
| and/or- wellness centers | dander) from (insert usage site) |
| • Cleans beyond the surface | |
| • For a deep clean | • Cleans everyday (pet) messes |
| • Get a true clean (with) (this product) | • Fast and effective cleaning |
| • Okay (suitable) to use daily | • Low-Streak -or- Low-Residue -or- Low-Film -or- |
| •(Okay) (suitable) for daily use | No-Film -or- Clear-Drying -or- Fast drying] |
| | [Formula] [for] [Shiny -or- Multiple Surfaces] |

| •(Okay) (suitable) for weekly use | • A new technology that is [gentle] [mild] enough |
|--|--|
| •(Okay) (suitable) for monthly use | to use around your familyon the surfaces they |
| •(Okay) (suitable) for regular use | touch the most |
| •(Okay) for everyday use | • Contains no [artificial] [fragrances] [or] [dyes] |
| • Great (cleaning) on your carpet | • [Contains] no [harsh] [harmful] [lingering] |
| (Money back) (Satisfaction) (Guarantee) (or your | [cleaning] chemicals |
| money back) (or its) (yours) (free) | • [Controls] [prevents] [stops] the growth of odor- |
| • Guaranteed to remove stains & odors or your | causing bacteria in sponges |
| money back | Deodorizes sponges |
| Satisfaction guaranteed or your money back | • For a cleaner, fresher [bathroom] [kitchen] |
| • No Fragrance added formula does not require | [home] [house] |
| rinsing | • [Gentle] [mild] enough to use around [children] |
| Leaves no [harmful] [chemical] residue | [kids] [babies] [your family] |
| • Safe for surfaces that water won't harm | [food] [pets] [dogs] [cats] |
| • [Gentle] [mild] enough to use on all kitchen | • Great for cleaning [all around] [the] [house] |
| surfaces | [home] [kitchen] • Great for cleaning just spray [and] [wipe] [walk |
| • [Gentle] [mild] enough to use without gloves | away] [no rinsing -or- wiping [is] necessary] |
| • Great for [daycare] [lavatory] [restaurant] | |
| [office] [school] use! | • Spray on pet chew toys, no rinse required |
| • Does not cause damage to device glass, | •Reduces the spread of germs on treated surfaces |
| touchscreen glass or surfaces, keyboards, | • Spray on animal chew toys |
| computer terminals | • No worries about pet licking after cleaning |
| • Use to keep (pet cages) (dog crates) (cat crates) | Worry Free Use in Nursery |
| (pet areas) clean | • Tough on dog urine, feces, vomit, drool and |
| • Worry free use in (kennels) (litter box) (pet | other stains and odors |
| areas) | • Tough on cat urine, feces, vomit, drool, hairballs |
| • Worry Free Use On Toys | and other organic stains and odors |
| • Eliminates tough dog messes | • For use on carpets, floors, furniture, fabrics, litter |
| • Eliminates dog odors caused by bacteria | boxes and more |
| • Eliminates tough cat messes | • Spot remover |
| • Eliminates cat odors caused by bacteria | • Tough on litter box stains and odors [messes] |
| • Spot remover | Maximum Cleaning, Minimum Effort |
| • Guaranteed to work or your money back | Multi-Surface Formula |
| [Brand Name]the toughest pet stain & odor | • Cost effective and Time Efficient when used |
| removing brand you trust because it works! | with [the] [insert applicator/sprayer name] |
| • When used with [the] [insert applicator/sprayer | • Prevents the growth of odor-causing bacteria |
| name]: use 65% less solution than a trigger sprayer | • No after odor |
| • When used with [the] [insert applicator/sprayer | |
| name]: 70% faster application than a trigger | |
| sprayer | |
| • When used with [the] [insert applicator/sprayer | |
| name] covers YY where YY (9000 ft ²) (8000 ft ² | |
|) (1000 ft ²) with a single bottle | |
| • Approved for [use in] [the] [insert | |
| applicator/sprayer name] [System] | |
| _ apprication optager mannel [0] sterni | |

Deodorization:

To Deodorize: Product works by oxidation, not by masking of odors. Eliminates odors caused by fire smoke, tobacco smoke, musty odors, stale-cooking odors. Simply spray, fog, or wipe on full strength and let air dry. When fogging to deodorize apply 1 quart per 2000 cubic ft. following fogger manufacturer's directions for use. Product must come into contact with the cause of the odor to be effective. For pet urine stains in carpet, blot urine as dry as possible then saturate stain with Product through carpet pad.

To DEODORIZE HVAC System Ductwork: Spray Product into system intake vents while system fan is running. Allow enough spray time for Product to contact air duct system surfaces, Repeat application as necessary.

To Deodorize or Freshen Carpet: Spray until slightly damp to eliminate (pet) odors. Product must come in contact with the cause of the odor to be effective.

| Claims: | Deodorizations by air claims: |
|---|---|
| HEAVY DUTY ODOR ELIMINATOR | • Air odor (eliminator) (deodorizer) (fighter) |
| • Fragrance free | • Controls odors in the air |
| • Contains no heavy metal, optical brighteners or dyes | • Controls (the toughest) (tough) (kitchen) (and) |
| • Deodorizes [-and/or- disinfects -or- helps deodorize] | (bathroom) (pet) odors (in the air) |
| • Deodorizer [for institutional use] | • Deodorizes (the air) with a (new) (fresh) (pleasant) |
| •Deodorizes food odors [like garlic and onion] [left | (clean) fragrance |
| behind on kitchen surfaces] [after cooking] | • Eliminates (pet) (food) (bad) odors (in the air) |
| Eliminates mold odors | • Fights odors in the air |
| • Eliminates odors caused by bacteria [and non-fresh | • Gets rid of odors in the air |
| foods] | • It's ok to spray (to deodorize) (eliminate odors) |
| • Eliminates -or- reduces [kitchen] odors [in the trash | (make your home smell fresh and clean) |
| can –or recycling bin odors -or- smells] [caused by | • Leaves your home smelling clean and fresh |
| bacteria] | • Leaves your home (air) smelling clean (and fresh) |
| • Eliminates pet odors caused by bacteria | • Leaves a fresh clean scent |
| • Eliminates tough odors | Long lasting freshness |
| • Kills odor-causing bacteria in the kitchen -or- | • (Now) Freshens (deodorizes) (the air) |
| bathroom | • (Now) Freshens (deodorizes) (the air) and kills |
| • Kills odor-causing bacteria | (odor) bacteria on surfaces |
| • Kills -or- eliminates bacteria that cause [bad] odors | • Odor (fighter) (eliminator) (elimination) (for the air) |
| Odor eliminator | • Perfect for eliminating your toughest odors (in the |
| Removes -or- eliminates odors | air) |
| •Strong cat odors | , |
| •Strong pet odors | |
| • [This effective product] eliminates odors at their | |
| source. [Does not just mask odors.] | |
| • Deodorizes areas that are hard to keep fresh smelling | |
| • Use to control odors animal kennels | |
| • Use to control odors barn stalls. | |
| • Eliminates urine and other strong pet odors {cat} | |
| {dog} | |
| Eliminates pet odors | |
| • Pet waste odors | |
| • Cat Urine | |
| Fecal Odors | |
| Eliminates strong ammonia odors | |
| Eliminates strong sulfur odors | |
| • Heavy duty odor eliminator removes strong, deep set | |
| pet odors | |
| • Deodorizes as it cleans | |

Allergen Removal:

To [clean and] reduce specified allergens: [Set trigger to SPRAY.] Spray, [wait 1 minute]., and wipe excess. [Rinse.] Allow to air dry. [If streaking is observed, wipe with a clean, damp [cloth or] paper towel.]

Allergens:

- Cockroach matter -or- particles
- Dust mite matter -or- particles
- Pet dander -or- dog and cat dander

Claims:

- Reduces dust mite matter -or- particles, cockroach matter –or particles, and pet dander allergens
- Reduces Allergens[!])
- Removes Allergens
- Removes allergen from your home
- Cockroach matter -or- particles
- Dust mite matter -or- particles
- Pet dander -or- dog and cat dander
- Reduces allergy-causing particles, such as pet dander, and dust mite matter
- No rinse Pet dander -or- dog and cat dander eliminator

Fungicide:

To Kill Fungus on hard, non-porous surfaces: Remove visible surface dirt by cleaning. [apply] [spray] [mist] product to the surface until thoroughly wet for 10 minutes. Re-apply when cleaning or when new growth appears.

For effective control of the fungus *Trichophyton interidigitale*, the surface must be completely wet with product for 10 minutes.

MILDEWSTAT:

For Mold or Mildew on Floors, Walls, Ceilings & Fabric: Remove as much surface dirt, mold, or mildew as possible by cleaning. Then spray on product [from a distance of 12 inches] until visibly wet and let air dry, the surface must be completely wet with product for 10 minutes.

TREATMENT TO [INHIBIT][CONTROL][PREVENT][STOP] MOLD: DIRECTIONS FOR USE:

Product can be used as part of a comprehensive mold remediation or water damage restoration program, including [this should also include]:

For use on hard, non-porous surfaces: Surfaces treated must be completely wet with product for 10 minutes

Monitoring for conditions favorable to mold growth such as [moisture ingress] [water leaks] and high relative humidity. Eliminating conditions favorable to mold growth Drying affected areas to below 20% moisture content. [Product must come in direct contact with mold to be effective.] When water damage is suspected, first eliminate the water source. Next, remove excess water and dry surfaces thoroughly. Product can be used on materials removed for disposal. If excess water is removed within 24 hours [and surface is thoroughly dried], spraying affected surfaces, with Product will [inhibit] growth. [Structural members and/or contents] [Building materials] exposed to water in excess of 24 hours may have extensive microbial growth that is not visible. Prepare a complete assessment and remediation plan to incorporate Product use.

Recommended Mold and Mildew Remediation Websites IAQA —Indoor Air Quality Association (<u>www.iaqa.org</u>) EPA – Environmental Protection Agency (www.epa.gov) New York City "Guidelines on Assessment and Remediation of Fungi in Indoor Environments" (www.nyc.gov)

IICRC - Institute of Inspection, Cleaning and Restoration Certification (www.iicrc.org) [Standard and Reference Guide for Professional Water Damage Restoration" (IICRC S500) published by the Institute of Inspection, Cleaning and Restoration Certification (www.iicrc.org)]

(1)Remove heavy soil. [Clean surface soil from contaminated area with Product.] [For best results, [and to avoid possible interference from other chemicals,] use Product for initial cleaning.] [Use a cleaning tool (cloth, cleaning pad) suitable for the surface being cleaned.] [Remove as much dirt and mold as possible][and ensure surface is thoroughly dried.] [In some cases, staining may be irreversible.] [[Do not expect] Product [to] [will not] whiten stains [on contact].]

[2)] Refer to the Preventative Treatment section for application.

[{The following steps may be inserted in place of step 2}

[2)]Apply Product on area until evenly wet.

[3)] [[If desired] [If dry time][If water staining] [is a] [potential] [concern] [To promote drying] [and to avoid residue marks], [use a] [clean cloth] [or] [paper towel] [to] wipe off excess wetness.][with a clean cloth or paper towel.]

[4)] [Allow treated surfaces to dry completely.]

[Remove heavy soil prior to application] [Mold stains may remain visible following treatment] [This is normal] [In this case] [If so] [If mold stains remain] [following treatment] [reapply] [product] [and] [wipe] [or] [scrub] [area] [away stains] [In some cases, staining may be irreversible.] [[Do not expect] Product [to] [will not] whiten stains [on contact]] [If, [following treatment], additional steps are taken to [remove] [or] [cover] [address] [treat] the stain, reapply Product as a final step [per Preventative Treatment section] to protect area from regrowth.]

Large Areas - Total Surface Area Affected Greater Than 30 Square Feet

Areas larger than 30 square feet require special procedures and individuals trained in remediation. Refer to the recommended websites for guidelines on remediation. Before using Product to mitigate large areas, you should understand one or more of these guidelines. Follow these guidelines to apply Product. [When water damage is suspected, first find the source of water and eliminate it. Next, remove excess water [and surface thoroughly dried] [and thoroughly dry surfaces]. See IICRCS500 (Recommended Websites) for guidance on water removal. If excess water is removed within 24 hours [and surface thoroughly dried], spraying affected surfaces with Product will [inhibit] [prevent] growth.] [[Structural members and/or contents] [Building materials] exposed to water in excess of 24 hours may have extensive microbial growth that is not visible. Prepare a complete assessment and remediation plan to incorporate Product use, provide for user and occupant safety and to document and monitor the remediation process. Product can be used on materials removed for disposal and in other applications where antimicrobial use is indicated.

REAPPLICATION:

Reapply weekly or when growth or odor reappears. Determine and correct the cause of re-growth [and ensure the surface has been thoroughly dried] before reapplication. Reapply [Product] if surfaces are washed or painted.

[Reapply weekly on hard surfaces and [monthly] [every 28 days] on fabrics, or whenever [new growth] [mildew] [mold] [regrowth] appears.]

PERSONAL PROTECTION EQUIPMENT SUGGESTIONS FOR APPLICATORS

For areas less than 30 sq. feet, an N-95 respirator, gloves and goggles/eye protection are recommended to avoid mold or mold spore exposure. For areas greater than 30 sq. feet, use an N-95 respirator or half-face respirator with HEPA filter, disposable overalls, gloves and goggles/eye protection.

Mildewstat Claims:

MOLD & MILDEW [CONTROLLER][PREVENTER][INHIBITOR] *INHIBITS MOLD & MILDEW* ON HARD SURFACES & FABRIC

• [Inhibits] [Controls] mold -and/or- mildew

- Mold -or- mildew controller
- [This product] controls mold growth on hard and soft surfaces.
- This product inhibits growth of mold and mildew on surfaces
- [Control][Prevent][Inhibit] Mold and Mildew on Hard surfaces
- Inhibits [mold] [musty] odor [caused by mold and mildew]
- All in one cleaner, disinfectant, [and -or- &] mold growth inhibitor -or- blocker

• [Control][Prevent][Inhibit] and Keeps mold [& mildew] from growing for 1 week -or- 7 days -or- for up

to -or- as long as 1 week -or- 7 days

• [Control][Prevent][Inhibit] and Keeps mold [& mildew] from growing for up to -or- as long as 4 weeks on soft surfaces-or- 3 weeks on soft surfaces -or- 2 weeks on soft surfaces-or- 1 week-or- 7 days

• [Control][Prevent][Inhibit] and Keeps mold from[reappearing] [re-growing]as long as 4 weeks on soft

surfaces -or- 3 weeks on soft surfaces -or- 2 weeks on soft surfaces -or-1 week-or- 7 days

• [Controls][Prevents][Inhibits] mold and mildew at its roots

• Actively combats the growth of mildew

Fungicide Claims:

- [Attacks][Controls] [Inhibits][Stops][fungus] Trichophyton interidigitale at its roots
- Gets into and [attack][control][inhibit][stop]fungus even in hard to clean places -
- [Kills][Controls][Inhibits][Stops][fungus] Trichophyton interidigitale at its roots

• [Kills][Control][Inhibit][Stop][fungus] *Trichophyton interidigitale* in hard to clean areas [places] [such as caulking, corners, crevices, cracks)

- Penetrates to [kill][control][inhibit][stop]and destroy tough[fungus] *Trichophyton interidigital*-and bacteria at its source
- Penetrates to [kill][control][inhibit][stop][fungus] Trichophyton interidigitale in hard to clean places
- All in one cleaner, disinfectant, fungus [controller][inhibitor]

• [Control][Inhibit][Stop] 99.9% of [fungus] *Trichophyton interidigitale* and keeps -or- inhibits it -or- growth from coming back [for 1 week-or-7days] -or- [up to-or- as long as 1 week-or- 7 days].

HVAC:

DIRECTIONS FOR USE: FOR ANTIMICRIOBIAL CONTROL IN HVAC SYSTEMS AND AIR DUCTS (INCLUDING ODOR CAUSING BACTERIA, MOLD FUNGUS AND ODOR-CAUSING FUNGI)

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

THE PERSON APPLYING THIS PRODUCT IS RESPONSIBLE FOR FOLLOWING THESE DIRECTIONS UNDER BOTH STATE AND FEDERAL LAWS.

1.0 General

This Product is designed to be used as one component of a comprehensive HVAC and duct maintenance program. The purpose of such a program is to assure that the HVAC system and ducts function in the manner they were designed to, remain free from mold and other microbial growth and other contamination, and continue in that condition. This Product should only be used in only those cases where visible microbial growth has been detected in the system and then only after removing that growth and identifying and correcting the conditions that led to that growth. It may also be used to inhibit growth on surfaces that normally become wet during operation of the system. These normally include (but are not limited to) evaporator coils, uninsulated piping, condensate drain pans, drain lines, silicon caulks, mist eliminators and cabinet housing components subject to wetting by mist or carryover of water. If you need help in understanding any part of these instructions or have additional questions after reading these instructions, DO NOT APPLY THIS PRODUCT until you have received the answers for all of your questions.

2.0 Inspection

Prior to inspecting, cleaning, treating, repairing or otherwise working on the HVAC or duct section, the HVAC system should be turned off or the section under repair physically isolated from sections in active use. Prior to any application of PRODUCT the system must be inspected for cleanliness and mechanical condition. When initiating any measures to repair, clean or treat HVAC system components or air ducts, industry standards from the American Society of Heating and Refrigeration Engineers (ASHRAE), National Air Duct Cleaners Association (NADCA), Indoor Air Quality Association (IAQA) and other organizations must be followed. HVAC systems should be routinely inspected for cleanliness by visual means. The NADCA Standard, Assessment, Cleaning and Restoration of HVAC Systems (ACR 2002 or the latest revision), provides minimum recommended inspection frequency schedules for ducts and other system components. More information on NADCA standards can be obtained from the NADCA web site at www.nadca.com.

2.1 Cleanliness Inspection

According to NADCA Standards, HVAC system cleaning must be performed when any of the following conditions are found in the cleanliness inspection. If any of these deficiencies are found during inspection, cleaning in accordance with industry standards must be performed prior to the application of PRODUCT. At a minimum, these standards require removing all loose soil and debris with a HEPA filter equipped vacuum cleaner and complete cleaning of soil from all heat exchange surfaces using a special cleaner formulated so as to clean such soils effectively yet not damage heat exchange components or release unpleasant or potentially damaging fumes.

2.1.1 Contamination

• HVAC systems should be operated in a clean condition. If significant accumulations of contaminants or debris are visually observed within the HVAC system, then cleaning is necessary. Likewise, if evidence of microbial growth is visually observed or confirmed by analytical methods, then cleaning is required.

• If the HVAC system discharges visible particulate into the occupied space, or a significant contribution of airborne particles from the HVAC system into the indoor ambient air is confirmed, then cleaning is necessary.

• Heat exchange coils, cooling coils, air flow control devices, filtration devices, and air-handling equipment determined to have restrictions, blockages, or contamination deposits that may cause system performance inefficiencies, air flow degradation, or that may significantly affect the design intent of the HVAC system, require cleaning.

• Drain pans must be free from slime and sludge or other contamination. Badly rusted or corroded drain pans must either be repaired or replaced.

• Fans and fan housings must be free from accumulations of microbial growth and particulate matter.

• Filters must be in good condition and cleaned or replaced as needed to avoid exceeding the allowable pressure drop for the equipment.

If you need help in understanding existing industry standards, consult a qualified professional or contact Customer Service at 1-800-303-5405 for guidance and further direction or consult the information at <u>www.epa.gov</u> (search on "HVAC Systems" or "air ducts"). In addition, the following association and society Internet sites should be consulted for information on standards and guidelines they have developed:

ACCA - www.acca.org ASHRAE - www.ashrae.org NADCA - www.nadca.com

NAIMA - www.naima.org

SMACNA - <u>www.smacna.org</u>

2.2 Mechanical Inspection

PRODUCT must be used only on HVAC system components and air ducts in sound mechanical condition as defined in 2.2.1 and 2.2.2 (below). The HVAC system components must be designed and installed in conformance with industry standards and guidelines. Prior to using the Product, inspect the

HVAC system and ducts and assure that they are in sound mechanical condition. The following general guidelines, supplemented by industry standards from SMACNA, NAIMA, ASHRAE, ACCA and other organizations, must be followed:

2.2.1 Air Leaks and Mechanical Defects

The equipment housing, cabinets and ducts must be free from air leaks and other mechanical defects. Air leaks will promote condensation of water that causes microbial growth and will lead to failure of PRODUCT to protect the system adequately.

2.2.2 Design and Installation

ASHRAE, SMACNA, NAIMA and other industry organizations have established guidelines and standards for the design and installation of HVAC and duct systems. You should determine that the system components you wish to treat conform to industry practice. If you are not knowledgeable of industry guidelines and standards, consult a qualified professional or contact Customer Service at 1-800-303-5405 for assistance. In some situations, the inspection may reveal that a component of the HVAC or duct system is badly damaged or in such poor operating condition that it cannot be corrected through cleaning and/or minor repair. In these situations, the system should be replaced or rebuilt in conformity to the applicable industry standards prior to using PRODUCT. Some (but not all) of the conditions that would indicate the need for major repairs or replacement of the system include:

• Improper size of system or component - The system and all components must be sized to achieve correct airflow and be of the proper capacity for the load. When air-handling equipment is changed or new inlets or outlets added, the size of all components in the system should be recalculated and replacements made as needed.

Physical damage - Crushed or physically damaged equipment may leak or fail to perform as designed. Deformed air ducts will restrict airflow and may leak (especially at joint areas). Damaged equipment must be repaired or replaced or if there is extensive damage, the entire system should be replaced.
Badly corroded metal components including duct sections, housings and cabinets, coil assemblies, drain pans, fans and their housings and heat exchange surfaces.

• Loose, damaged, friable or missing insulation - Insulation is important in preventing moisture condensation and subsequent growth of mold and other organisms. If insulation (either interior or exterior) is damaged, missing or not properly fastened it must be repaired or replaced or the associated duct sections replaced. Air handler, mixing, and VAV box housings are also normally insulated and this insulation should be checked for damage in a like manner. Removed components that are contaminated with mold and other microbial growth may spread contamination while being removed from the building. To prevent this, smaller items should be placed in plastic bags that should then be sealed before being removed. Larger items that cannot be safely packaged should be treated before being moved through occupied spaces. An appropriately labeled disinfectant can be used during treatment. Care must be used during treatment to assure that fumes from the agent being used are not released into occupied spaces. Products used should be used according to their label directions. Please contact Customer Service at 1-800-303-5405 for guidance on the appropriate disinfectant to use for treatment.

3.0 General Directions for PRODUCT usage PRODUCT effectively controls by inhibiting growth of odor causing bacteria, fungi, and other odor, stain or damage causing organisms in HVAC system components and air ducts in residential, commercial, institutional, and industrial buildings. PRODUCT also eliminates odors associated with bacteria, mold, mildew, smoke, animals, cooking, spoilage, musty and other odors and removes odor-causing organisms when used as part of such a comprehensive preventative maintenance program in HVAC systems and air ducts. PRODUCT is a bacteriostat, fungistat (mold and mildew), mildewstat and deodorizer for use in residential, commercial and industrial settings. It will not stain or bleach materials or fabrics and will not harm or damage HVAC system components.

PRODUCT is formulated for use in all kinds of HVAC components and air ducts including:

• Furnaces.

• Air Handlers.

• Packaged units including Rooftops and Packaged Terminal Air Conditioner (PTAC) units.

• Fan coil units.

• Air distribution components such as air handlers, mixing boxes, transfer boxes, transitions, and turning vanes, dampers, fans and fan housings, and associated components.

- Condensate drain pans.
- Unlined sheet metal ducts.
- Air supply and return ducts and plenums fabricated with plywood, OSB or other wood like material.
- Flexible air ducts fabricated of metal or plastic.
- Humidifiers.
- Dehumidifiers; both Desiccant and Refrigerated.
- Registers, Grills and other air intake and discharge devices.

Follow the directions below for the specific type of duct or component being treated. It is vital that the following directions be carefully read and understood prior to using the Product. If you have any questions, need further information, require clarification, or do not understand any of the directions, call Customer Service at 1-800-303-5405 prior to use.

3.1 Application Instructions

Wet the surfaces with the spray, giving special attention to cracks and crevices.

[Product] will not stain any materials not stained by water] we suggest testing for compatibility on surface of concern first. Allow ten to twenty minutes for drying. No rinsing or wiping is required. Following the elapsed drying time it is best practice to purge the system, by increasing the negative pressure through the outdoor exhaust or negative air machine or by turning

increasing the negative pressure through the outdoor exhaust or negative air machine or by turning on the vacuum used to pre-clean the HVAC system, while removing the duct openings seals. This will minimize the release of scent into the spaces served by the system.

3.2 Application Equipment and Devices

Refer to the precautionary statements for the Personal Protective Clothing and other special instructions that must be followed.

3.2.1 Spray Applicators

Spray application is preferred on large surfaces that are easily accessible (such as plenums, coil assemblies, the interior of cabinets, housings with removable access panels, and in long runs of large diameter ducts). The spray equipment chosen should provide a consistent fine (1-300 micron) particle size and uniform spray pattern. Powered medium pressure sprayers are preferred. However, airless sprayers are suitable. Where airless sprayers are used, the most satisfactory spray pattern will be achieved using a 0.01 1" spray tip. For other brands and options contact Customer Service at 1-800-303-5405. Pump up garden type sprayers can be used but care must be taken to maintain maximum pressure by pumping frequently and the spray nozzle must be adjusted for the finest spray pattern possible. During application achieve complete uniform coverage. Avoid excessive wetting and do not allow the spray to run or pool.

3.2.2 ULV or Mist Generating Sprayers

ULV or mist or other wet small particle application is preferable where surfaces are irregular or less accessible. Equipment capable of generating particles in the 15 to 60 micron range is most satisfactory. Avoid use of thermal type fog generators. Contact Customer Service at 1-800-303-5405 for information on other devices. Generally a fog will carry and provide adequate coverage up to 8 feet from the point of application so adequate penetrations must be cut in cabinets or ducts to assure complete coverage without over wetting. SMACNA, NADCA and NAIMA have established standards and guidelines for making and sealing openings in HVAC system components and ducts. Operators should be trained on proper application techniques as well as correct duct penetration and sealing procedures using these standards and guidelines. Operators should also carefully read and follow directions for the brand of equipment used. Customer Service personnel should be contacted at 1-800-303-5405 for information on training for using various types of equipment. Housing and duct penetrations should be properly closed following application, in accordance with industry standards.

3.2.3 Automated Atomizing or Spray System

There are a number of automated spraying systems on the market including those that are carried by a "robot" through air ducts. These may provide an excellent option for application of PRODUCT in parts of air ducts that are difficult to access if they produce the correct spray pattern and application quantity. These devices must be visually monitored using video or other means while applying spray so proper application rate will be maintained. Please contact Customer Service at 1-800-303-5405 regarding a specific device should you have questions.

3.2.4 Brush, Mop or Wipe Application

Brush, Mop or Wipe Application may be specified by some facility maintenance or remediation plans. These techniques are generally more labor intensive than other methods and are normally used only when specifications require. These methods are suitable only for smooth uniform surfaces. Do not use on porous or non-uniform surfaces. If in doubt about a given surface, contact Customer Service at 1-800-303-5405 before proceeding. When using brush or mop application, tools and materials used should be reserved only for application of PRODUCT, kept clean and protected between uses and replaced when worn or visibly soiled. Natural fiber brushes are preferred although any quality brush is acceptable. Mops should be of the types that leave minimal lint behind. Micro-fiber or other non-linting cloths are preferable. Where other types of cloths are used, they must be soft enough that they absorb a sufficient quantity of liquid to provide uniform application. During Brush, Mop or Wipe Application, the applicator must have access to the surfaces being treated. Usually this will require entering the component or air ducts. In such cases, application must start from the point most distant from the point of entry. The applicator will then work from that point back to the entry point covering a 3-foot length of duct at a time. Apply to the top of the area to be treated first, followed by the sides then the floor. Overlap applications to assure complete coverage. Cover completely while avoiding runs or pooling.

3.3 Application Techniques

PRODUCT must be applied evenly to surfaces that are being treated. Even and uniform application is essential for satisfactory results. The procedures, equipment and techniques described below have been tested and provide the desired results. Other procedures, equipment or techniques may also achieve satisfactory results but should not be used without discussing the specific situation and equipment with a Customer Service Representative who can be reached toll free at 1-800-303-5405.

3.3.1 Application from Exterior of the HVAC System or Air Duct

PRODUCT may be sprayed into existing access openings where these provide adequate access. Normally these consist of removable panels or access doors. Completely cover all nonelectrical components until they are thoroughly and uniformly covered using hand or powered spray equipment. This is the technique of choice for large penthouse or built up air handlers and other components with access panels or doors. When applying to ductwork, spray into openings at a minimum of every 8 feet Existing supply openings can be used where they provide a clear view of the surfaces being sprayed so that uniform application can be achieved. However, additional penetrations will have to be made, as needed, so enough openings will be available to achieve total and uniform coverage. Spray application is not an acceptable technique where openings are greater than 8 feet apart, additional openings cannot be made and properly sealed, and/or the duct geometry does not allow for uniform coverage. In such cases, application from within the HVAC system is necessary (see 3.3.2 below).

3.3.2 Application from Within the HVAC System

When PRODUCT cannot be sprayed into openings at intervals throughout the HVAC or duct system, you must gain entry into the system and spray the Product onto interior surfaces until they are thoroughly and uniformly covered using hand or powered spray equipment. This is the most frequently used technique and is the technique of choice for air handlers, other components with access panels or doors and large diameter (generally 20" x 20" minimum) ducts where direct access can be gained to surfaces being treated. Some protection is provided for drain pans by excess PRODUCT that runs off of cooling coils when they are treated. Spraying PRODUCT, onto the surfaces of the pan or pouring into the drain pan until the bottom of the pan is uniformly wetted, can provide additional protection. Before

treating the drain pan, check to determine that the drain line is clear and free running and that the drain pan is clean and free of loose corrosion. Replace badly deteriorated pans. Drain pans that do not drain completely and retain water may experience microbial growth even when treated. Level drain pans and otherwise adjust them so water completely drains from them.

3.4. Fans and Fan Housings

Fans create air turbulence, which can lead to condensation of water that supports mold and other growth. As a result, fan blade and blower wheel surfaces as well as associated housings are especially prone to fouling from both microbial growth and soil accumulation. It may be necessary to partially or completely remove and disassemble these components so they may be properly cleaned prior to application of PRODUCT. Complete cleaning must take place before attempting to treat these components.

3.4.1 Humidifiers and Dehumidifiers

Because of the amount of water present, humidifiers and dehumidifiers are often sites especially prone to microbial growth. They also attract and hold soil as growth related contamination builds up over time. This accumulated material must be thoroughly removed prior to treatment with PRODUCT. For some units, cleaning may also signal the need to replace pads, belts, wheels or service other components. The manufacturer of the unit being maintained should be consulted on the proper maintenance and cleaning procedure.

3.4.2 Rate of Application

The recommended rate of application for PRODUCT varies depending on the surface being treated. Users of this Product must carefully follow the rate of application instructions provided below:

3.4.3 Bare Metal and Flexible Ducts

Apply until surface is evenly wet. Mist or wipe coverage 1,000 ft^2 per gallon. Spray coverage 500 ft^2 per gallon.

If the above application rates result in surface runoff or liquid pooling on the bottom of the duct, lower the application rate until the surface is thoroughly and evenly wet without runoff or pooling. The exception to this is when treating coil assemblies. In this case, the spray should be applied generously until there is runoff into the drain pan so as to penetrate the coil assembly to the greatest possible depth.

3.4.4 Semi Porous Surfaces such as Concrete or Plaster

Apply until surface is evenly wet. Mist coverage 500 ft² per gallon. Wipe not recommended. Spray coverage 250-ft² per gallon. PRODUCT must penetrate into surface crevices and irregularities or it will not be effective. Inspect and assure that penetration is satisfactory. It may be helpful to apply half of the quantity needed for full coverage spraying from side to side then repeat the application moving the spray from top to bottom.

3.5 Frequency of Application

Normally, infrequent application (every 3 months for HVAC Systems and every 6 months to every two years for air ducts) will provide effective control. Some critical applications such as HVAC and duct systems serving critical health care spaces or clean rooms where it is essential to minimize the generation of particulate matter that may be released as a by Product of microbial growth may require more frequent treatment. Do not apply more often than monthly and then only if there is evidence of regrowth. This Product must only be used in those cases where visible microbial growth has been detected in the system and then only after removing that growth and identifying and correcting the conditions that led to that growth. Prior to reapplication in such cases, investigate to determine the cause of re-growth and correct that problem prior to re-application. Before embarking on a program of frequent application (more frequent than every three months) contact Customer Service at 1-800-303-5405 and discuss the specific application and situation. Also make sure the reoccurrence of microbial growth does not have another cause such as persistently high humidity, standing water or hidden leaks.

Prior to reapplication, the interior of the ducts and other surfaces must be inspected and found to be free

of accumulated soil. If soil or growth is found, the cause should be determined and corrected and then the ducts cleaned in accordance with accepted industry practice. If microbial growth persists in air ducts following application re-inspect for duct leaks, carryover of water from cooling coils or humidifiers and other sources of moisture promoting growth. Eliminate such sources of moisture before retreating.

3.6 Returning the System to Operation following Application

Equipment being treated and the fans and blowers in the section of duct being treated must be turned off during application of PRODUCT. If the system cannot be shut down, the section of the system being treated must be isolated until treatment is complete. This will prevent the spray of fog from being blown away from the surface that is being treated.

Do not attempt to use the system fan or blower to carry PRODUCT to the surfaces within system. Such a practice will not result in uniform application of the Product to the surfaces being treated and will lead to ineffective control. Do not attempt this.

The system can be returned to full operation as soon as treatment is completed or at any time following completion of treatment. PRODUCT will dry on surfaces within 15 minutes following application. Extended drying time does not have an impact on effectiveness of treatment. PRODUCT should not be rinsed off following application so it will continue to inhibit the growth of microorganisms on treated surfaces.

When the above directions are followed properly, there will not be significant concentrations of Product released to the spaces served by a system being treated. There is no need to have occupants leave the building during application.

[Reapply weekly on hard surfaces and [monthly] [every 28 days] on fabrics, or whenever [new growth] [mold][fungus] [regrowth] appears.] Allow product to dry completely.

Sanitization:

To Sanitize Non-food Contact Hard Non-porous Surfaces: *Staphylococcus aureus* (ATCC 6538) and *Enterobacter aerogenes* (ATCC 13048) Mix 1 part product with 9 parts water. Apply product as a one-step cleaner sanitizer (5% organic soil load) by wetting thoroughly and let stand 5 minutes., wipe and allow to air dry. No rinse required.

To Sanitize Hard Surface Flooring using a Device: See Manufacturer's Instructions for Use.

To Sanitize Food Contact Surfaces: *Staphylococcus aureus* (ATCC 6538) and *Escherichia coli* (ATCC 11229) 99.999% sanitization of food contact surfaces. Mix 1 part product to 9 parts tap water. For all food contact surfaces, including glassware, utensils, cookware, and dishware: Scrape and prewash, then wash with a good detergent. Rinse with potable water, then sanitize by immersion in product for 1 minute (or longer if specified by government sanitary code). Place on a rack or drain board to air dry. Do not rinse or wipe. Food Contact Immobile Surfaces: (food processing equipment, counter tops, tables, appliances) Remove all gross food particles and soil by cleaning and rinse with potable water. Apply product by wetting thoroughly and let stand for 1 minute (or longer if specified by government sanitary code). Let surfaces drain and air dry. Do not rinse or wipe. Final Sanitizing Bottle Rinse: (Product) may be used as a final sanitizing rinse for returnable and nonreturnable bottles when diluted at the rate of 9 parts water to 1 part (Product).

To Sanitize Soft Surfaces by Spot Treatment:* Fabrics*: Hold bottle upright 6" - 8" from surface. Spray until fabric is wet. DO NOT SATURATE. Let stand [for] 5 minutes. Allow to air dry. [For difficult odors or heavy fabrics, repeat application.) [Reapply as necessary.] [Visible] soil must be removed prior to sanitizing.

To Sanitize Carpet: For synthetic carpet fibers such as nylon, olefin, or polypropylene – not intended for use on wool carpets. Test for color fastness in an inconspicuous area. Carpet should be clean or free

of excessive soil before applying. Mix 1 part product to 5 parts water. Or use full strength. Apply at a rate of 2.5 oz per sq. ft. product must come into contact with contaminate to work. Allow to dwell for 10 minutes. Do not rinse, use an extraction wand and dry stroke carpet to remove excess moisture. Carpet can air dry or fans may be used if carpet needs to dry faster. (For use in extractor machines.)(Including Hoover carpet extractors).

To use as a precleaner (pretreat) (& sanitize(r)) or postcleaner (posttreat) (& sanitize(r)) : Spray a light even coating over soiled area (until wet). Allow to remain wet for 60 minutes (1 hour) (an hour). (Deep clean following your machine's guide.)

To Sanitize Carpet using a Device: See Manufacturer's Instructions for Use.

To spot sanitize: Spray a light even coating on area until wet. Allow to remain wet for 60 minutes (1 hour) (an hour). Let air dry. Vacuum.

To spot clean & sanitize: Spray a light even coating on soiled area (until wet). Allow to remain wet for 60 minutes (1 hour) (an hour). Gently blot area with a clean, damp, color-safe cloth. Repeat as needed (for stubborn stains). Let air dry. (Vacuum.) (Deep clean following your machine's guide.)

Sanitization Claims: Food Contact Surfaces

- Sanitization of food contact surfaces
- Kills Harmful Bacteria
- Kills 99.999% of Bacteria on hard nonporous surfaces when food contact surface sanitization
- instructions are followed
- Leaves surfaces sanitized
- Sanitizes by killing [99.9% of] the bacteria [on hard, non-porous surfaces]
- Sanitizes [by killing Staphylococcus aureus on] hard, nonporous surfaces in 60 seconds
- Sanitizes hard, nonporous surfaces in 60 seconds when food contact surface sanitization instructions are followed
- The easy way to sanitize food service operations [dining areas, countertops,
- checkouts]
- [Kills] [eliminates] [destroys] [removes] 99.9% of bacteria, including E. coli and
- Salmonella, without leaving a harmful chemical residue
- While it's tough on bacteria, the solution is gentle to both hands and surfaces
- 60 seconds is all it takes to kill [99.999% of] bacteria
- [Kills] [Destroys] [Eliminates] 99.999% of bacteria on hard, nonporous surfaces in 60 seconds
- Kills 99.999% of Bacteria on hard nonporous surfaces

Non-Food Contact Surfaces

- •Carpet Sanitization
- An effective non-food contact surface sanitizer
- Great for use as a non-food contact sanitizer in [insert use sites]]
- Kills Harmful Bacteria on hard and soft surfaces
- Kills 99.9% of Bacteria on carpet
- Leaves surfaces sanitized
- No pre-cleaning required
- One-step sanitizer when the use directions for non-food contact surface sanitization are followed
- One-step cleaner sanitizer when food contact surface sanitization instructions are followed
- Sanitize in one step sanitizer when food contact surface sanitization instructions are followed
- Sanitizes by killing [99.9% of] the bacteria [on hard, non-porous surfaces]
- Sanitizes hard, nonporous surfaces in 5 minutes

- Sanitizes fabrics by spot treatment, and hard surfaces
- Sanitizes hard and soft surfaces by spot treatment
- Sanitize soft surfaces by spot treatment [including –or –on] and/or upholstery and/or bedding and/or curtains and/or sofas
- Use on [couches] [chairs] [blinds] [curtains] [and other soft surfaces]
- Sanitizer and odor neutralizer for soft surfaces by spot treatment and/or hard surfaces

• [Kills] [eliminates] [destroys] [removes] 99.9% of bacteria, including E. coli and Salmonella, without leaving a harmful chemical residue

- While it's tough on bacteria, the solution is gentle to both hands and surfaces
- A proven sanitizer on soft surfaces by spot treatment
- An effective soft surface by spot treatment sanitizer
- Cost effective solution to sanitizing by spot treatment -or- dry cleaning hospital curtains

• Cost effective solution to sanitizing by spot treatment -or- laundering -or- dry cleaning hospital curtains

- Kills 99.9% of bacteria on soft surfaces by spot treatment -and/or- fabrics as a spot sanitizer
- The Smart way to clean and sanitize
- Effective in sanitizing your kitchen –and/or- bathroom surfaces
- Kills Harmful Bacteria on hard and soft surfaces by spot treatment
- Cleans up the pet mess and kills the germs on hard (nonporous) and soft surfaces by spot treatment
- 3 step pet stain and odor removal in one, clean pet stains, sanitize area and neutralize the odor

Disinfection:

DIRECTIONS FOR USE:

The following statement only to be used on institutional labels with medical use sites, medical devices and/or blood borne pathogens:

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product

This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization of high level disinfection. **This product is not to be used as a terminal sterilant/high level disinfectant on any surface of instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contact intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATIONS AGAINST HIV-1, HBV, and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS KILLS HIV-1, HBV, AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and surfaces/ objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Human Hepatitis B virus, and Human Hepatitis C Virus.

When handling items soiled with blood or bodily fluids use disposable latex gloves, gowns, masks, and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal. CONTACT TIME: Allow surfaces to remain wet for 5 minutes for virus inactivation.

TO PRE-CLEAN INSTRUMENTS PRIOR TO TERMINAL STERILIZATION/HIGH LEVEL DISINFECTION: AS A PRECLEANING SPRAY - Place instruments into a suitable container. Spray this product undiluted onto instruments to thoroughly wet all surfaces. Let stand [for] up to 10 minutes]. Rinse instruments. A manual instrument cleaner - Thoroughly pre-rinse dirty instruments under running water to remove visible, gross debris. Immerse pre-rinsed instruments into an appropriate size container filled with this product. Scrub instruments using a stiff bristle brush until visibly clean. Submerge instruments while scrubbing. Rinse instruments thoroughly. Change solution daily. Follow with an appropriate disinfection process. Cleaning of critical and semi-critical devices must be followed by an appropriate terminal sterilization/high-level disinfection process.

Hospitals/Healthcare facilities:

This product [-or- product name] cleans, disinfects and deodorizes hard, nonporous [hospital] [medical] surfaces in one step [with no rinsing required].

This product [-or- product name] is a one-step [hospital-use] germicidal [disinfectant] cleaner and deodorant [odor counteractant] [odor neutralizer] designed for general cleaning, [and] disinfecting [deodorizing] [of] hard, nonporous inanimate surfaces when use-directions for disinfection are followed. Removes dirt, grime, fungus, mold, food residue, blood and other organic matter commonly found in hospitals [in health care facilities [on medical surfaces]. It [also] eliminates odors leaving [restroom] surfaces smelling clean and fresh. Use where odors are a problem.

To Disinfect Farm Premises, Poultry Houses, Animal Pens & Vehicles: Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals. Empty all troughs, racks, and other feeding and water appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate all surfaces with product undiluted for a period of 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure. Allow to air dry. Ventilate buildings, cars, boats, and other closed spaces. Drain any pooled product and/or rinse standing product with potable water. Do not house livestock or employ equipment until treatment has been absorbed, or dried.

BOOT/SHOE WASH: To prevent cross contamination into animal areas, shoe baths containing one inch of disinfecting solution must be placed at all entrances to building. Scrape waterproof shoes or boots and place in solution. Allow the solution to come in contact with the boot/shoe for 10 minutes. Change the disinfecting solution when solution becomes visibly dirty.

Vehicles transporting animal feed, animal food, pet food, human food:

Product can be used as a part of a FSMA regulations sanitary transportation practices for transporting human and animal food for sanitizing/disinfecting hard non-porous surfaces. Product to be used by shipper, receiver, loader or carriers transporting human and animal food on Transportation equipment includes bulk and non-bulk containers, bins, totes, pallets, pumps, fittings, hoses, gaskets, partitions, loading systems, and unloading systems. For disinfection allow surface to remain wet for 10 mins for sanitization 5 mins.

To disinfect food processing premises: floors, walls and storage areas, hold container six to eight inches from the surface to be treated and spray area until it is covered with the undiluted solution. Allow this product to penetrate and remain wet [for] [contact time listed [below] [or] [on label]] [10 minutes]]. Heavily soiled areas must be pre-cleaned before using this product. Food products and packaging materials must be removed or carefully protected prior to using this product.

Disinfection of animal quarters and kennels: For disinfection of pre-cleaned animal quarters and kennels, apply this product [-or- product name] undiluted. Remove all animals and feed from premises. Remove all litter and droppings from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate the surfaces with the undiluted

disinfecting solution for contact time of 10 minutes. Ventilate building and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

To Clean and Disinfect in a Veterinary Application: Use to clean and disinfect hard, nonporous surfaces such as feeding and watering equipment, cages, utensils, instruments, kennels, stables, catteries, etc. Remove all animals and feed from premises, animal transportation vehicles, crates, etc. Remove all litter, droppings, and manure from walls, floors, and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering equipment. [Pre-clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with this product undiluted and let stand [for] 10 minutes. [To kill mold and fungi, let stand [for] 10 minutes] [at room temperature].] Ventilate buildings and other closed spaces.]

SPECIAL INSTRUCTIONS FOR CLEANING AND DISINFECTING AREAS WHICH ARE INFESTED BY RATS AND MICE AND MAY CONTAIN HANTAVIRUS:

Disinfect Personal Protective gear upon removal at the end of the day. If the coveralls are not disposable, they must be laundered on site. If no laundry facilities are available, the coveralls must be immersed in liquid disinfectant until they can be washed.

All potential infective waste material (including respirator filter) from cleanup operations that cannot be burned or deep buried on site must be double bagged in appropriate plastic bags. The bagged material must then be labeled as infectious (if it is to be transported) and disposed of in accordance with local requirements for infectious waste.

Rodent droppings and visible dust can be reservoirs for Hantavirus. If you are cleaning out a building that has been closed up, such as a cabin, shed or garage:

- 1. Air out the building for at least 30 minutes by opening windows and doors.
- 2. Leave the building while it is airing out.
- 3. Do not vacuum, sweep or dust. This can spread the virus through the air.
- 4. Thoroughly wet the contaminated areas with the product undiluted and allow solution to stand undisturbed for 10 minutes.

Carefully remove contaminated material and dispose by burial or burning. Contact your local and state health department for additional disposal methods.

Treat the surface again following the label directions and allow solution to stand undisturbed for10 minutes.

TERRARIUM AND SMALL ANIMAL CAGE AND CAGE FURNITURE DISINFECTION FOR USE ON HARD NON-POROUS SURFACES: {Animals frequently defecate on rocks and other hard, non-porous cage furniture items inside your terrarium. This can result in high bacteria and ammonia levels that can lead to possible infection/disease in your animals. When used regularly, this product can eliminate these high bacteria/ammonia levels in your cage and on your cage furniture items.}.

1. Remove all animals.

2. Thoroughly clean all surfaces and objects {caves, cage furniture, feeding and watering dishes, and appliances} including thesubstrate in the terrarium or cage with soap or detergent and rinse with water.

3. Saturate hard, non-porous surfaces {such as floors, walls, cages and other washable hard, non-porous surfaces} with product. So as to wetthoroughly.

4. Apply undiluted by cloth, mop, brush, sponge, auto scrubber, mechanical spray device, {{hand pump} coarse pump or trigger spraydevice} or by immersion. Rub with brush, cloth, orsponge. For smaller surfaces, use a trigger spray bottle to spray surfaces with solution undiluted.

5. Allow surfaces to remain wet for a period of 10 minutes.

6. Saturate gravel as above and let stand for 10 minutes. Place in bucket of clean water and swirl for 15-30 seconds. Thoroughlyair dry before returning to terrarium.

7. Thoroughly scrub all treated surfaces (except gravel) with soap or detergent and rinse with potable water before reuse.

8. Do not return animals to the habitat until it is dry and ventilated.

9. Clean terrarium at least once weekly or more as needed. Change cloth, sponge or towels frequently to avoid redeposition of soil.

10. Prepare a fresh solution daily or when visibly dirty.

Note: Substrates for desert terrariums (i.e. gravel) must be completely dry before returning to terrarium to avoid high humidity levels. Always replace substrate if a foul odor persists. Do not apply this product directly onto the small animal. If this product comes into contact with the small animal's skin, then immediately wash the material off of the animal with lukewarm water. If the small animal ingests this product, contact your veterinarian immediately.


REPTILE TANK CLEANING AND DISINFECTION DIRECTIONS: Remove all reptiles from the enclosure (tank) prior to cleaning and disinfecting. Remove all litter or drippings from surfaces. Empty all equipment used for feeding or watering reptiles. Thoroughly clean all surfaces with soap or detergent and rinse with water. Apply the product undiluted to the surfaces of the enclosure (tank) until thoroughly wet. Allow surfaces to remain wet for 10 minutes. Allow the enclosure (tank) to ventilate for a minimum of 10-15 minutes before replacing the reptiles

Note: Do not apply this product directly onto the reptile. If this product comes into contact with the reptile's skin, then immediately wash the material off of the animal with lukewarm water. If the reptile ingests this product, contact your veterinarian immediately.

To Disinfect Hard Non-porous Surfaces: For disinfecting pre-cleaned hard non-porous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & linoleum floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchairs, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stovetops, telephones, toys, walls, waste containers. Apply product undiluted full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 5 minutes or 10 minutes for virus inactivation (refer to the viruses table for contact times) – 10 minutes for bacteria disinfection. For immersion, replace solution daily, or more frequently if it becomes significantly soiled or diluted **Fogging and Misting:** product can be applied by fogging or misting to disinfect hard, nonporous surfaces. Apply by fogging or misting until surface is moist using equipment manufacturer's directions for use. Remove or carefully protect all food and food packaging materials prior to treatment. Vacate treatment area and do not reenter treated area until air is clear (minimum 20 minutes to reentry). For disinfection by ULV misting machine application, see the product Supplemental Bulletin specific for equipment to be used.

To Disinfect Hard Non-porous Surfaces (tuberculocidal): For disinfecting pre-cleaned hard nonporous surfaces such as glass, plastic, painted wood, laminate, chrome, stainless steel, polyurethane coated hardwood floors, glazed ceramic tile, sealed concrete & linoleum floors. Types of items include: Exterior of appliances, bed frames, cabinet handles, wheelchairs, child car seats, counters, cribs, doorknobs, tables, tubs, exterior toilet surfaces, faucet handles, handrails, jungle gyms, keyboards, light switch covers, patio furniture, showers, sinks, stovetops, telephones, toys, walls, waste containers. Apply product full strength to pre-cleaned hard non-porous surfaces, wetting thoroughly with spray, sponge, mop, or by immersion in solution. Allow surfaces to remain wet for 10 minutes for *Mycobacterium bovis*-BCG disinfection. For immersion replace solution daily, or more frequently if it becomes significantly soiled or diluted.


The following directions are considered optional language and will only appear on label carrying full instructions




To Sanitize Food Contact Surfaces, Mix 1 part product to 9 parts tap water.

To Sanitize Non-food Contact Hard Non-porous Surfaces: Mix 1 part product with 9 parts water **To Sanitize Carpet:** Mix 1 part product to 5 parts water

To Disinfect do not dilute



Spray surface until thoroughly wet.



Allow surface to remain wet. Read label for contact time.



Wipe surface or let air dry, no rinse.]

| Disinfectant Claims: | • Just one step kills [99.9% of] bacteria |
|---|---|
| • Antibacterial [spray] [action] [formula] | • Kills 19 -or- insert number smaller than 19 |
| • An effective disinfectant for use in the kitchen, | microorganisms |
| bathroom, bedroom, and other areas | Kills and cleans |
| Antibacterial [Formula] [disinfects] | • Kills -and/or- [removes] [99.9% of] bacteria - |
| •Antibacterial -or- germicidal [on hard, nonporous | and/or- germs-and/or- viruses** from toys |
| surfaces] [for kitchens and bathrooms] | Kills bacteria and viruses** |
| • Antibacterial -or- germicidal [formula] | Kills Harmful Bacteria on hard |
| • Bactericidal | • Kills -and/or- [eliminates] [disinfects] [destroys] |
| • [Bathroom][,] [and] [restroom][,] [and] [kitchen] | [removes][attacks] [gets rid of] 99.9% of bacteria |
| disinfectant | -and/or- germs -and/or viruses** on [use sites] |
| • Broad spectrum -or- | • One step cleaning and disinfecting |
| [residential][commercial][hospital] disinfectant | • [One-step] Disinfectant cleaner |
| • Disinfectant | Oxidizing agent to provide disinfection |
| • Disinfectant [for institutional use] | Ready to use disinfectant cleaner |
| • Disinfects & [and] Deodorizes | • Simply clean and disinfect in one step when the |
| • Disinfects by killing microorganisms on hard, | disinfection directions for use are followed |
| nonporous surface such as stainless steel, chrome, | Touch up cleaning/disinfection |
| plastic, glazed ceramic, and mirrors. | • Tough on germs, easy on surfaces |
| • Disinfects as it Cleans | • Tough on germs, easy to use around patient[s] |
| • Disinfects in one step | [areas] |
| • Disinfecting spray | • Tough on germs, easy enough for everyday use |
| • Disinfect[s] | • Two in one, no sacrifice on cleaning and |
| • Disinfects [to kill the germs] | disinfecting when the directions for use for |
| | disinfection are followed |

Hard Surface Sanitization No Rinse Required: 60 sec contact time

Escherichia coli (ATCC 11229)

Staphylococcus aureus (ATCC 6538)

Non-Food Contact Surface Sanitization No Rinse Required: 5 minute contact time

Escherichia coli (ATCC 11229)

Staphylococcus aureus (ATCC 6538)

To Sanitize Soft Surfaces: 5 minute contact time

S. aureus ATCC 6538

E. aerogenes ATCC 13048

Carpet Sanitization: 60 Minute contact time

Enterobacter aerogenes (ATCC 13048) Staphylococcus aureus (ATCC 6538)

Fungicide: 10 Minute contact time

Trichophyton rubrum ATCC MYA Trichophyton interidigitale ATCC 9533

Mildewstat:10 Minute contact time

Aspergillus niger ATCC 6275

| Disinfection Bacteria 10 minute contact time |
|---|
| Pseudomonas aeruginosa ATCC 15442 |
| Acinetobacter baumannii ATCC 19606 |
| Staphylococcus aureus MRSA ATCC 33592 |
| Listeria monocytogenes ATCC 15313 |
| Legionella pneumophila ATCC 33153 |
| Salmonella enterica ATCC 10708 |
| Staphylococcus aureus ATCC 6538 |
| Klebsiella pneumoniae (NDM-1) ATCC BAA-2146 |
| Escherichia Coli ATCC 11229 |
| Bordetella bronchisepticaATCC 10580 |
| Myobacteriumbovis- BCG |
| Penicillin- Resistant Streptococuspenumoniae, ATCC 700677 |
| Chlamydia psittaci, Strain 6BC, ATCCVR-125 |

*****Disinfection Virus 5 minute contact time**

| Rotavirus, Strain WA ** |
|--|
| Hepatitis C Virus Bovine Viral Diarrhea Virus** |
| Hepatitis B Virus Duck Hepatitis** |
| Norovirus Feline Calicivirus** |
| Murine Norovirus (MNV-1)** |
| Swine Influenza (H1N1) ** |
| Respiratory Syncytial virus, ATCC VR-26** |
| Human Immunodeficiency Virus (HIV Type 1) Strain HTLV-IIIb** |
| Influenza B Virus (Strain B/Taiwan/2/62), ATCC VR-1735** |

Hepatitis A Virus ATCC VR-1541** Hantavirus (Prospect Hill Virus) University of Ontario ** Canine Distemper Virus, Strain Snyder Hill, ATCC VR**

***Disinfection Virus 10 minute contact time

Adenovirus 1, Strain Adenoid 71, ATCC VR-1**

Canine Parvovirus, Strain Cornell-780916, ATCC VR-2016**

Canine adenovirus 1, Strain Utrecht, ATCC VR-293** Feline Herpsvirus 1 Strain C-27, ATCC VR-636**

Feline coronavirus, Strain WSU 79-1683, ATCC VR-989**

Canine coronavirus Strain 1-71, ATCC VR-809**

Canine Influenza (H3N8) virus, Strain A/Ca/NY/105913/08, Cornell University**

Feline Infectious Peritonitis Virus, Strain: WSU 79, ATCC VR-990**

Feline panleukopenia virus, Strain Philips-Roxane, ATCC VR-648**

Rabies Virus, Strain: Flury (HEP), ATCC VR-139**

Avian Influenza(H5N1) Virus (NIBRG-14), CDC #2006719965, Charles River Laboratories

Herpes Simplex Virus 1 (Human), Strain HF, ATCC VR-260**

Porcine Epidemic Diarrhea Virus, Strain CO 2013, USDA APHIS 025-PDV001

AREAS OF USE INCLUDE:

homes, vehicles, schools & daycare, gyms & locker rooms, sports gear, hospitals, nursing homes, laundry rooms, veterinary, pharmacies, ambulances, barber shops, laboratories, restaurants, boats, ships, federally inspected meat & poultry processing plants, farms, animal pens and poultry houses, egg processing premises, hatcheries, swine premise sanitation, refrigerated storage units (empty & disconnected), HVAC and AC systems, airplanes, trains, trucks, buses & automobiles. Use as a mold controller & mildewstat on hard non-porous surfaces (i.e, tiles) and soft surfaces (i.e, fabrics)"

| Medical Use Sites: | [Medical] Clinics |
|---|--|
| Ambulances -or- [Emergency Medical] | Medical Facilities |
| Transport Vehicles | Medical -or- Physician's -or- Doctor's Offices |
| Ambulatory Surgical Centers (ASC) | Newborn -or- Neonatal [Nurseries] |
| Anesthesia Rooms or Areas | [Intensive Care] Units [NICU] |
| [Assisted Living -or- Full Care] Nursing | Nursing Homes |
| Homes | Nursing -or- Nurses' Stations |
| Carts | Operating Rooms |
| CAT Laboratories] | Ophthalmic Offices |
| Central Service Areas | Orthopedics |
| Central Supply Rooms -or- Areas | Out-Patient [Surgical Centers (OPSC)] |
| Critical Care Units -or- CCUs | [Clinics] [Facilities] |
| Dialysis Clinics [Facilities] | Patient Areas |
| Doctors' Offices | Patient Restrooms |
| Donation Centers [blood] [plasma] [semen] | Patient Rooms |
| [milk] [apheresis] | [Pediatric] Examination Rooms -or-Areas |
| Emergency Rooms -or- ERs | Pediatric Intensive Care Units [PICU] |
| Eye Surgical Centers | Pharmacies |
| Health Care Settings -or- Facilities | Physical Therapy Rooms -or- Areas |
| Home Health Care Settings | Physicians' Offices |
| Hospital] Kitchens | Psychiatric Facilities |
| Hospices | Radiology -or- X-Ray Rooms -or- Areas |
| Hospitals | Recovery Rooms |
| Intensive Care Units -or- ICU[s] [areas] | Rehabilitation Centers |
| Isolation Areas | Respiratory Therapy Rooms -or- Areas |
| Laundry Rooms | Restrooms |

| Laboratories | Surgery Rooms -or- Operating Rooms -or- |
|---------------------------|---|
| Long Term Care Facilities | ORs |
| | Waiting Rooms -or- Waiting Areas |

| Medical Use Surfaces:isolettesHard, Nonporous Surfaces Associated with the Following: anesthesia machinesIV [stands] [pumps] [poles] large surfacesIoupes | |
|--|--|
| Following: large surfaces | |
| i ono wing. | |
| anesthesia machines | |
| | |
| aphaeresis machines mammography equipment] | |
| autoclave exteriors [Mayo] [instrument] stands | |
| bathroom doorknob medication carts | |
| bedpans mobile devices | |
| bedrails mobile workstations | |
| [bedside] commodes mouse pads | |
| bedside tables MRI -or- Magnetic Resonance Imaging | |
| blood pressure cuffs equipment | |
| blood pressure (BP) monitors] nurse-call [devices] [buttons] [and | |
| cabinet handles cords] | |
| call boxes operating room tables and lights | |
| CAT -or- Computerized Axial operatory light switches | |
| Tomography equipment) oxygen hoods | |
| carts overbed tables | |
| cellular phones paddles | |
| charging stations pagers] | |
| closet handles [patient] chairs | |
| coated mattresses patient monitoring equipment] | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| docking stations | |
| [exam -or- examination] tables scales exterior surfaces of air vents -or air vent side rails | |
| exterior surfaces of an vent and vent | |
| exteriors slit lamps | |
| external surfaces of [medical] equipment small surfaces | |
| -or- [medical] equipment surfaces spine backboards | |
| [external] [surfaces of] ultrasound stethoscopes | |
| transducers [-and/or- probes]] stools | |
| exterior of pipes stretchers | |
| footboards surfaces in and around toilets in patient | |
| glucometers rooms | |
| gurneys toilet handholds | |
| [hard, nonporous] edges of privacy curtains toilet[s] | |
| hard, nonporous hospital toilet rims -or- seats | |
| -or- medical surfaces traction devices | |
| hard, nonporous surfaces walls [around toilet] [in patient rooms] | |
| headboards wash basins | |
| [hard, nonporous] high touch surfaces safety rails | |
| [hospital -or- patient] bed[s] [springs] Hard non-porous whirlpool surfaces | |
| Wheelchairs | |

[railings] [frames] [linings] infant incubators and care cribs infant warmers [inner] [inside of] drawers

Medical Use Surfaces: Soft Surfaces

Curtains Bedding Sofa's Fabric's

Dental Use Sites:

Dental Offices Dental Operatories Examination Rooms Dental -or- Dentists' Offices **Dental Surfaces: Hard, Nonporous Surfaces Associated with the following:** amalgamators-and/or-dental curing lights endodontic equipment such as apex locators pulp testers and motors dental countertops hard, nonporous dental reception counters -or- desks -or- areas dental operatory surfaces light lens covers

| Veterinary Use Sites: | Litter Boxes |
|---|---|
| Use Sites: | Livestock -and/or- Swine -and/or- Poultry |
| Animal [Pet] Housing [Kennels] [Facilities](Pens) | Facilities |
| (Cages) | Pet [Areas] [Quarters] |
| Animal Holding Areas | Pet Shops -or- Stores |
| Animal Life Science Laboratories | Pet waters and feeders |
| [Animal -or- Pet] Grooming Facilities | Small Animal Facilities |
| Animal Transportation Vehicles | Tack Shops |
| Breeding Establishments | Veterinary Clinics -or- Facilities |
| Dairy Farms | Veterinary [Offices] [Waiting Rooms] |
| Equine Farms | Veterinary -or- Animal Hospitals |
| Farms | Veterinary Examination Rooms |
| Kennels | Veterinary X-ray Rooms |
| | Veterinary Operating Rooms |
| | Zoos |

Veterinary Use Surfaces: Hard, Nonporous Surfaces Associated with the following: animal equipment automatic feeders cages surfaces of fountains exterior surfaces of watering appliances feed racks hard, nonporous veterinary surfaces pens reception counters -or- desks -or- areas stalls troughs veterinary care surfaces

Food Service Use Sites:

Banquet Halls Bars Cafeterias **Catering Facilities** Commercial -or- Institutional Kitchens Delis Fast Food Chains -or- Restaurants Food Preparation and Processing Areas School Kitchens Food [Service -or- Processing] Establishments Food Serving Areas Vending Machines Water Coolers Water fountains **Food Service Surfaces:** Hard, Nonporous Surfaces Associated with the following: dish racks drain boards food cases food trays freezer exteriors hoods [kitchen] appliance exteriors microwave exteriors plastic -or- metal outdoor furniture refrigerator exteriors salad bar sneeze guards

| Miscellaneous/General | Garbage] [Waste] Storage Areas | Subways |
|------------------------------------|--------------------------------|----------------------------|
| Use Sites: | Living Room | Supermarkets |
| Airplanes [Airports] | Locker Rooms | Tattoo Parlors |
| Ambulances | Lodging Establishment | Toolsheds |
| Athletic [Recreational] Facilities | Lounges | Transportation Terminals |
| Automobiles | Malls | Trains |
| Barber Shops | Manufacturing Plants -or- | Trolleys |
| Basements | Facilities | Universities |
| Bathroom [s] | Markets | Upholstery |
| Bathroom -or- Locker Room | Mass Merchandisers, Discount | Vacation Homes |
| Facilities | Retailers | Warehouse Clubs |
| Beauty Salons | -and/or- General Merchandise | [Pet][cat] [dog] Crates |
| Bedroom [s] | Stores | [pet] [cat] [dog] carriers |
| Blood Banks | Mobile Homes | |
| Blood Banks Boat interiors | Mortuaries | |
| | Motels | |
| Bowling Alleys Bus interiors | Motor Home Interiors | |
| | Mudrooms | |
| Butcher Shops | Nurseries | |
| Cafeterias | Office[s] [Buildings] | |
| Camper interiors | Pet Animal Quarters | |
| Car interiors | Pet Areas | |
| Churches | Crates | |
| Colleges | Carries | |
| Convenience Stores | Pet Bedding | |
| Correctional Facilities | Pet Car Seats | |
| Curtains | Pet Feeders | |
| | I EL FEEDELS | |

Vital Oxide Master Label EPA Reg No.82972-1 Page 28 of 30

| | | 5 |
|--|-------------------------------------|-----------------------------------|
| [Damp] Storage Areas | Pet Water Dishes | |
| Day Care Centers | Dog Houses | |
| Den[s] | Dog Runs | |
| Dining Room | Pet Toys | |
| Dorms | Litter Boxes | |
| Dormitories | Bird Cages | |
| Elevators | Cage Accessories | |
| Emergency Vehicles | Feeder & waters | |
| Factories | Small animal cages | |
| Fast Food Restaurants | Pharmacies | |
| [Food Processing] | Play Areas-or-Rooms | |
| [Manufacturing] Plants | [Police -and/or- Fire] Vehicles | |
| Funeral Homes | Produce Areas | |
| Gas Stations | Public Facilities | |
| | Public Restrooms | |
| Grocery Stores Gymnasiums -or- Gyms | Recreational Centers -or- | |
| Health Club[s] [Facilities] | Facilities | |
| | Rental Cars | |
| Home[s] Home Centers | | |
| Home Centers Hotels | Rest Stops | |
| | Restroom[s] -or- Restroom | |
| Industrial Facilities | Areas | |
| Institutional Kitchens | Retail Businesses | |
| [Institutional] Laundromats | School Buses | |
| Institutions | Schools | |
| Kennels | Shelters | |
| Kitchen[s] [Surfaces] | Ships | |
| Laboratories | Shopping Centers | |
| Laundromats | Shops | |
| Laundry Room[s] | Shower Rooms | |
| | Sports Arenas -and/or- stadiums | |
| | Storage Rooms -or- Areas | |
| | | |
| Miscellaneous/General | exercise [machines] | stretchers |
| Surfaces: | [equipment] | synthetic marble |
| Hard, Nonporous Surfaces | exhaust fans | tables [tabletops] |
| Associated with the following: | exterior -or- external toilet | [tiled] walls |
| cabinet knobs | surfaces | Tires |
| appliance exteriors | exterior -or- external urinal | [Exterior of toilet [flush]] |
| armchairs | surfaces | [telephone][cabinet] |
| [baked] enamel | faucets | [dishwasher][door] handles |
| Bassinets | [filing] [medicine] cabinets | linoleum |
| [bathroom] fixtures | free weights | lockers |
| [bathroom] [kitchen] faucet[s] | freezer exteriors | metal metal blinds |
| [handles] | furniture | metal binds metal work benches |
| [bath]tubs | garage surfaces | microwave exterior |
| bed frames | garbage-or-trash cans | office machinery |
| behind and under counters | glazed ceramic [restroom | office -or- bedroom -or- bedside |
| behind and under sinks | surfaces] | furniture |
| boat interiors | glazed [ceramic] tile[s] | patio furniture |
| booster chairs | glazed porcelain [tiling -or- tile] | pencil sharpeners |
| Box Springs | grill surfaces | pet areas -or- surfaces |
| | [grocery [store] -or- | [plastic] fly swatters |

supermarket] carts

burner trays

car interiors

Cabinets

brush handles

- tile] pet areas -or- surfaces [plastic] fly swatters [grocery [store] -orplastic laundry hampers -or- baskets plastic patio furniture -or- lawn [handles] [child seats] chairs gymnastic] equipment [plastic] shower curtains

Vital Oxide Master Label EPA Reg No.82972-1 Page 29 of 30

carts chairs -or- arm chair [children's] furniture closets [clothes] [diaper] hampers coated ceilings cooler exteriors counters -or- countertops cupboards cribs crutches crystal (non-food contact areas) dashboard desk[s] [tops] diaper pails [dining] [fast food] [kitchen] [picnic] [play] [restaurant] [tray] [diaper -orinfant] [changing] [tables] -or- [areas] or-[stations] dining room surfaces -and/ortables-and/or-fast food restaurant tables door[s] [handle[s]] [frames]] Doorknobs Drawer pulls Dressing carts Elevator buttons Exercise balls Exercise bands

Hampers [hand]railings -or- rails hard, nonporous floors [around toilets] [hard] plastic -or- vinyl headsets helmets high chairs (non-food contact surfaces) [kids'] play [structures] [equipment] [furniture] [tables] [kitchen] appliance exteriors kitchen appliance exterior[s] [surfaces] light fixtures -or- switches -orpanels rocking chairs **RV** interiors sealed fiberglass shelves [and drawers] shin guards shopping carts shoulder pads shower[s] [area] [curtains] [doors] [stalls] [walls] signs sink[s] [basins] seats sports equipment stainless steel stall doors staplers steering wheel stools

plastic surfaces associated with: floors. walls, Mirrors, toilets, urinals, sinks, shower rooms and locker rooms Playpens portable toilet exteriors range hoods recycling bins refrigerator exterior [door handles] tray tables tubs urinals vanity tops -or- vanities vehicle interiors vending machine surfaces [vinyl] linoleum -or- wallpaper Vinyl upholstery walkers walls wash basins [washable] kitchen[s] [surfaces] washers/dryers -or- washing machine exteriors] wastebaskets weight machines whirlpool tubs -and/or- Jacuzzis window [blinds] [shades] Window treatments windshields [wrestling] [exercise] mats Tools towel dispensers toy boxes-or-storage bins trailers Exterior of toilet [training] toilets trash cans -or- compactors

| Miscellaneous/General Surfaces: | Blankets (Comforters) |
|---|-----------------------|
| Soft Surfaces for Spot Treatment Associated | Draperies |
| with the following: | Duvet Cover(s) |
| Bathroom mats | Stuffed Animals |
| Car Seats | |
| Car Seat Upholstery | |
| Carpets | |
| couch(es) | |
| fabric | |
| gym bags | |
| Laundry Bags | |
| shoes | |
| Pillow(s) | |
| Upholstery | |
| uniforms | |
| Bedding (Bedspreads) | |
| Back Packs | |

Vital Oxide Master Label EPA Reg No.82972-1 Page 30 of 30

| Horticultural and | Floral shops | Plant growing chambers |
|---|--|---|
| Botanical Use Sites: Aeroponic growing facilities Aquaponic growing facilities Basement greenhouses Botanical bio-film [non-public health bio-film] Botanical facilities Commercial greenhouses Customer/public areas Employee areas including break | Garden centers Hardscape storage areas Herbal dispensaries Hobby greenhouses Horticultural bio-film Horticultural facilities Hydroponic growing facilities Landscape nurseries Lawn and garden shops | Plant growing facilities Plant growing rooms Plant holding areas Plant nurseries Plant transport vehicles Plant storage areas Plant supply storage areas Plant warehouses Vendor delivery areas |

| Horticultural and | Greenhouse tools, scissors, and | Plant grow shelves |
|----------------------------------|---------------------------------|-----------------------------|
| Botanical Use Surfaces: | measuring cups | Plant shelters |
| Hard, Nonporous Surfaces | Greenhouse ventilation/air | Plant transport racks |
| Associated with the following: | handling systems | Pollination trays |
| Cash registers | Grow tents and nets | Produce/flower testers |
| Compost bins | Horticultural air exchangers | Propagation trays |
| Compost equipment | Office equipment and/or | Row covers |
| Containers, buckets, pots, trays | machinery | Shade materials |
| Display coolers | Plant benches | Supply cupboards |
| Display shelving | Plant blankets | Supply shelving |
| Germination stations | Plant carts, wagons, | Transplant equipment |
| Grafting stations | wheelbarrows | [washable][surfaces]-and/or |
| Greenhouse equipment | Plant coolers | general merchandise |
| Greenhouse films | Plant display racks | |
| Greenhouse irrigation systems | | |
| | | |

| Aquaculture, Aquafarming Algaculture, Slaughterhouses Fisheries, Fish Farms, Shrimp Farms, Oyster Farms Use sties : | Grading Equipment Boats Trailers Waders |
|--|--|
| Well boats Work boat Deck Wells Equipment Pumps Boat hull Harvesting equipment Foot dips Diving teams Equipment Bins Lids Stacker Boxes Transport Tanks & Equipment Weight Equipment Tank Brushes Vaccination Equipment stage | Sampling equipment Protective Clothing Diving Suit Equipment Mort Bags Hand Nets Dip Nets Nets |