



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

October 3, 2019

Bob MacDonald
Agent
Gelest Biosystems, LLC
11 East Steel Rd.
Morrisville, PA 19067

Subject: Label Amendment – Add Food Contact Use
Product Name: HM 4001 RTU Antimicrobial
EPA Registration Number: 83019-2
Application Date: April 18, 2019
Decision Number: 555545

Dear Mr. MacDonald:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 83019-2
Decision No. 555545

with FIFRA section 6. If you have any questions, you may contact Joseph Daniels at (703) 347-8669 or via email at Daniels.joseph@epa.gov.

Sincerely,



Eric Miederhoff
Product Manager 31
Regulatory Management Branch I
Antimicrobials Division (7510P)
Office of Pesticide Programs

Enclosure

HM 4001 RTU Antimicrobial

A SILANE QUATERNARY AMMONIUM SALT

For use as an antimicrobial preservative under EPA and FDA Regulations to preserve finished food contact articles* (Food Preparation Surfaces, Polymeric Tubing for Beverages, Activated Carbon Water Filters) subject to FDA Regulations.

EPA Reg. No. 83019-2

EPA Est. 83019-PA-001

ACTIVE INGREDIENT: 3-(trihydroxysilyl) propyldimethyloctadecyl ammonium chloride: ... 0.75%
INERT INGREDIENTS: ... 99.25%
TOTAL: ... 100%

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID	
Have product container or label with you when calling Poison Control Center or doctor, or going for treatment.	
If in eyes:	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15-20 minutes.Remove contact lenses, if present, after first 5 minutes, then continue rinsing.Call a Poison Control Center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear safety glasses. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

PRODUCT FEATURES AND BENEFITS

HM 4001 RTU Antimicrobial imparts durable biostatic activity to the surface of a wide variety of substrates. HM 4001 RTU Antimicrobial is effective against mold, mildew and algae as a static agent. Increased efficiency – through proper application, durable bacteriostatic, fungistatic and algistatic surfaces can be attained with a minimum amount of HM 4001 RTU Antimicrobial. Provides freshness and combats deterioration and discoloration caused by bacteria, fungi and algae.

LOT NO. _____

NET CONTENTS _____



GELEST BIOSYSTEMS, LLC
11 East Steel Road, Morrisville, PA 19067
215-547-1015

*BIOSAFE - is the trademark for our antimicrobial products

122916_041119

PRECAUTIONARY STATEMENTS

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

Every effort should be made to contain accidental spills of powder to the immediate area. Many spills may be cleaned up alone or with sand or absorbent materials by sweeping and collection in a waste bin. The material may then be disposed of by incineration or landfill.

Inactivation of solutions containing HM 4001 RTU Antimicrobial may be accomplished by addition of an anionic surfactant, or detergent in quantity equivalent to that of HM 4001 RTU Antimicrobial in solution.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its label.

FOR USE AS AN ANTIMICROBIAL UNDER EPA REGULATIONS

FOR COMMERCIAL APPLICATIONS IN HOMES, OFFICES, AUTOMOBILES AND INSTITUTIONS AND FOR INDUSTRIAL USE ONLY. This product is registered as a microbiostatic agent for material preservation; neither this product nor the articles treated with this product may state or imply any public health claims. Articles or substances treated with this product will be exempt from FIFRA regulation pursuant to 40 CFR 152.25(a) if the intended use for incorporating this material into a treated article or substance is for the protection of the article or substance itself.

APPROVED USES: HM 4001 RTU Antimicrobial is applied to or incorporated into manufactured products listed below for use in industrial, institutional, commercial or residential locations for non-food contact uses

Plastics, fiberglass, metals, glass, wood, ceramics, stone, natural materials, composites; Including air filters for furnaces, air conditioners, air purification devices, automobiles, and recirculating air handling systems; aquarium filters; automotive and vehicular parts; roofing materials (tiles, shakes, shingles, granules, stone, membranes, felt, underlayment and synthetic overcoats); building materials and components (including siding, wallboard, wood and wood composites, insulation and non-food contact cabinetry); ceiling tiles; concrete products; paints and coatings, thin films, mastics and sealants, cementitious materials (including caulk, grout and cement and grout premixes non-food contact conveyor and humidifier belts; non-food contact countertops; fiberglass ductboard for air handling systems; floor covering; flooring; general purpose (non-food contact) containers; furniture; bathroom and non-food contact kitchen hardware; mats; plumbing supplies and fixtures; sheet and formed glass.

Fibers, fabrics (natural and synthetic, woven and non-woven), leather and household materials (natural and synthetic); Including buffer pads (abrasive and polishing); mattress cover pads, filling and ticking; pillow covers; sheets; blankets; bedspreads; fiberfill for upholstery, apparel, recreational gear, quilts and pillows; curtains; draperies; carpet and carpet underlay; rugs; upholstery; towels; shower curtains; toilet tank and seat covers; wall covering fabrics and wallpaper (including vinyl) for non-food contact surfaces; umbrellas; fire hose fabric; non-woven disposable diapers; wiping cloths; pre-moistened towelettes

and tissue wipes (these do not impart pesticidal properties); apparel including outerwear, sportswear, sleepwear, socks, hosiery, undergarments, gloves and uniforms; footwear (boots, shoes and components); sports equipment and athletic gear; cloth for sails, ropes, tents and other outdoor equipment; sand bags; tarps; awnings; book covers; pictures.

HOW TO USE:

MSDS INFORMATION: BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE MATERIAL SAFETY DATA SHEET CAN BE OBTAINED BY WRITING TO GELEST BIOSYSTEMS, LLC OR BY CALLING (215) 547-1015. A MATERIAL SAFETY DATA SHEET FOR A TYPICAL USE DILUTION AQUEOUS SOLUTION IS ALSO AVAILABLE.

Wear goggles or face shield, protective clothing, and rubber gloves when handling the material. Use with proper ventilation.

HM 4001 RTU Antimicrobial is incorporated into or applied onto organic and inorganic substrates. HM 4001 RTU Antimicrobial is used to give a treatment 0.01 to 1.0 percent by weight of active ingredients. While HM 4001 RTU is ready to use, aqueous solutions for surface treatment can be prepared by simply adding the antimicrobial agent to water with stirring. Surfaces can be treated with the aqueous solution by brushing, dipping, padding, soaking, spraying or fogging until adequately wet or applying by foaming techniques. After applying treatment, the surface must be allowed to dry at temperatures from ambient to a maximum of 160°C (320° F) to effect complete curing of silanol groups and to remove water or solvents. Curing of polymer may be accelerated or enhanced with heat. For each application, determine optimum application and drying conditions, such as time and temperature before use. If desired, reapply HM 4001 RTU Antimicrobial if odor, staining and discoloration due to bacteria, mold or mildew occur.

Incorporate HM4001 RTU Antimicrobial directly into formulations used to make end-use products, or dilute with water or alcohol and then apply it to the organic and inorganic surfaces to give 0.01 to 1.0 percent by weight of active ingredient.

*FOR USE AS AN ANTIMICROBIAL TO PRESERVE FINISHED FOOD CONTACT ARTICLES SUBJECT TO FDA REGULATIONS

Incorporate HM 4001 RTU Antimicrobial as an antimicrobial additive at or below the indicated maximum concentration into the polymeric manufactured products listed below that are used for manufacturing, packing, packaging, transporting, handling and/or holding food if such use is not intended to have any antimicrobial effect in the food itself. Do not incorporate HM 4001 RTU Antimicrobial into any food or drinking water contact application listed on this label unless the substance is approved, with associated use conditions, for food contact in 21 CFR 174-186 (inclusive) as amended, or in the United States Food and Drug Administration's Food Contact Substance Notification System, as amended.

This Food Contact Substance (FCS) can be used as an additive without food type or temperature limitation in food preparation surfaces (where the FCS is either incorporated into the resin, a food contact laminated layer, or applied to the surface as part of a coating). The FCS may be used at a maximum use level of 1 active weight percent of the resin, laminate, or coating.

Use: Food contact coatings, films and laminates

Products: Appliances and equipment, barrier fabrics, building materials and components, collection and storage equipment (such as conveyor belts, piping systems, silos, tanks and process vessels), cookware, countertops, food wrap (including coated deli paper, coated meat interleavers and plastic wrap), general purpose containers, glazing for cement tile, glazing for vitreous china used in plumbing fixtures (such as sinks and countertops), industrial equipment, natural and synthetic fibers and fabrics, packaging, paper products (such as wipes, tissues, wall coverings, towels), plastic film, sinks

Maximum Concentration: 1% active weight percent of the resin, laminate, or coating.

Polymeric tubing for the transfer of beverages. The FCS may be used at a maximum use level of 1 active percent of the finished tubing.

Use: Food contact molded plastic parts

Products: Beverage dispensing equipment tubing, beverage processing equipment tubing

Maximum Concentration: 1% active weight percent of the finished tubing

Repeat use activated carbon water filters. The FCS may be used at a maximum use level of 0.25 active weight percent of the carbon block.

Use: Water filter

Products: Activated carbon water filters

Maximum Concentration: 0.25% active weight percent of the carbon block

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in original, tightly closed container in an area inaccessible to children and away from food or feed. HM 4001 RTU is moisture sensitive. Keep tightly closed until ready to use. Reclose tightly after each use. Store in original, unopened containers at or below 25°C (77°F).

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Non-Refillable Metal Container-Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling if available or reconditioning if appropriate or puncture and dispose in sanitary landfill, or by other procedures approved by state or local authorities. **Non-Refillable Plastic Containers-**Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling if available or reconditioning if appropriate or puncture and dispose in sanitary landfill, or if allowed by state or local authorities, by burning. If burned, stay out of smoke. **Non-Refillable Glass Containers-**Non-refillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling if available or dispose in a sanitary landfill, or by procedures approved by state and local authorities.

NOTICE: GELEST BIOSYSTEMS, LLC warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in the labeling when used in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to written instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. **GELEST BIOSYSTEMS, LLC SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.**

{Abbreviated Label for 100 gram size}

HM 4001 RTU Antimicrobial

EPA Reg. No. 83019-2
EPA Est. 83019-PA-001

ACTIVE INGREDIENT: 3-(trihydroxysilyl)
propyldimethyloctadecylammonium
chloride..... 0.75%
INERT INGREDIENTS:.....99.25%
TOTAL:.....100.00%

KEEP OUT OF REACH OF
CHILDREN

CAUTION

Lot No: _____ Net Contents: _____

Please see enclosed sheet for full
label information.

GELEST BIOSYSTEMS, LLC
11 East Steel Road, Morningside, PA 19067
215-647-1015 CHEMTREC: 800-424-9300

8/8/2017

FIRST AID	
Have product container or label with you when calling Poison Control Center or doctor, or going for treatment.	
If in eyes:	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after first 5 minutes, and then continue rinsing. - Call a Poison Control Center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: CAUSES MODERATE EYE IRRITATION. Do not get in eyes. Wear protective eyewear, rubber gloves, and protective clothing.