

83028-11

11/28/2007

115

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Biopesticides and Pollution Prevention Division  
(7511C)  
1200 Pennsylvania Avenue NW  
Washington, DC 20460

EPA Reg. Number:  
83028-11

Date of Issuance:  
11/28/07

Unconditional

Term of Issuance:

Name of Pesticide Product:

NCA GoldenGro R

NOTICE OF PESTICIDE:

X Registration  
Reregistration  
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

NCA Biotech, Inc.  
3406 Pomona Blvd.  
Pomona, CA 91768

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA Sec. 3(c)(5) provided you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
2. Revise the EPA Registration Number to read, "EPA Reg. No. 83028-11."
3. Submit three (3) copies of the revised final printed labeling before you release the product for shipment.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Date:

*Michael McDavit*  
Michael McDavit, Associate Director,  
Biopesticides and Pollution Prevention Division

11/28/07

EPA Form 8570-6

CONCURRENCES

|         |           |  |  |  |  |  |  |
|---------|-----------|--|--|--|--|--|--|
| SYMBOL  | 7511P     |  |  |  |  |  |  |
| SURNAME | B. J. ... |  |  |  |  |  |  |
| DATE    | 11/28/07  |  |  |  |  |  |  |

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

2/5

# NCA GoldenGro R

## Reduces transplant shock and promotes new root growth

|                                      |               |
|--------------------------------------|---------------|
| <b>ACTIVE INGREDIENTS:</b>           | <b>By wt</b>  |
| 3-Indolebutyric acid (IBA) .....     | 0.85%         |
| Cytokinin, as Kinetin .....          | 0.15%         |
| 1-Naphthaleneacetic acid (NAA) ..... | 0.20%         |
| <b>OTHER INGREDIENTS:</b> .....      | <u>98.80%</u> |
| <b>TOTAL:</b> .....                  | 100.00%       |

### KEEP OUT OF REACH OF CHILDREN CAUTION

| FIRST AID   |   |
|---|---|
| <b>If in eyes:</b>  | <ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul> |
| HOTLINE   |   |
| Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For general product information, call NCA Biotech, Inc. at (909) 348-5133 between the hours of 9 a.m. – 4 p.m. Pacific Time. |   |

### PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes and clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.


Applicators and other handlers must wear: long sleeved shirt and long pants, chemical resistant gloves Category A, such as butyl rubber ≥ 14 mils, or natural rubber ≥ 14 mils, or neoprene rubber ≥ 14 mils or nitrile rubber ≥ 14 mils and shoes plus socks. Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

EPA Reg. No. 83028-

EPA Est. No.

**Manufactured for:**  
NCA Biotech, Inc.  
3406 Pomona Blvd.  
Pomona, California 91768, USA

Net Contents: As marked on container



**ENVIRONMENTAL HAZARDS**

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

**PHYSICAL OR CHEMICAL HAZARDS**

**Combustible.** Do not use or store near heat or open flame.

**USER SAFETY RECOMMENDATIONS**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during applications. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Do not apply this product through any type of irrigation system.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Chemical resistant gloves Category A, such as butyl rubber ≥ 14 mils, or natural rubber ≥ 14 mils, or neoprene rubber ≥ 14 mils or nitrile rubber ≥ 14 mils
- Shoes plus socks

**NON-AGRICULTURAL USE REQUIREMENTS**

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter without appropriate protective clothing until sprays have dried.

**GENERAL INFORMATION**

**NCA GoldenGro R** contains three (3) different plant growth regulators (PGRs) that synergistically stimulate early and improved root development. In addition, **NCA GoldenGro R** contains a mixture of vitamins that aid in successful transplanting and plant growth.

## CUTTINGS

### Dilution rate:

For softwood cuttings use a 1:20 dilution rate (0.5 fl oz product in 10 fl oz of water); For medium wood cuttings use a 1:10 dilution rate (One fl oz product in 10 fl oz of water); For hard wood cuttings use a 1:5 dilution rate (Two fl oz prod. in 10 fl oz water).

**NCA GoldenGro R** is recommended for use on all nursery stock cuttings including **Woody ornamentals, Deciduous hardwoods, Evergreens, Ground Covers, and Perennials** such as: African violet, Arborvitae, Azalea, Aster, Barberry, Begonia, Boxwood, Camellia, Crape-myrtle, Clematis, Chrysanthemum, Cypress, Dahlia, Delphinium, Dogwood, Eponymous, Forsythia, Fuchsia, Geranium, Heather, Hibiscus, Holly, Honeysuckle, Ivy, Japanese quince, Jasmine, Juniper, Lilac, Magnolia, Minor, Myrtle, Pachysandra, Photinia, Pivet, Pyracantha (Firethorn), Rhododendron, Rose, Spirea, Yew, Viburnum, Vinca, Wriggle and many others.

Obtain cuttings from vigorous, healthy plants and keep cuttings moist and cool such as in an ice chest. With a sharp knife, trim the cutting (2-8 inches long) with a diagonal cut just below a node or leaf. Dip the basal end of cutting, individually or in bunches, into the **NCA GoldenGro R** solution for **3-5 seconds**.

Following dipping, place cuttings into planting medium. Depending on the species, rooting will take place in several weeks or months under a moist greenhouse environment. Transplanting may be performed once the cuttings have rooted.

## TO REDUCE TRANSPLANT SHOCK AND PROMOTE NEW ROOT GROWTH

(Not for use in California)

For Shrubs, Flowers, Groundcovers, Houseplants, and the Following Non-Bearing Plants: **Citrus Fruits, Pome Fruits, Stone Fruits, Berries, Tree Nuts, Date Palm, and Grapes**

**Rose, Arborvitae, Gardenias, flowering trees and other ornamentals in bare root transplant or from containers:** Use 2 tablespoons of **NCA GoldenGro R** per 10 gallons of water. Apply solution to root area in transplanting hole and then cover roots with soil. After planting, repeat applications biweekly as a drench to thoroughly wet the root area using a solution consisting of one teaspoon of **NCA GoldenGro R** per 10 gallons of water.

**Annual and perennial flowers (bedding plants):** Use one tablespoon of **NCA GoldenGro R** per 10 gallons of water and apply to thoroughly saturate roots at time of planting. Repeat at weekly intervals until plants are well established.

**Groundcovers such as, Ivy, Iceplants, Geranium, Cotoneaster, Barberry, & Ajuga:** Use 1 tablespoon of **NCA GoldenGro R** per 10 gallons of water and apply thoroughly to saturate the root area at time of planting. Repeat at weekly intervals until plants are well established.

**Houseplants (repotting and planting):** Use 1 tablespoon of **NCA GoldenGro R** per 10 gallons of water and water thoroughly at weekly intervals to saturate the root zone until plants are well established.

**Established plants:** To continue new root growth, use 1 tablespoon of **NCA GoldenGro R** per 10 gallons of water and water plants with solution once a month.

**Non-Bearing Plants such as Citrus Fruits, Pome Fruits, Stone Fruits, Berries, Tree Nuts, Date Palm, and Grapes:** Use 6-24 fl oz of **NCA GoldenGro R** per 100 gallons of water and apply to thoroughly saturate roots at time of planting or as a drench application. Use lower rates for drench applications and higher rates for root soaking. Foliar or side-drench applications using 6-24 fl. oz. of **NCA GoldenGro R** per 100 gallons of water may be made two weeks after transplanting. Two to three applications may be required per growing season.

## TURF AND SOD GRASS

(Not for use in California)

**For Turf Grass:** Mix 0.13 fl oz of **NCA GoldenGro R** per gallon of water and apply 1-10 gallons of solution by ground per 1000 sq. ft.

**For Sod Grass:** Mix 2.5-5.0 fl oz of **NCA GoldenGro R** in 20-40 gallons of water (1:1000) and apply 20-40 gallons of solution by ground per acre.

5/5

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:**

NCA GoldenGro R should be stored in its original container in a cool, dry locked place out of the reach of children and out of direct sunlight.

**PESTICIDE DISPOSAL:**

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:**

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

### LIMITED WARRANTY AND DISCLAIMER

**NOTICE:** NCA Biotech, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions For Use. Buyer assumes all risks of use and handling which is a variance in any way with the directions herein. NCA Biotech, Inc. makes no other express or implied warranty of fitness or merchantability. To the extent consistent with applicable law, in no case shall NCA Biotech, Inc. or the seller be liable for consequential, special or indirect damages resulting from the use or handling of this product. NCA Biotech, Inc. and Seller offer this product and the Buyer and user accept it, subject to the foregoing **Limited Warranty and Disclaimer** which may be varied only by agreement in writing signed by a duly authorized representative of NCA Biotech, Inc.