

83075-1

06/16/2006

116



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510P)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

FIFRA Reg.

Number:

83075-1

Date of

Issuance:

JUN 16 2006

Term of Issuance:

Conditional

Name of Pesticide Product:

Goldshield5

NOTICE OF PESTICIDE:

[x] Registration
[] Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

NBS Technology, LLC
P.O. Box 428
157 Skunks Misery Rd.
Locust Valley, NY 11560

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(a) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. Make the labeling change listed below before you release the product for shipment:

Revise the EPA Registration Number to read, "EPA Reg. No. 83075-1".

Signature of Approving Official:

Tracy Lantz for

Velma Noble
Product Manager Team-31
Regulatory Management Branch I
Antimicrobials Division (7510P)

Date:

JUN 16 2006

CONCURRENCES

Table with columns for SYMBOL, SURNAME, DATE and rows for registration tracking.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Page 2
EPA Reg. No. 83075-1

- 3. The Enforcement Analytical Method dated 5/19/06 and received by the Agency on the same day has been found to be acceptable. Since this study has not received an MRID, resubmit this study to the Agency through Front End Processing so that an MRID will be assigned.
- 4. Upon completion, submit a one year Storage Stability and Corrosion Characteristics Study to the Agency for review.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.


A stamped copy of the label is enclosed for your records. Submit one (1) copy of your final printed labeling prior to release of this product for shipment. If you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,

for

Velma Noble
Product Manager 31
Regulatory Branch I
Antimicrobials Division (7510P)

Enclosure: (Stamped Label)		CONCURRENCES				
SYMBOL	7510P:T. Lantz:6/15/06:83075-1					
SURNAME	J. Lantz					
DATE	7510P 6/16/06					



NBST Goldshield™

Goldshield5™

MICROBIOSTATIC AGENT
A Silicone Quaternary Ammonium Salt

ACCEPTED
with **COMMENTS**
EPA Letter Dated:

JUN
16 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticide,
registered under EPA Reg. No.

83075-1

Active Ingredient:	3-(Trihydroxysilyl)propyldimethyloctadecyl ammonium chloride.....	5.0%
Other Ingredients:	95.0%
TOTAL		
INGREDIENTS:	100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING

EPA Reg. No. ~~68072-01-01~~

EPA EST. xxxxx-NY-xx

NET CONTENTS: 2, 4, 8, 16, 20, 22, or 36 fluid oz.; 1, 5, 55, 150, or 275 gal.

Lot No.

FIRST AID

Have the product container or label with you when calling the poison control center or doctor, or going for treatment.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call poison control center or doctor for treatment advice.

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

IF ON SKIN:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call a poison control center or doctor immediately for treatment advice.

3/16

- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

A microbiostatic agent is an agent that inhibits the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae. This product does not protect users or others against food-borne or disease-causing bacteria.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. Causes substantial but temporary eye injury. Harmful if absorbed through skin or inhaled. Do not get in eyes. Avoid contact with skin and avoid breathing vapor. Wear protective eyewear (goggles or face shield). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ACCEPTED
with COMMENTS
EPA Letter Dated:

ENVIRONMENTAL HAZARDS

16 2006

Commercial and industrial uses: This pesticide is toxic to fish. Do not discharge effluent containing this product into streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

discharge, this product into streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For

83075-1

De-activation may be required during clean up if a spill occurs. De-activation of *GOLDSHIELD 5™* can be achieved by the addition of anionic surfactant (such as soap, sulfonates, sulfates) in quantity equivalent to that of *GOLDSHIELD 5™*.

Homeowner use: This pesticide is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of pesticide.

DIRECTIONS FOR USE Approved commercial and Industrial Applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry.

Prepare solutions by simply adding *GOLDSHIELD 5™* to solvent and stirring. Dilute *GOLDSHIELD 5™* by adding 0.2 to 2 fluid ounces of *GOLDSHIELD 5™* per cup (3.2 to 32 fluid ounces of *GOLDSHIELD 5™* per gallon) of water or other solvents (for example, alcohol and ketones) and then applied to organic or inorganic substrates by brushing, dipping, padding, soaking, spraying, fogging or by using foam finishing techniques to give a final treatment of 0.1 to 1.0 percent by weight active ingredient.

1/16

Dry substrates at temperatures from ambient to a maximum of 160° C (320° F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. Optimum application and drying conditions, such as time and temperature, should be determined for each application before use. If necessary, reapply *GOLDSHIELD 5™* every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

GOLDSHIELD 5™ when used as a concrete additive is added directly during concrete preparation. Use 6 fluid ounces *GOLDSHIELD 5™* per cubic feet of concrete. Add to water before addition of concrete. Addition of *GOLDSHIELD 5™* reduces deterioration of sewer pipes and manholes by inhibiting microbiologically induced corrosion.

GOLDSHIELD 5™ when used as an additive for paints and coatings is added directly during preparation of the paint or coating. Use 5 pounds of *GOLDSHIELD 5™* per 100 pounds of paint or coating (or 1 pound *GOLDSHIELD 5™* per 20 pounds paint/coating). The addition of the antimicrobial agent *GOLDSHIELD 5™* to paints at the point of manufacture preserves the paint in the can as well as the dried paint film. *GOLDSHIELD 5™* inhibits the growth of odor causing bacteria, bacteria which causes staining and discoloration, fungi (mold and mildew), and algae on the surface of dried films and coatings.

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

~~NOV 16 2006~~

Approved commercial and industrial applications

The active ingredient in *GOLDSHIELD 5™* is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. *GOLDSHIELD 5™* can be used as a finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

Under the Federal Insecticide,
Fungicide and Rodenticide Act as
amended for the pesticide,
EPA Registration No.

83075-1

- Air filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Cellulose sponges
- Concrete additive for sewer pipes, manholes and concrete sewer structures; not to be used in treatment of storm drains
- Concrete additive for repair and renewal of sewer pipes and manholes and concrete sewer structures; not to be used in treatment of storm drains
- Exterior walls (such as stone, concrete, brick)
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass ductboard

5/16

PAGE 4 - MASTER LABEL FOR *GOLDSHIELD 5™*

- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Mens underwear and outerwear
- Non-woven disposable diapers
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- *GOLDSHIELD 5™* can be used in paints and coatings as an in can preservative for protection of paint film and coating film. Types of paints and coatings include : latex indoor/outdoor paints and stains, wood-stains, architectural paints, lacquer and maintenance coatings, films, laminates and finishes including alkyd, urethane, enamel, epoxy, siloxaline , amino resins, textile coatings, extrusion coatings, architectural coatings and overlays, anti-corrosion coatings, fire-resistant coatings, aliphatic coatings, vinyl-ester and polyester coatings, gel coatings, amino resins, resins used as additive mixes for cement, epoxy laminating resins, and blends and copolymers thereof;
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Pre-moistened towelettes and tissue wipes (these do not impart pesticidal properties)
- Roofing materials - defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, sails, and ropes
- Athletic and casual shoes
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene/nylon/Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces
- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Women's hosiery
- Women's intimate apparel

ACCEPTED
with COMMENTS
EPA Letter Dated:

7/16/2015

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticide,
registered under EPA Reg. No.

83075-1

6/16

ACCEPTED
with COMMENTS
EPA Letter Dated:

JUN 18 2005

DIRECTIONS FOR USE

Approved commercial applications used in homes, offices, automobiles and institutions
e.g., schools, hospitals, daycare centers, churches, correctional facilities

Federal Insecticide,
and Rodenticide Act as
for the pesticide,
registered under EPA Reg. No.
83075-1

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

For Pump Spray Application: Dilute 8 ounces of *GOLDSHIELD 5™* per gallon of water (2 oz. per quart; 1oz. per pint). Using pump sprayer, spray entire area 4" - 6"s from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application.

GOLDSHIELD 5™ treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more *GOLDSHIELD 5™* may be required due to absorption. A fan may be used to assist in drying carpeting.

For Commercial Spray Application: For commercial application equipment (i.e. carpet/upholstery steamers, rotary jet extraction cleaners, pressure sprayers) dilute 8 ounces of *GOLDSHIELD 5™* per gallon of water (2 oz. per quart; 1oz. per pint); mix well. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. *GOLDSHIELD 5™* treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates, more *GOLDSHIELD 5™* may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use. A fan may be used to assist in drying carpeting.

For Dipping/Soaking Application: Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough *GOLDSHIELD 5™* solution to completely submerge item. Dilute 8 ounces of *GOLDSHIELD 5™* per gallon of water (2 oz. per quart; 1oz. per pint); mix well. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking.

The substrate can be dried at room temperatures or at temperatures to a maximum of 160° C (320° F), for example in a clothes dryer. Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply *GOLDSHIELD 5™* every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

7/16

**Approved commercial applications in homes, offices, automobiles and institutions
e.g., schools, hospitals, day care centers, banks, churches, correctional facilities**

The active ingredient in *GOLDSHIELD 5™* is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent.

GOLDSHIELD 5™ can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

- Air filters for furnaces, air-conditioners, air purification devices, automobiles, recirculating air handling systems
- Air filters/materials
- Aquarium filter material
- Bed sheets, blankets, and bedspreads
- Buffer pads (abrasive and polishing)
- Carpets and draperies
- Cellulose sponges
- Exterior walls (such as stone, concrete, brick)
- Fiberfill for upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, polyester, rayon, or wool
- Fiberglass ductboard
- Fire hose fabric
- Humidifier belts
- Mattress pads and ticking
- Mens underwear and outerwear
- Non-woven polyester
- Outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos)
- Polyurethane and cellulose foam for household, industrial, and institutional sponges and mops
- Polyurethane and polyethylene foam, when covered
- Polyurethane foam for packaging and cushioning in non-food contact applications
- Polyurethane foam used as a growth medium for non-food crops and plants
- Roofing materials - defined as shingles, roofing granules, wood shakes, felt, stone and synthetic overcoats
- Sand bags, tents, tarpaulins, sails, and ropes
- Athletic and casual shoes
- Shoe insoles
- Shower curtains
- Socks comprised of nylon, nylon/orlon, cotton/nylon, linen/Lycra, acrylic/polypropylene/nylon/Lycra, wool/silk/nylon/Lycra and wool/acrylic/nylon/Lycra
- Throw rugs
- Toweling made of 100 percent cotton, 100 percent polyester, and blends of the two fibers
- Toilet tank and seat covers
- Umbrellas
- Upholstery made of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool
- Vacuum cleaner bags and filters
- Vinyl paper-wallpaper for non-food contact surfaces

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

JUN 16 2005

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

83075-1

8/16

PAGE 7 - MASTER LABEL FOR *GOLDSHIELD 5™*

- Disposable wiping cloths that can be used for multiple purposes such as dusting or washing furniture, cars, walls, windows, floors, appliances, dishes, counter tops; the wiping cloths do not impart pesticide properties
- Women's hosiery
- Women's intimate apparel

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

~~JUN~~ 15 2005

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

83075-1

9/16

DIRECTIONS FOR USE
For homeowner applications

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Wear protective eyewear (goggles or face shield) and gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

Approved homeowner uses

The active ingredient in *GOLDSHIELD 5™* is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. *GOLDSHIELD 5™* can be used as a final bacteriostatic finish on the following items to impart bacteriostatic/fungistatic (mold and mildew) activity.

	Pest controlled	Dilution Rate	Method of Application
Bed-sheets, blankets, bedspreads, curtains, draperies (washable only), underwear, socks, intimate apparel, hosiery, throw rugs, toweling, toilet tank covers, shower curtains, shoe insoles, outerwear apparel (jackets, sweaters, sweatshirts, coats, raincoats, overcoats, jerseys, ponchos). <i>GOLDSHIELD 5™</i> can be applied to fabrics made of acetates, acrylics, cotton, fiberglass, linen, Lycra, nylon, orlon, polyester, polyethylene, polyolefins, polypropylene, rayon, silk, spandex, vinyl, and wool	Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	8 oz./ gallon 2 oz./ quart 1 oz./pint	<p>DIP/SOAK: Dilute <i>GOLDSHIELD 5™</i> in water; mix well. Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough <i>GOLDSHIELD 5™</i> solution to completely submerge item. Keep item in solution for 3 minutes. Remove item and wring excess liquid. Drying may be attained by dripping dry or wringing excess liquid from treated item. For larger items (e.g., bedspreads, curtains, draperies), place in washing machine on spin cycle to aid in the removal of excess liquid. Test staining and color-fastness of fabric and carpets by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160 °C (320 °F); (for example in a clothes dryer). If necessary, reapply <i>GOLDSHIELD 5™</i> every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.</p> <p>SPRAY: Dilute <i>GOLDSHIELD 5™</i> in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with</p>

ACCEPTED
with COMMENTS
EPA Letter Dated:

JUN 10 1985

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

83075-1

1016

			cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply <i>GOLDSHIELD 5™</i> every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Dilution Rate	Method of Application
Air filters and air filter material for <ul style="list-style-type: none"> • Furnaces, air conditioners • Air purification systems • Automobiles • Recirculating air handling systems • Vacuum cleaner filters • Aquariums 	Odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	8 oz./ gallon 2 oz./ quart 1 oz./pint	SPRAY: Dilute <i>GOLDSHIELD 5™</i> in water; mix well. When treating filters, remove filter from the unit. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"- 6" from the surface making sure the surface is completely covered. Apply and then let stand until dry. If necessary, reapply <i>GOLDSHIELD 5™</i> every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Dilution Rate	Method of Application
Carpeting	Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew) ACCEPTED with COMMENTS EPA Letter Dated: Jan 16 2006 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 83075-1	8 oz./ gallon 2 oz./ quart 1 oz./pint	SPRAY: Dilute <i>GOLDSHIELD 5™</i> in water; mix well. Apply to clean carpet surface. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"- 6" from the surface making sure the surface is completely covered. For rotary jet extraction cleaners and carpet steamers, add the diluted <i>GOLDSHIELD 5™</i> solution directly to the cleaning tank, then operate the equipment in accordance with manufacturer's instructions. Apply and then let stand until dry. Test staining and color-fastness of carpets by treating and drying a small concealed area prior to application. <i>GOLDSHIELD 5™</i> treats approximately 200 square feet per diluted gallon of water. When treating coarser substrates (e.g., wool carpeting), more <i>GOLDSHIELD 5™</i> may be required due to absorption. Dry carpet areas and surfaces before re-entry. A fan may be used to assist in drying carpeting. Remove children and pets from treated area until completely dried. If necessary, reapply <i>GOLDSHIELD 5™</i> every three months or when odor, staining and discoloration due to bacteria, mold stains,

11/16

			and mildew stains return.
	Pest controlled	Dilution Rate	Method of Application
Mattress pad and mattress ticking and upholstery composed of acetates, acrylics, cotton, fiberglass, nylon, polyester, polyethylene, polyolefins, polypropylene, rayon, spandex, vinyl, wool; fiberfill to be used in upholstery, sleeping bags, apparel, where the fiber is cotton, natural down, nylon, rayon or wool	Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	8 oz./ gallon 2 oz./ quart 1 oz./pint	SPRAY: Dilute <i>GOLDSHIELD 5™</i> in water; mix well. Clean surfaces prior to application. Using a trigger pump sprayer spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. When applying to mattress pads and ticking do not soak. Remove children and pets from treated area until completely dried. If necessary, reapply <i>GOLDSHIELD 5™</i> every three months or when odor, staining and discoloration due to bacteria, mold stains and mildew stains return.
	Pest controlled	Dilution Rate	Method of Application
Tents, tarpaulins, sails, ropes.	Odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	8 oz./ gallon 2 oz./ quart 1 oz./pint	SPRAY: Dilute <i>GOLDSHIELD 5™</i> in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. If necessary, reapply <i>GOLDSHIELD 5™</i> every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return. DIP/SOAK: Dilute <i>GOLDSHIELD 5™</i> in water and mix well. Use appropriate sized wash basin or tub for dipping/soaking the item you are treating. Use enough <i>GOLDSHIELD 5™</i> solution to completely submerge item.

**ACCEPTED
with COMMENTS
EPA Letter Dated:**

Jan 15 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

83075-1

12/16

with COMMENTS
EPA Letter Dated:
 JUN 10 2006
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act as
 amended for the pesticide,
 registered under EPA Reg. No.
 83075-1

Keep item in solution for three minutes. Remove item and wring excess liquid. Test staining and color-fastness of fabric by treating and drying a small concealed area prior to application. Do not reuse solution after dipping/soaking. Dry treated articles before use. Substrates can be hang-dried at room temperature or at temperatures to a maximum of 160 °C (320 °F); (for example in a clothes dryer). Remove excess liquid before attempting to dry in a clothes dryer. If necessary, reapply *GOLDSHIELD 5™* every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.

	Pest controlled	Dilution Rate	Method of Application
Roofing materials (such as shingles, roofing granules, wood shakes, felt, stone, synthetic overcoats) Exterior walls (such as stone, concrete, brick)	Odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae	8 oz./ gallon 2 oz./ quart 1 oz./pint	SPRAY: Dilute <i>GOLDSHIELD 5™</i> in water; mix well. Make sure the roof or wall is clean prior to application. Using a pressure sprayer, spray the entire surface area 6"-12" from the surface making sure the surface is completely covered. After applying the dilute solution of <i>GOLDSHIELD 5™</i> let stand until dry. <i>GOLDSHIELD 5™</i> treats approximately 200 square feet of roofing or wall per diluted gallon of water. If necessary, reapply <i>GOLDSHIELD 5™</i> every three months or when odor, staining and discoloration due to bacteria, mold stains, mildew stains, and algae stains return.
	Pest controlled	Dilution Rate	Method of Application
Buffer pads (polishing and abrasive), Polyurethane and cellulose foam for household sponges and mops, vacuum cleaner bags, umbrellas, casual shoes, athletic shoes	Odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew)	8 oz./ gallon 2 oz./ quart 1 oz./pint	SPRAY: Dilute <i>GOLDSHIELD 5™</i> in water; mix well. Clean surface prior to application. Using a trigger pump sprayer or pressure sprayer, spray the entire surface area 4"-6" from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply <i>GOLDSHIELD 5™</i> every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
	Pest controlled	Dilution Rate	Method of Application
Tubs, glazed tiles, vanity tops, shower curtains, shower stalls (areas), sinks,	Odor causing bacteria,	8 oz./ gallon 2 oz./ quart	SPRAY: Dilute <i>GOLDSHIELD 5™</i> in water; mix well. Using a trigger pump sprayer, spray the entire surface area 4"- 6"

13/16

washable walls, wall paper for non-food contact, floors, window sills, cabinets, garbage cans, appliances, refrigerators (exterior), fiberglass, formica, glazed tiles, glazed porcelain, synthetic marble, plastic, vinyl	bacteria which cause staining and discoloration, and fungi (mold and mildew)	1 oz./pint	from the surface making sure the surface is completely covered. Let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. If necessary, reapply <i>GOLDSHIELD 5™</i> every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.
--	--	------------	---

MOLD, MILDEW, ODOR PROTECTOR AND INHIBITOR *GOLDSHIELD 5™* is an antimicrobial agent effective against odor causing bacteria.

GOLDSHIELD 5™ is an antimicrobial agent effective against bacteria which cause staining and discoloration.

GOLDSHIELD 5™ is an antimicrobial agent effective against fungi (mold and mildew).

GOLDSHIELD 5™ is an antimicrobial agent effective against algae.

GOLDSHIELD 5™, an antimicrobial agent, controls the source of odors on surfaces in the home, in the bathroom, in the kitchen. Bacteriostatic, fungistatic (mold and mildew), algaestatic.

GOLDSHIELD 5™ an antimicrobial agent, inhibits smelly odors caused by mold and mildew that can grow even in the cleanest of homes.

GOLDSHIELD 5™, an antimicrobial agent, inhibits the growth of odor causing bacteria.

Effective on hard non-porous washable bathroom and kitchen surfaces and fixtures around the home.

Effective on modern hard non-porous washable surfaces made of fiberglass, glazed porcelain, Formica®, stainless steel, synthetic marble.

Imparts microbiostatic properties.

Use on carpet and upholstery to inhibit odor causing bacteria, bacteria which cause staining and discoloration, and fungi (mold and mildew).

Unscented.

Use on carpet and upholstery to inhibit the growth of odor causing bacteria.

Use on carpet and upholstery to inhibit the growth of bacteria which cause staining and discoloration.

Use on carpet and upholstery to inhibit the growth of fungi (mold and mildew).

Use on carpet and upholstery to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria.

Provides an invisible microbiostatic coating to inhibit the growth of bacteria which cause staining and discoloration.

Provides an invisible microbiostatic coating to inhibit the growth of fungi (mold and mildew).

Provides an invisible microbiostatic coating to inhibit the growth of algae.

Provides an invisible microbiostatic coating to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

Prevents deterioration caused by bacteria and fungi (mold and mildew).

Inhibits deterioration caused by bacteria.

ACCEPTED
with COMMENTS
EPA Letter Dated:

JUN 16 2006

**Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.**

83075-1

14/16

ACCEPTED
With COMMENTS
EPA Letter Dated:

JUN 16 2006

Under the Federal Insecticide,
Fungicide and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

83075-1

- Resists development of microbial odors.
- Resists development of stains and discoloration due to bacteria.
- Resists development of stains due to fungi (mold and mildew).
- Resists stains due to algae.
- Resists development of microbial odors, stains and discoloration due to bacteria, fungi (mold and mildew), and algae.
- Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria.
- Provides/creates an invisible barrier to inhibit the growth of bacteria which cause staining and discoloration.
- Provides/creates an invisible barrier to inhibit the growth of fungi (mold and mildew).
- Provides/creates an invisible barrier to inhibit the growth of algae.
- Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.
- Provides/creates an invisible barrier to inhibit the growth of odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew), and algae.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original, tightly closed containers below 30°C (86°F) and above 0°C (32°F) in a secure area inaccessible to children and away from food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **[For homeowner use the statement will read:** "Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site."**]**

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. **[For homeowner use statement will read:** "Container Disposal: Securely wrap original container in several layers of newspaper and discard in trash."**]**

Note: Any claims for paint use must be for the preservative of the paint in the can. *GOLDSHIELD 5™*s to be used as an in can preservative for paints to control the growth of odor causing bacteria, bacteria which causes staining and discoloration, fungi (mold and mildew) and algae.

FOR MORE INFORMATION CONCERNING THIS PRODUCT, PLEASE CONSULT THE MATERIAL SAFETY DATA SHEET (MSDS). THE MSDS CAN BE OBTAINED BY WRITING : NBS Technology, LLC PO Box 428, 157 Skunks Misery Rd, Locust Valley, NY 11560 or emailing: enbst@optonline.net

IMPORTANT: WARRANTY AND DISCLAIMER INFORMATION

15/16

PAGE 14 - MASTER LABEL FOR *GOLDSHIELD 5™*

NBS Technology, LLC warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in this bulletin when used in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to bulletin instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to the seller, and buyer assumes the risk of any such use.

NBS Technology, LLC SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY

ACCEPTED
with COMMENTS
EPA Letter Dated:

JUN 16 2006

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticide,
registered under EPA Reg. No.

83075-1

16/16