

UNITED STATES ENVIRONMENTAL ROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

February 27, 2008

Helen Sanders President **HDH Agri Products, LLC** 27536 CR 561 Tavares, FL 32778

Subject:

HDH Foam 26

EPA Registration No. 83103-2 Application Dated: February 1, 2008 Receipt Date: February 7, 2008

Dear Ms. Sanders:

The following amendment, submitted in connection with registration under section of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable.

Proposed Amendment:

Updated labeling

Other comments:

A stamped copy of the accepted labeling is enclosed.

The Agency is moving away from review of paper submitted registration applications to electronic review of applications. Therefore, we need your help to make this an efficient and convenient process for both you and the Antimicrobials Division. Accordingly, we are asking you to submit future labeling amendments for this product via the electronic labeling process. Refer to the following website for guidance on electronic submissions, including label: http://www.epa.gov/oppfead1/eds/esr_guidance.htm#overallsub. If you have questions concerning electronic labeling, a list of contacts is available at the following site: http://www.epa.gov/oppfead1/eds/edsgoals.htm#contacts

Should you have any questions concerning this letter, please contact me by telephone at (703) 308-6422 or email address at: heyward.adam@epa.gov, or Renae Whitaker telephone at (703) 308-7003 or email address at: whitaker.renae@epa.gov during the hours of 8:00 am to 3:30 pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

Adam Heyward

Product Manager (34)

Regulatory Management Branch II Antimicrobials Division (7510P)

and autitable

Enclosure: EPA stamped approved labeling

3/5

HDH Foam 26

| ACTIVE INGREDIENT: | |
|--------------------|----------|
| o-phenylphenol* | 12.47 % |
| OTHER INGREDIENTS: | |
| TOTAL | 100.00 % |

KEEP OUT OF REACH OF CHILDREN

DANGER

FIRST AID

If in eyes: -Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

-Call a poison control center or doctor for treatment advice.

If on skin or clothing:-Take off contaminated clothing.

-Rinse skin immediately with plenty of water for 15-20 minutes.

-Call a poison control center or doctor for treatment advice.

If swallowed:-Call a poison control center or doctor immediately for treatment advice.

-Have person sip a glass of water if able to swallow.

-Do not induce vomiting unless told to do so by a poison control center or doctor.

-Do not give anything by mouth to an unconscious person.

If inhaled:-Move person to fresh air.

-If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

-Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-858-7378 for emergency medical treatment.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See Side Panel For Additional Precautionary Statements

HDH Agri Products, LLC. Tavares, FL 32788

EPA Reg. No. 83103-2 EPA Est. No.

| ACCEPTED |
|---|
| FEB 2 7 2008 |
| Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No 8 31 03-2 |

Net Contents _____ US Gallons

HDH Foam 26 - Label February 1, 2008 - Page 1 of 3

^{*} Equivalent to 14.15% Sodium o-phenylphenate.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

DANGER

Corrosive.* Causes irreversible eye damage and skin burns. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), protective, chemical resistant, clothing and gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified in a National Pollutant Discharge Elimination System (NPDES) permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PESTICIDE STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Keep from freezing. If frozen, mix well upon thawing. Do not store on side. Avoid creasing or impacting of side wall.

Product Disposal: Pesticide wastes are acutely hazardous. Improper disposal is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

5/5

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRODUCT USE

Citrus: (Blue Mold, Green Mold, Stem-end Rots, Sour Rot). For postharvest application dilute one gallon of HDH Foam 26 with nine gallons of water. Apply by foaming or dripping onto fruit, brush for 15 to 30 seconds. Do not exceed one minute exposure. Follow by fresh water rinse. When diluted as directed HDH Foam 26 provides a 1.94% Sodium Orthophenylphenate Tetrahydrate solution.

Pears: (Blue Mold, Grey Mold, Bacterial Rots). For postharvest application dilute one gallon of HDH Foam 26 with eleven gallons of water. Apply by foaming or dripping onto fruit, brush for 15 to 30 seconds. Do not exceed 30 seconds exposure. Follow by fresh water rinse.

APPLY THIS PRODUCT ONLY AS SPECIFIED ON THE LABEL.

SELLER warrants that this material is suitable for the use referred to in the directions for use. No other warranty, express or implied, is made. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential damages, such as loss of profits or values.