1/9

Carol Szatkowski Coating Specialists LLC 1030 Doris Road Auburn Hills, MI 48326

SUBJECT:

SportsAide 1000

EPA Registration Number: 83135-1 Application Date: Jan. 14, 2011 Receipt Date: January 31, 2011



Dear Ms. Szatkowski:

This letter acknowledges receipt of the notification identified above submitted under the provisions of the Federal Insecticide, Fungicide, and Rodenticide Act (FIRRA), as amended and PR Notice 98-10 and 2007-4.

Notification to add following information to the Master Label:

• Revise Pesticide Disposal Language

Based on a review of the submitted information this notification is acceptable. This notification will be made part of the record for this file.

Your label identifies a website. Please be aware that such a reference transforms the website into labeling under the Federal Insecticide Fungicide and Rodenticide Act sec 2 (p) (2) and then the website is subject to review by the Agency. If the website content is false or misleading, the product would be misbranded and its sale or distribution unlawful to sell or distribute under FIFRA section 12(a)(1)(E). In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Although EPA has not yet determined the extent to which it will routinely review company websites, if the Agency finds or if it is brought to our attention that a website contains false or misleading statements or claims

CONCURRENCES						
SYMBOL 1510P						
SURNAME & Frank		,	Ÿ			*************
DATE 3/2/11						
EPA Form 1320-1A (1/90)		Printed on Recycled			OFFICIA	L FILE COP

substantially differing from claims approved through the registration process, the website may be referred to the EPA's Office of Enforcement and Compliance Assurance.

General Comments

Should you have any questions concerning this letter, please contact Tracy Lantz at (703) 308-6415.

Sincerely,

Velma Noble.

Product Manager (31).

Regulatory management Branch I.

Antimicrobials Division (7510P)

7510P:T.Lantz:3/2/11:83135-1 notification

CONCURRENCES								
SYMBOL		·	·					
SURNAME							* ****	
DATE								*************
	1000 18 (100)			Deinsad Donato			OFFICI	AL FILE COPY

EPA Form 1320-1A (1/90)

Please read instructions on n	verse before comd	ng form.	Form A	oproved, C	MB No. 207	0-0060	Market Company of the	
≎EPA	Washington, DC 20460			×	Registrat Amendm Other		OPP Identifier Number	
Application for Pesticide - Section I								
1. Company/Product Number 83135			2. EPA Product I Velma Noble	2. EPA Product Manager Velma Noble 3. Proposed Classification				
4. Company/Product (Name) Coating Specialists LLC			PM#			\bigcap	None Restricted	
5. Name and Address of Applicant (Include ZIP Code) Coating Specialists LLC 1030 Doris Road; Auburn Hills, MI 48326			(b)(i), my produ to: EPA Reg. No	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. 83135-1				
Check if this	is a new address		Product Nam	Sports/	Aide 1000			
			Section - II					
X Amendment - Explain Resubmission in resp Notification - Explain	onse to Agency letter	dated	Agency "Me To	inted labels / letter dated o" Applicati Explain belo	ion.	to		
Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of label change per PR Notice 2007-4. The submitted label reflect word changes in the Storage and Disposal Section that are consistent with the provisions of PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. (continued next page)								
			Section - III					
1. Material This Product Wil	Be Packaged In:							
Child-Resistant Packaging X Yes* No * Cartification must	Unit Packaging Yes X No If "Yes"	No. per If	Yes No No.		2. Type of C	Metal Plastic Glass Paper	manife d	
be submitted	Unit Packaging wgt.	container P	ackage wgt cont	aa.	ليبييسا	Other (S	pecity)	
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label On Labeling accompanying product								
6. Manner in Which Label is Affixed to Product								
Section - IV					(() ()			
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)								
Name Carol Szatkowski Title Techn			hnical Operations	ical Operations Telephon 248-292			No. (Include Area Code) -0876	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.								
2. Signeture CarolSzathowski			3. Title Technical Operations				; (; ; ; (; ; ; ; ; ; ; ; ; ; ; ; ; ;	
4. Typed Name Carol Szatkowski		5. D	ate n 14, 2011					

Environmental Protection Agency- EPA Form 8570-1

Application for SportsAide 1000

Continued explanation (For section I and Section II)

The changes made have been highlighted on the submitted label for easy review. No other changes have been made to the labeling or the Confidential Statement of Formula for this product.

These changes have also been made in all the labels of the approved Alternate Brands: SurfaceAide 1000, SurfaceAide XL, FabricAide, and TurfD.

I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Signature

Name

Carol Szatkowski

Title

Technical Operations

Date

January 14, 2011



The property of the property of the property of

EPA REG. NO. 83135-1 EPA EST. NO. 85984-MI-001

ACTIVE INGREDIENT

KEEP OUT OF REACH OF CHILDREN

Have product container or label with you when calling Poison Control Center or doctor, or going for treatment.

IF IN EYES

- . Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- · Remove contact lenses, if present, after first 5 minutes, then continue rinsing.
- · Call a Poison Control Center or doctor for treatment advice.

FINHALED

- · Move person to fresh air.
- If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a Poison Control Center or doctor for treatment advice.

IF IN SKIN OR CLOTHING

- · Take off contaminated clothing.
- · Rinse skin immediately with plenty of water.

IF SWALLOWED

- · Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a Poison Control Center or doctor.
- Do not give anything by mouth to an unconscious person.



877.211.4533

www.antimicrobial.com

Sold by Coating Specialists, LLC. Made in the USA. 1030 Doris Road, Auburn Hills, Michigan 48326 FabricAide & Coating Specialists, LLC Logos are a Trademark of the Coating Specialists, LLC.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, and clothing. Wear goggles or face shield, and rubber gloves. Remove contaminated clothing and wash before reuse. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge, Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of FABRICAIDE. Antimicrobial can be achieved by the addition of an anionic surfactant or detergent in quantity equivalent to that of the active ingredient.

PRODUCT FEATURES AND BENEFITS

- FABRICAIDE, Antimicrobial imparts durable biostatic activity to the surface of a wide variety of substrates.
- FABRICAIDE_e Antimicrobial is effective against mold, mildew, and algae as a static agent.
- Increased efficiency through proper application, durable bacteriostatic, fungistatic and algistatic surfaces can be attained with a minimum amount of FABRICAIDE, Antimicrobial.
- Provides freshness and combats deterioration and discoloration caused by bacteria, fungi and algae.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

FOR COMMERCIAL / INDUSTRIAL INSTITUTIONAL / RESIDENTIAL USE

APPROVED USES: FABRICAIDE. Antimicrobial is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. FABRICAIDE. Antimicrobial can be used as a final bacteriostatic finish on the following items to impact bacteriostatic/fungistatic (mold and mildew) activity:

· Carpet, Draperies, Upholstery, Natural and Synthetic Fabrics.

HOW TO USE:

MSDS INFORMATION: BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE MATERIAL SAFETY DATA SHEET CAN BE OBTAINED BY WRITING TO COATING SPECIALISTS, LLC OR BY CALLING (877) 211-4533.

Wear protective eyewear (goggles or face shield) and rubber gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

FABRICAIDE. Antimicrobial is to be applied to organic and inorganic surfaces as supplied by dippling, padding, soaking until adequately wet. After applying treatment, the surface must be allowed to dry at temperatures from ambient to a maximum of 160°C (320°F) to effect complete condensation of sitanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. If necessary, reapply FABRICAIDE. Antimicrobial every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

For Dipping/Soaking Application: Use appropriate sized washbasin or tub for dipping/soaking the item you are treating. Use enough FABRICAIDE. Antimicrobial solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for stalning and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking. The substrate can be dried at room temperatures or at temperatures to a maximum of 160°C (320°F).

For each application, determine optimum application and drying conditions, such as time and temperature before use, if desired, reapply FABRICAIDE. Antimicrobial if odor, staining and discoloration due to bacteria mold or mildew occur.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in original, tightly closed container in an area inaccessible to children or persons unfamiliar with its use. Keep tightly closed until ready to use. Roclose tightly after each use. When stored in original, unopened containers at or below 25°C (77°F), FABRICAIDE-Antimicrobial has a minimum shelf life of 12 months from date of shipment.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mitture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for quidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or dispose of in trash. This container will have product residues when emptied. All hazard precautions on label must be observed when handling emptied container.

NOTICE: Coating Specialists, LLC warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in the libeling where well-accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of his product contrary to written instructions, or under alphorenal econditions, or under conditions not reasonably foreseeab's to sellc/endewger assumes the risk of any such use.



COATING SPECIALISTS, LLC SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.

NET CONTENTS: 5 Gallon



ANTIMICROBIAL FOR EQUIPMENT & FACILITIES

EPA REG. NO. 83135-1 EPA EST. NO. 85984-MI-001

ACTIVE INGREDIENT

KEEP OUT OF REACH OF CHILDREN FIRST AID

Have product container or label with you when calling Poison Control Center or doctor, or going for treatment.

IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- · Remove contact tenses, if present, after first 5 minutes, then continue rinsing.
- · Call a Poison Control Center or doctor for treatment advice

IF INHALED

- · Move person to fresh air.
- If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- · Call a Poison Control Center or doctor for treatment advice.

IF IN SKIN OR CLOTHING

- · Take off contaminated clothing
- · Rinse skin immediately with plenty of water.

IF SWALLOWED

- · Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a Poison Control Center or doctor.
- . Do not give anything by mouth to an unconscious person.



877.211.4533 www.antimicrobial.com

Sold by Coating Specialists, LLC. Made in the USA. 1030 Doris Road, Auburn Hills, MI 48326 SurfaceAide XL & CS Logos are Trademarks of the Coating Specialists, LLC.

NET CONTENTS: 5 Gallons

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, and clothing. Wear goggles or face shield, and rubber gloves. Remove contaminated clothing and wash before reuse. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a split occurs. De-activation of SURFACEAIDEs, XL Antimicrobial can be achieved by the addition of an anionic surfactant or deteroant in quantity equivalent to that of the active ingradient.

PRODUCT FEATURES AND BENEFITS

- SURFACEAIDE, XL Antimicrobial imparts durable biostatic activity to the surface of a wide variety of substrates.
- SURFACEAIDE: XL Antimicrobial is effective against mold, mildew, and algae as a static agent.
- Increased efficiency through proper application, durable bacteriostatic, fungistatic and algistatic surfaces can be attained with a minimum amount of SURFACEAIDE, XL Antimicrobial.
- Provides freshness, combats deterioration and discoloration caused by bacteria, fungi and algae.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

FOR COMMERCIAL / INDUSTRIAL INSTITUTIONAL / RESIDENTIAL USE

APPROVED USES: SURFACEAIDE. XL Antimicrobial is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent. SURFACEAIDE. XL Antimicrobial can be used as a final bacteriostatic finish on the following items to impact bacteriostatic/fungistatic (mold and mildew) activity:

- Carpet, Silica Sand, Draperies, Upholstery, Furniture, Natural and Synthetic Fabrics, Book Covers, and Pictures.
- Interior Non-Food Contact Hard Surfaces Including: Floors and Floor Coverings, Walls and Wall Coverings, Ceilings, Ceramic Tile, Concrete, Chrome, Stainless Steel, Fiberglass, Vinyl, Porcelain, Wood, Plastic Surfaces & Composites, Glass Fixtures, Granile, Marble, and Aluminum.

HOW TO USE:

MSDS INFORMATION: BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE MATERIAL SAFETY DATA SHEET CAN BE OBTAINED BY WRITING TO COATING SPECIALISTS, LLC OR BY CALLING (877) 211-4533.

Wear protective eyewear (goggles or face shield) and rubber gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

SURFACEAIDE, XL Antimicrobial is to be applied to organic and inorganic surfaces as supplied by brushing, dipping, padding, soaking, spraying until adequately wet. After applying treatment, the surface must be allowed to dry at temperatures from ambient to a maximum of 160°C (320°F) to effect complete condensation of siland groups and to remove water, solvents and/or traces of methanol from hydrolysis. If necessary, reapply SURFACEAIDEs XL Antimicrobial every three months or when odor, staining and discoloration due to bacteria, mold steins, and mildew steins return.

For Pump Safety Spray Application: Using pump sprayer, spray entire area 4-8 inches from the surface making sure the surface is complotely covered. Apply and then let stand until dry or lot stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wips with moist cloth or sponge. Test for staining and colorfastness of fabrics and carpets by treating and drying a small, concealed area prior to application. When treating coarser substrates, more SURFACEAIDEs XL Antimicrobial may be required due to absorption.

For Spray Application: Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, whee with moist cloth or sponge. Test for staining and color-featness of statucs and carpets by treating and drying a small, concealed area prior to application. When treating coarser substrates, more SURFACEAIDE, XL. Antimicrobial may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use.

For Dipping/Scaking Application: Use appropriate sized washbasin or tub for dipping/scaking the item you are treating. Use anough SURFACEAIDE, XL Antimicrobial solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/scaking. The substrate can be dried at room temperatures or at temperatures to a maximum of 160°C (320°F).

For each application, determine optimum application and drying conditions, such as time and temperature before use. If desired, reapply SURFACEAIDE® XL Antimicrobial if odor, staining and discoloration due to bacteria, mold or mildew occur.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal,

STORAGE: Store in original, fightly closed container in an area inaccessible to children or persons unfamiliar with its use. Keep tightly closed until ready to use. Reclose tightly after each use. When stored in original, unopened containers at or below 25°C (77°F), SURFACEAIDE; XL Antimicrobial has a minimum shell life of 12 months from date of shipment.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or finsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide on Em.:onments*Cori...of*Apency, or the Hazardous Waste representative at the nearGst EPA Regional Office for guidance.

CONTAINER DESPROALS Norme: liable container. Do not reuse or refill this container. Offerfor recycling if available or dispose of in trash. This container will have productly esidues when handing emptied container.

NOTICE: Coating Specialists, LLC warrants that the product conforms to its chemical description and is gesonably fit for the purgoses stated in the labeling while used in accordance with directions under normal conditions of use; but this werginty of filmess for a particular purpose does not extend to the use of this product configury to : mitten instructions, or under abformal conditions, or under conditions not measurably forestable to seller, and bug a fassurings the risk of any such use.

COATING SPECIALISTS, LLC SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.



ANTIMICROBIAL FOR SYNTHETIC TURF SYSTEMS

EPA REG. NO. 83135-1 EPA EST. NO. 85984-MI-001

ACTIVE INGREDIENT

3	(trihydroxysilyl)	propyldimethyl	octadecyl
aı	nmonium chloride		1.44%
IN	ERT INGREDIENT	S	98.56%
ī	ntal		100.00%

KEEP OUT OF REACH OF CHILDREN FIRST AID

Have product container or label with you when calling Poison Control Center or doctor, or going for treatment.

IF IN EYES

- · Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- · Remove contact lenses, if present, after first 5 minutes, then continue rinsing.
- · Call a Poison Control Center or doctor for treatment advice.

IF INHALED

- · Move person to fresh air.
- If person is not breathing, call 911 or ambulance, then give artificial respiration. preferably by mouth-to-mouth, if possible.
- · Call a Poison Control Center or doctor for treatment advice.

IF IN SKIN OR CLOTHING

- · Take off contaminated clothing
- · Rinse skin immediately with plenty of water.

IF SWALLOWED

- · Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a Poison Control Center or doctor.
- . Do not give anything by mouth to an unconscious person.



877.211.4533 www.antimicrobial.com

Sold by Coating Specialists, LLC. Made in the USA. 1030 Doris Road, Auburn Hills, MI 48326 TurfD & CS Logos are Trademarks of the Coating Specialists, LLC.

NET CONTENTS: 5 Gallons

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swellowed, absorbed through the skin, or inhaled. Causes moderate eye irritation. Avoid contact with eyes, skin, and clothing. Wear goggles or face shield, and rubber gloves. Remove contaminated clothing and wash before reuse. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of TURFD. Antimicrobial can be achieved by the addition of an anionic surfactant or detergent in quantity equivalent to that of the active ingredient

PRODUCT FEATURES AND BENEFITS

- · TURFD. Antimicrobial imparts durable biostatic activity to the surface of a wide variety of substrates.
- TURFD. Antimicrobial is effective against mold. mildew and algae, as a static agent.
- · Increased efficiency through proper application, durable bacteriostatic, fungistatic and algistatic surfaces can be attained with a minimum amount of TURFD. Antimicrobial.
- · Provides freshness, combats deterioration and discoloration caused by bacteria, fungi and algae.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO **USE THIS PRODUCT IN A MANNER INCONSISTENT** WITH ITS LABELING.

FOR COMMERCIAL / INDUSTRIAL INSTITUTIONAL / RESIDENTIAL USE

APPROVED USES: TURFD. Antimicrobial is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent, TURFD, Antimicrobial can be used as a final bacteriostatic finish on Synthetic Turf, Recycled Rubber, Silica, Sand to impact bacteriostatic (mold and mildew) activity.

HOW TO USE:

MSDS INFORMATION: BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION, THE MATERIAL SAFETY DATA SHEET CAN BE OBTAINED BY WRITING TO COATING SPECIALISTS, LLC OR BY CALLING (877) 211-4533.

Wear protective eyewear (goggles or face shield) and rubber gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

TURFO, Antimicrobial is to be applied to organic and inorganic surfaces as supplied by dipping, soaking, spraying until adequately wet. After applying treatment, the surface must be allowed to dry at temperatures from ambient to a maximum of 160°C (320°F) to effect complete condensation of silanel groups and to remove water, solvents and/or traces of methanol from hydrolysis. If necessary, reapply TURFO. Antimicrobial every three months or when odor, staining and discoloration due to bacteria, mold stains and mildew stains return

For Pump Safety Spray Application: : Using pump sprayer, spray entire area 4-6 inches from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes.

For Spray Application: Apply and then let stand until dry or let stand 3 minutes. When treating coarser substrates, more TURFD. Antimicrobial may be required due to absorption

For Dipping/Soaking Application: Use appropriate sized washbasin or tub for dipping/soaking the item you are treating. Use enough TURFO. Antimicrobial solution to completely submerge item. Completely submerge item in solution for 3 minutes, Remove item and dry. Do not reuse solution after dipping/soaking. The substrate can be dried at room temperatures or at temperatures to a maximum of 160°C (320°F).

For each application, determine optimum application and drying conditions, such as time and temperature before use. If desired, reapply TURFD. Antimicrobial if odor, staining and discoloration due to bacteria, mold or mildew occur

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal

STORAGE: Store in original, tightly closed container in an area inaccessible to children or persons unfamiliar with its use. Keep tightly closed until ready to use. Reclose tightly after each use. When stored in original, unopened containers at or below 25°C (77°F), TURFD, Antimicrobial has a minimum shelf life of 12 months from date of shipment.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or dispose of in trash. This container will have product residues when emptied. All hazard precautions on latel neust be observed when handling emptied container.

NOTICE: Coating specialists, LLC warrants that the product conforms to its chamical description and is reasonably fit for the purposes stated in the labelied when essets in accordance with directions under normal conditions of use; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to written instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.



COATING SPECIALISTS, LLC SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.



A SILANE QUATERNARY AMMONIUM SALT

EPA REG. NO. 83135-1 EPA EST. NO. 85984-MI-001

ACTIVE INGREDIER	V :	
3 (trihydroxysilyl)	propyldimethyl	octadecyl
ammonium chloride		1.44%
INERT INGREDIENT	S	98.56%
Total		100.00%

KEEP OUT OF REACH OF CHILDREN

Have product container or label with you when calling Poison Control Center or doctor, or going for treatment.

IF IN EYES

- · Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- · Remove contact lenses, if present, after first 5 minutes, then continue rinsing.
- · Call a Poison Control Center or doctor for treatment advice.

IF INHALED

- · Move person to fresh air.
- If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- · Call a Poison Control Center or doctor for treatment advice.

IF IN SKIN OR CLOTHING

- · Take off contaminated clothing.
- · Rinse skin immediately with plenty of water.

IF SWALLOWED

- . Have person sip a glass of water if able to swallow.
- · Do not induce vomiting unless told to do so by a Poison Control Center or doctor.
- · Do not give anything by mouth to an unconscious person.



877,211.4533 www.antimicrobial.com

Sold by Coating Specialists, LLC. Made in the USA. 1030 Doris Road, Auburn Hills, MI 48326 SurfaceAide 1000 & CS Logos are Trademarks of the Coating Specialists, LLC.

NET CONTENTS: 5 Gallons

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye initiation. Avoid contact with eyes, skin, and clothing. Wear goggles or face shield, and rubber gloves. Remove contaminated clothing and wash before reuse. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into takes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Poliutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a splil occurs. De-activation of SURFACEADE - 1000 Antimicrobial can be achieved by the addition of an anionic surfactant or detergent in quantity equivalent to that of the active ingredient.

PRODUCT FEATURES AND BENEFITS

- SURFACEAIDE, 1000 Antimicrobial imparts durable biostatic activity to the surface of a wide variety of substrates.
- SURFACEAIDE, 1000 Antimicrobial is effective against mold, mildew, and algae as a static agent.
- Increased efficiency through proper application, durable bacteriostatic, fungistatic and algistatic surfaces can be attained with a minimum amount of SURFACEAIDE. 1000 Antimicrobial.
- Provides freshness, combats deterioration and discoloration caused by bacteria, fungi and algae.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

FOR COMMERCIAL / INDUSTRIAL INSTITUTIONAL / RESIDENTIAL USE

APPROVED USES: SURFACEAIDE. 1000 Antimicrobial is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungl (mold and mildew) and algae as a static agent. SURFACEAIDE. 1000 Antimicrobial can be used as a final bacteriostatic finish on the following items to impact bacteriostatic funglestatic finish on the following items to impact bacteriostatic funglestatic (mold and mildew) activity:

- Carpet, Silica Sand, Draperies, Uphoistery, Furniture, Natural and Synthetic Fabrics, Book Covers, and Pictures.
- Interior Non-Food Contact Hard Surfaces Including: Floors and Floor Coverings, Walls and Wall Coverings, Ceilings, Ceramic Tile, Concrete, Chrome, Stainless Steel, Fiberglass, Vinyl, Porcelain, Wood, Plastic Surfaces & Composites, Glass Fixtures, Granite, Marble, and Aluminum.

HOW TO USE:

MSDS INFORMATION: BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION. THE MATERIAL SAFETY DATA SHEET CAN BE OBTAINED BY WRITING TO COATING SPECIALISTS LLC OR BY CALLING (877) 211-4533.

Wear protective eyewear (goggles or face shield) and rubber gloves when using this product. Dry treated areas and articles such as clothing before use. Remove children and pets from treated area until completely dry. Cleen surfaces prior to application.

SURFACEAIDE. 1000 Antimicrobial is to be applied to organic and inorganic surfaces as supplied by brushing, dipping, padding, soaking, spraying, until adequately wat. After applying treatment, the surface must be allowed to dry at temporatures from ambient to a maximum of 160°C (320°F) to effect complete condensation of silenel groups and to remove water, solvents and/or traces of mathanol from hydrolysis. Il necessary, reapply 8URFACEAIDE: 1000 Antinicrobial every three months or when odor, staining and discoloration due to bectoria, mold stains, and mildew stains return.

For Pump Safety Spray Application: Using pump sprayer, spray entire area 4-9 incides from the surface making sure the surface is completely covered. Apply and then let stand until dry or lot stand 3 minutes and wipe dry with cloth or sponge. It spotting occurs, whee with moist cloth or sponge. Test for staining and color/setness of fabrics and carpets by treating and drying a small, concoaled area prior to application. When treating coarser substrates, more SURFACEAIDE, 1000 Antimicrobial may be required due to absorption.

For Spray Application: Apply and then let stand until dry or let stand 3 minutes and wipe dry with citon or sponge. It sporting occurs, wipe with moist action or sponge. Task for stating and color-fasheses of statics and carpets by treating and drying a small, concessed area prior to application. When treating coarser substrates, more SURFACEAIDE. 1000 Antimicrobial may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use.

For Dipping/Soaking Application: Use appropriete sized washbasin or tub for dipping/soaking the item you are treating. Use enough SURFACEAIDE. 1000 Antimicrobial solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking. The substrate can be dried at room temperatures or at temperatures to a maximum of 160°C (320°F).

For each application, determine optimum application and drying conditions, such as time and temperature before use. If desired, reapply SURFACEAIDE-1000 Antimicrobial if odor, staining and discoloration due to bacteria, mold or milden accur.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal,

STORAGE: Store in original, tightly closed container in an area inaccessible to children or persons unfamiliar with its use. Keep tightly closed until ready to use. Reclose tightly after each use. When stored in original, unopened containers at or below 25°C (77°F), SURFACEAIDE. 1000 Antimicrobial has a minimum shelf tife of 12 months from date of shipment.

PESTICIDE DISPOSAL: Pesticide wastes are toxic, Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be altoposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the near of Ek.A Regional Office for guidance.

CONTAINER OBPOSELP Nonreligable container. Do not reuse or refill this container. Grief for resyclifts it evillable or dispose of in trash. This container will have product residuely with agrigued. All hazard procautions on label must be observed when handling amplied container.

NOTICE: Coating Specialists, LLC warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated in the labeling when used in accordance with directions embeanormaph conditions of use; but this warrant? of fitness for a partisulanguarpose dods not extend? to the use of this product contrary to written instructions, or under abn@rmai conditions, or under conditions not reasonably foresteeble to Seller, and buygr gssuages the risk of any such use.

COATING SPECIALISTS, LLC SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.



A SILANE QUATERNARY AMMONIUM SALT

EPA REG. NO. 83135-1 EPA EST. NO. 85984-MI-001

ACTIVE INGREDIENT

3 (trihydroxysilyl) propyldimethyl octadecyl ammonium chloride 1.44% INERT INGREDIENTS 98.56%

KEEP OUT OF REACH OF CHILDREN FIRST AID

Have product container or label with you when calling Poison Control Center or doctor, or going for treatment.

IF IN EYES

- · Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after first 5 minutes, then continue rinsing.
- · Call a Poison Control Center or doctor for treatment advice

IF INHALED

- · Move person to fresh air.
- · If person is not breathing, call 911 or ambulance, then give artificial respiration. preferably by mouth-to-mouth, if possible,
- · Call a Poison Control Center or doctor for treatment advice.

IF IN SKIN OR CLOTHING

- · Take off contaminated clothing
- · Rinse skin immediately with plenty of water.

IF SWALLOWED

- · Have person sip a glass of water if able to swallow.
- · Do not induce vomiting unless told to do so by a Poison Control Center or doctor
- . Do not give anything by mouth to an unconscious person.



877,211,4533 www.antimicrobial.com

Sold by Coating Specialists, LLC. Made in the USA. 1030 Doris Road, Auburn Hills, MI 48326 SportsAide 1000 & CS Logos are Trademarks of the Coating Specialists, LLC.

NET CONTENTS: 5 Gallons

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, absorbed through the skin, or inhaled. Causes moderate eye irritation, Avoid contact with eyes, skin, and clothing. Wear goggles or face shield, and rubber gloves. Remove contaminated clothing and wash before reuse. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

De-activation may be required during clean up if a spill occurs. De-activation of SPORTSAIDE, 1000 Antimicrobial can be achieved by the addition of an anionic surfactant or detergent in quantity equivalent to that of the active ingredient,

PRODUCT FEATURES AND BENEFITS

- SPORTSAIDE, 1000 Antimicrobial imparts durable biostatic activity to the surface of a wide variety of
- SPORTSAIDE, 1000 Antimicrobial is effective against mold, mildew, and algae as a static agent.
- · Increased efficiency through proper application, durable bacteriostatic, fungistatic and algistatic surfaces can be attained with a minimum amount of SPORTSAIDE, 1000 Antimicrobial.
- · Provides freshness and combats deterioration and discoloration caused by bacteria, fungi and algae.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

FOR COMMERCIAL / INDUSTRIAL INSTITUTIONAL / RESIDENTIAL USE

APPROVED USES: SPORTSAIDE. 1000 Antimicrobial is effective against odor causing bacteria, bacteria which cause staining and discoloration, fungi (mold and mildew) and algae as a static agent, SPORTSAIDE. 1000 Antimicrobial can be used as a final bacteriostatic finish on the following items to impact bacteriostatic/fungistatic (mold and mildew) activity

- Carpet, Silica Sand, Draperies, Upholstery, Furniture, Natural and Synthetic Fabrics, Book Covers, and Pictures.
- Interior Non-Food Contact Hard Surfaces Including: Floors and Floor Coverings, Walls and Wall Coverings, Ceilings, Ceramic Tile. Concrete, Chrome, Stainless Steel, Fiberglass, Vinvl. Porcelain. Wood, Plastic Surfaces & Composites, Glass Fixtures, Granite, Marble, and Aluminum.

HOW TO USE:

MSDS INFORMATION: BEFORE HANDLING, READ PRODUCT AND MATERIAL SAFETY DATA SHEETS AND CONTAINER LABELS FOR SAFE USE, PHYSICAL AND HEALTH HAZARD INFORMATION, THE MATERIAL SAFETY DATA SHEET CAN BE OBTAINED BY WRITING TO COATING SPECIALISTS, LLC OR BY CALLING (877) 211-4533.

Wear protective eyewear (goggles or face shield) and rubber gloves when using this product. Dry treated areas and articles such as clothing before use, Remove children and pets from treated area until completely dry. Clean surfaces prior to application.

SPORTSAIDE 1000 Antimicrobial is to be applied to organic and inorganic surfaces as supplied by brushing, dipping, padding, spaking, spraying until adequately wet. After applying treatment, the surface must be allowed to dry at temperatures from ambient to a maximum of 160°C (320°F) to effect complete condensation of silanol groups and to remove water, solvents and/or traces of methanol from hydrolysis. If necessary, reapply SPORTSAIDE 1000 Antimicrobial every three months or when odor, staining and discoloration due to bacteria, mold stains, and mildew stains return.

For Pump Safety Spray Application: Using pump sprayer, spray entire area 4-6 inches from the surface making sure the surface is completely covered. Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and colorfastness of fabrics and carpets by treating and drying a small, concealed area prior to application. When treating coarser substrates, more SPORTSAIDE. 1000 Antimicrobial may be required due to absorption.

For Spray Application: Apply and then let stand until dry or let stand 3 minutes and wipe dry with cloth or sponge. If spotting occurs, wipe with moist cloth or sponge. Test for staining and color-fastness of fabrics and carpets by treating and drying a small, concealed area prior to application. When treating coarser substrates, more SPORTSAIDE: 1000 Antimicrobial may be required due to absorption. Dry carpet areas and surfaces before re-entry and dry articles before use.

For Dipping/Soaking Application: Use appropriate sized washbasin or tub for dipping/soaking the item you are treating. Use enough SPORTSAIDE 1000 Antimicrobial solution to completely submerge item. Completely submerge item in solution for 3 minutes. Remove item and dry. Test for staining and color-fastness of fabrics by treating and drying a small, concealed area prior to application. Do not reuse solution after dipping/soaking. The substrate can be dried at room temperatures or at temperatures to a maximum of 160°C (320°F).

For each application, determine optimum application and drying conditions, such as time and temperature before use. If desired, reapply SPORTSAIDE 1000 Antimicrobial if odor, staining and discoloration due to bacteria, mold or

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE: Store in original, tightly closed container in an area inaccessible to children or persons unfamiliar with its use. Keep tightly closed until ready to use. Reclose tightly after each use. When stored in original, unopened containers at or below 25°C (77°F). SPORTSAIDEe 1000 Antimicrobial has a minimum shelf life of 12 months from date of shipment,

PESTICIDE DISPOSAL: Pesticide wastes are toxic, Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by usD according to ac Pesticide or Environmental Control Agently, or the Clazardous Waste representative at the nearest EPA Regional Office for Quidance

CONTAINER DISPOSAL: (ionrefillable container, Do not reuse or refill this container. Offer for recycling if available or aspose of in trash. This container will have product residues when emptied. All hazard precautions on label must be observed when handling emptied container.

NOTICE: Coating Specialists, LLC warrants that the product conforms to its cheritical description and is easonably fit for the purphses stateoun the labeling when used in accordance with directions under normal conditions of Jise; but this warranty of fitness for a particular purpose does not extend to the use of this product contrary to written instructions, or ender abnormal conditions, or under conditions not read anably foreseeable to sofler, and buyer assumes the risk of any such use.

COATING SPECIALISTS, LLC SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING THE WARRANTY OF MERCHANTABILITY.