83399-6

6/20/2008



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES 1/15

JUN 2 0 2008

Mr. Joseph A. Conti Senior Director, Regulatory Affairs Summit VetPharm, LLC 400 Kelby Street Fort Lee, NJ 07024

Dear Mr. Conti:

Subject: Labeling Amendments; Efficacy Claims SVP7

EPA Registration No. 83399-6

Your submission dated May 14, 2008

Label revision, additional pest claims; acute toxicity citations; and companion animal safety bridging rationale

The amendment referred to above is acceptable in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, subject to the comments listed below:

1. The four acute toxicity studies and waiver request for acute inhalation study that you cited from SVP10 (83399-8) are acceptable. Based on these data, the toxicity profile for this product is as indicated below:

Exposure Route	Toxicity Category
Acute Oral LD50	IV
Acute Dermal LD50	IV
Acute Inhalation LC50	Waived
Primary Eye Irritation	Π
Primary Dermal Irritation	III

Therefore, the Precautionary Statement must be revised as follows: "WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco products."

2. We have determined that the companion animal toxicological hazard potential of this product is adequately defined by bridging from the existing cited companion animal safety studies.

- 3. On page 1, delete parentheses from all alternate brand names. The relationship between the animal's weight and age relative to package size must be made clear, and not indicated as optional language.
- 4. Delete all claims relating to lice, mites, flies, sand flies, stable flies and West Nile Virus. Refer to the enclosed May 29, 2008 Efficacy Review for specific information regarding these claims.
- 5. Replace the sentence "Approximately 95% of the flea population in a household infestation are immature fleas stages that live in the dog's environment" and similar statements with the following: "Immature flea stages are a major component of flea infestations, SVP7 contains pyriproxyfen which controls flea eggs, larvae and pupae."
- 6. Delete the claims, "Relieve your dogs discomfort by eliminating flea and tick infestation," "Repels and kills up to 100% of mosquitoes for one month," and "SVP7 destroys fleas infestation that may lead to painful skin irritation and bacterial infection." Claims implying total eradication of pests are not allowed.
- 7. Delete "Protects against...." from all claims. You may replace it with, "Kills..."
- 8. Delete the terms "clinic," "hospital clinic pack," and "medipak." These improperly imply that your product is a drug.
- 9. Delete "Veterinarians recommend year round use of an ectoparasite, such as SVP7" and "Veterinarians [and the Companion Animal Parasite Council (CAPC) (often) recommend year round use." These types of marketing claims are inappropriate for a pesticide label.
- 10. In all claims making a relationship between vectors and diseases replace "cause" with "transmit." For example, "Kills the vectors that may transmit Lyme disease, Rocky Mountain...."
- 11. Revise "Protects against all Ixodes species" to read "Protects against all types of Ixodes species attacking dogs."
- 12. Delete the claims "Kills fleas before they lay eggs" and "Kills and repels fleas before they lay eggs." There is no guarantee that fleas will be killed/repelled before they lay eggs.
- 13. Delete the claims "kills on contact" and "kills them on contact." This improperly implies that the product kills on contact and does not agree with another label claim, "Kills fleas in 6 hours."
- 14. Delete "that compliments dinotefuran and pyriproxyfen" from the first bullet on page 7. This improperly implies that permethrin increases the efficacy of the other active ingredients.

15. Delete the claim "The killing of fleas, ticks and mosquitoes...disease transmission by these parasites." "Disease" is too broad.

16. On page 2, revise the subtitle "For external use dogs only" to read "For external use on dogs only".

2/15

17. Add the full address for Summit VetPharm, LLC on page 5.

18. Delete "optimum" from item 8 on page 5. Superlative claims implying heightened efficacy are not allowed.

3

A stamped copy of the label is enclosed for your records.

Submit two (2) copies of the final printed label before you release the product for shipment bearing the amended labeling. Copies of the efficacy and companion animal safety reviews are enclosed.

Kours Sincerely, Rita Kumar

Senior Regulatory Specialist Insecticide-Rodenticide Branch Registration Division (7505C) e-mail: <u>kumar.rita@epa.gov</u>

Enclosures (3)

"Master Label"

(This master label includes label text for different size packages and application rates specific to the pet's age and body weight)

FRONT PANEL OF OUTER BOX

SVP7

Alternate Brand names;

Vectra 3D (for Dogs and Puppies 2.5 to 20 lbs., over 7 weeks of age)[1.6 ml] Vectra 3D (for Dogs and Puppies 21-55 lbs., over 7 weeks of age)[3.6 ml] Vectra 3D (for Dogs 56-95 lbs.)[4.7 ml] Vectra 3D (for Dogs over 95 lbs.)[8.0ml]

Vectra Gold (for dogs and Puppies 2.5 to 20 lbs., over 7 weeks of age)[1.6 ml] Vectra Gold (for Dogs and Puppies 21-55 lbs., over 7 weeks of age)[3.6 ml] Vectra Gold (for Dogs 56-95 lbs.)[4.7 ml] Vectra Gold (for Dogs over 95 lbs.)[8.0 ml]

Vectra Trio (for Dogs and Puppies 2.5 to 20 lbs., over 7 weeks of age)[1.6 ml] Vectra Trio (for Dogs and Puppies 21-55 lbs., over 7 weeks of age)[3.6 ml] Vectra Trio (for Dogs 56-95 lbs)[4.7 ml] Vectra Trio (for Dogs over 95 lbs)[8.0 ml] AC

Repels and Kills for one month

- Fleas
- Ticks
- Mosquitoes
- Lice
- Mites
- Flies

ACCEPTED With COMMENTS In EPA Letter Dated: 15

Under the Federal Insecticide, Fungicide and Rodenticide Act, As amended, for the pesticide Registered under EPA Reg. No:

(Optional marketing claims-front or back or side panels/see on pages 6-9)

ACTIVE INGREDIENTS:

Dinotefuran	4.95%
Pyriproxyfen	
Permethrin	
OTHER INGREDIENTS	
TOTAL	

KEEP OUT OF REACH OF CHILDREN

WARNING XXX Doses

Net Contents: xxx doses: each xxx mls

Front, back, side and/or insert language See package insert for directions for use, precautionary statements and first aid 5/15

DO NOT USE ON CATS [ICON OF CAT IN CIRCLE WITH SLASH THROUGH]

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON DOGS [OR] [AND] PUPPIES OVER THE AGE OF 7 WEEKS (OVER 7 WEEKS OLD) (7 WEEKS OF AGE OR OLDER)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes moderate eye irritation. Remove and wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco products.

For external use dogs only

Do not use this product on cats

Use only on dogs[and/or] puppies over the age of 7 weeks (over 7 weeks)(7 weeks of age or older) (1.6 ml, 3.6 ml, 4.7 ml, 8.0 ml sizes)

Do not use this product on debilitated, aged, medicated, pregnant or nursing animals or animals known to be sensitive to pesticide products without first consulting a veterinarian.

Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Have the product container or label with you when calling your veterinarian for advice.

DO NOT USE ON CATS. Due to their unique physiology and inability to metabolize certain compounds this product must not be used on cats. If applied to a cat, or ingested by a cat that actively grooms a recently treated dog, this product may have serious harmful effects. If this occurs, contact your veterinarian immediately. (Cat icon) 6/15

FIRST AID	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor, for treatment advice
If swallowed:	Call a poison control center or doctor, for treatment advice. Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
If on skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center, doctor, or 1-888-426-4435 immediately for treatment advice
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-888-426-4435 for emergency medical treatment information.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Precaución al consumidor: si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the User: If you cannot speak English, do not use this product until the label has been fully explained to you).]

HOW TO APPLY:

- 1. USE ONLY ON DOGS. Do not use on cats or other animals.
- 2. Remove applicator from package.
- 3. The dog should be standing or in a comfortable position for easy application.
- 4. Unscrew the tube cap. Remove the cap from the tube. The cap contains a point

that can pierce the safety seal on the tube. Carefully hold the tube upright, pointed away from your face and body. Using the cap puncture the safety seal on the tube. (Screw the applicator tip onto tube.)

Alternate language--step 4, based on applicator:

Holding the applicator upright at the top below applicator tip, with thumb and index finger(of the other hand) (squeeze the tabs and) press down firmly to puncture safety seal locking the applicator tip in the dispensing position.

OR

Holding the applicator upright, place your thumb and index finger firmly around the collar. While maintaining applicator in an upright position, push firmly down on the top of the applicator tip, piercing the seal. (see illustration)

OR

(Remove the tube and applicator from the package. Unscrew the tube cap and replace with applicator tip.) Holding the tube (applicator) upright, place thumb and index finger around the applicator tip under the large disk. With other hand, grasp the stem of applicator tip above smaller disk. Press down firmly on small disk until both disks meet, piercing the seal. (See illustration)

GRAPHICS DEPICTING HOW TO OPEN PACKAGE/APPLICATOR

5. [For dogs weighing 2.5lbs. to 20 lbs. and under] Using the tip of the applicator, part the hair between the shoulder blades and slowly apply the product (to one spot) (as shown below) onto the skin, squeezing the applicator (tube) until empty. Avoid superficial application to the animal's hair.

OR:

5. [For dogs weighing 21 to 55 lbs][For dogs weighing 56 to 95 lbs:] Using the tip of the applicator, part the hair down to the level of the skin and slowly apply the product evenly to three spots along the dog's back, beginning between the shoulder blades and continuing in the order shown in the diagram below, squeezing the applicator (tube) is empty. Avoid superficial application to the animal's hair.

OR:

5. [For dogs weighing over 95 lbs:] Using the tip of the applicator, part the hair down to the level of the skin and slowly apply the product evenly to four spots on the dog's back, beginning between the shoulder blades and continuing in the order shown in the diagram below, squeezing the applicator (tube) is empty. Avoid superficial application to the animal's hair.

[GRAPHICS DEPICTING TREATMENT OF ANIMAL]

Do not get the product in your dog's eyes or mouth

- Unscrew applicator tip and place back in package. Replace applicator tip with original cap and place in trash. OR Discard empty applicator (tube) as outlined in the Storage and Disposal section.
- 7. Repeat every month, or as recommended by your veterinarian.
- 8. For optimum treatment, control and prevention of fleas, flea eggs, flea pupae, flea larvae, ticks, lice and mosquitoes, (all) year-round treatment is recommended.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Storage; Store in a cool, dry place. Protect from freezing. Disposal **If empty**, do not reuse the container. Place in trash or offer for recycling if available. **If partially filled**, call your local solid waste agency for disposal instructions. Never place unused products down any indoor or outdoor drain.

NET CONTENTS: X applications (applicators), each (0.06, 0.12, 0.16, 0.3 fl. oz. (1.6, 3.6, 4.7, 8.0 mL) Example: 3 single dose (applicators) (package) 1.6 ml (0.6 fl.oz. total 0.18 fl.oz) [Total 0.18 0.36, 0.48, 0.9 fl. oz., 4.8, 10.8, 14.1, 24.0 mL]

(Volume varies with size of animal for which package is intended and number of applicators per package. Product may be packaged in 1, 2, 3, 4, 6, 8, 9,12, 24 or 36 applicators per package. Total volume will correspond to number of applicators)

EPA Reg. No. 83399-6 EPA Est. No.

[Made in the USA (by)] [Sold by:] [Summit VetPharm, LLC] [Fort Lee, NJ 07024]

PACKAGE INSERT (full label text plus additional copy)

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that the material conforms to the chemical parameters of the US EPA registration and the label. To the extent consistent with applicable law, seller makes no warranty, express or implied, other than indicated on the label. Buyer and user assume all risk of use and handling of this material when such use and handling are contrary to the label instructions. To the extent consistent with applicable law, any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.

ALTERNATE MARKETING TEXT (for use on front or side or back panels)

- Protects for one month
- Performance (satisfaction) guaranteed or Summit VetPharm will supply replacement product
- Effective monthly treatment of fleas, ticks, and mosquitoes
- Repels and kills fleas, ticks and mosquitoes for one month
- Prevents development of fleas, flea eggs, larvae and pupae for one month
- Dinotefuran provides efficacy against fleas, ticks and mosquitoes.
- Pyriproxyfen is an insect growth regulator which prevents development of all flea stages.
- Picture of Dog (or Puppy)
- Prevents development of fleas, flea eggs, larvae and pupae for 30 days
- Using the (patented) (Trademark) applicator, SVP7 is specially designed to spread naturally over the dog's body providing effective control of fleas, ticks, , and mosquitoes for thirty days (four weeks, one month).
- Tick, mosquito and all stages of flea control
- Formula for (your) dog(s)
- Kills fleas in 6 hours
- For dogs that enjoy the outdoors
- Remains effective after bathing and swimming
- Easy, spot-on (topical) application
- (Patented) applicator tip (Trademark) for easy application directly to the skin
- Guaranteed effective for one month
- Performance (Satisfaction) guaranteed or your money back (SVP ICON) (Please call (contact) our professional staff at xxx-xxx-xxxx if you have any questions or comments about SVP7)

 SVP7 contains the insecticide dinotefuran, a neonicotinoid with knockdown effect. Permethrin is an effective insecticide/acaricide that compliments dinotefuran and pyriproyfen 10/15

- Quick onset of activity kills fleas within 2 hours
- Prevents re-infestation (of fleas/of ticks) for one month
- Kills newly emerged fleas before they lay eggs
- Monthly treatment is recommended for control and prevention of fleas, ticks and mosquitoes
- Once monthly application
- X applicators
- X monthly doses (applications) (treatments)
- Quick-drying, non-greasy and water-resistant
- Easy to apply spot-on application
- Convenient, easy to apply
- Fragrance (odor) free
- Convenient to use
- Water-resistant
- Quick drying
- Non-greasy
- Convenient (easy to apply) topical treatment
- Convenient (easy to apply) topical treatment [with (patented) applicator tip] that allows application down to the skin
- Remains effective even after bathing, water immersion or exposure to rain or sunlight
- Remains effective even after bathing
- Remains effective after exposure to rain and sunlight
- Still works after bathing, swimming or exposure to sunlight
- Convenient topical treatment for dogs who enjoy the outdoors
- Formulated for dogs that love the outdoors
- For dogs that enjoy the outdoors
- The killing of fleas, ticks and mosquitoes is important in the prevention of disease transmission by these parasites
- (Only) available from licensed veterinarians (only)
- Sold (only) by veterinarians
- Tested on puppies from 7 weeks of age
- After application, SVP7 spreads naturally over the dog's body to provide (full body) (all-over) protection against fleas, ticks and mosquitoes
- SVP7 provides ongoing protection against fleas, ticks and mosquitoes for one month (30 days)
- SVP7 contains dinotefuran, a neonicotinoid insecticide with onset of flea knockdown in less than 2 hours
- Dinotefuran kills fleas within 6 hours
- SVP7 also contains permethrin, an effective insecticide/acaricide that combines with dinotefuran to provide efficacy against fleas, ticks and mosquitoes

• SVP7 contains the insect growth regulator pyriproxyfen that acts to prevent the development of all flea stages for one month (30 days).

11/15

- Approximately 95% of the flea population in a household infestation are immature flea stages that live in the dog's environment.
- Approximately 95% of the flea population in a household infestation are immature flea stages, SVP7 contains pyriproxyfen an insect growth regulator for control of immature flea stages
- Immature flea stages are a major component of flea infestation. SVP7 contains pyriproxyfen which controls flea eggs, larvae and pupae.
- Questions or comments-please call (tel. no.)
- For more information call (tel. no.)
- For emergencies call (tel. no)
- Kills the vectors that may cause Lyme disease, Rocky Mountain Spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatozoonosis and heartworm disease
- Repels and kills fleas, ticks and mosquitoes
- Effective monthly treatment of fleas, ticks and mosquitoes
- Easy, fast, effective control of fleas, ticks and mosquitoes that lasts 1 month
- Protects against [4 types (species) of] ticks(Rhipicephalus spp, Dermacentor variables, Ixodes spp,Amblyomma maculatum), [3 types (species) of] mosquitoes (Culex spp, Ochlerotatus spp, Aedes spp), and all stages of fleas
- Kills fleas in 6 hours
- Kills fleas including those that may transmit bartonellosis and tapeworm disease
- Kills fleas before they lay eggs
- Kills and repels fleas before they lay eggs
- Regular use protects against all stages of the flea life cycle
- Kills fleas that may cause flea allergy dermatitis
- The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with SVP7 rapidly kills fleas and may cause FAD.
- SVP7 kills fleas that may cause Flea Allergy Dermatitis (FAD)
- Regular use (of SVP7) breaks the flea life cycle.
- Protects against all stages of the flea life cycle
- Prevents development of all flea stages for 1 month (30 days)
- Repels and kills ticks that may cause Lyme disease
- Repels and kills ticks including those that may cause Lyme disease
- Repels and kills ticks that may cause Lyme disease, Rocky Mountain Spotted fever, babesiosis, ehrlichiosis, hepatozoonosis and anaplasmosis
- Repels and kills Brown dog ticks (*Rhipicephalus spp*), American dog ticks (*Dermacentor variabilis*), Deer ticks (*Ixodes scapularis*) and Gulf Coast ticks (*Amblyomma maculatum*)
- Repels and kills ticks including Deer ticks (vector of Lyme disease), American
 dog ticks (vector of Rocky Mountain Spotted fever), Brown dog ticks (vector of
 ehrlichiosis) and Gulf Coast ticks for one month

ç

- Kills ticks that may carry and transmit the organism which causes Lyme disease
- Kills ticks that may carry and transmit babesiosis
- Kills ticks that may carry and transmit Ehrlichia
- Repels ticks before they can attach to dogs and take a blood meal
- Repels many ticks before they can attach and kills those ticks which attach to the dog
- Repels and kills mosquitoes (*Culex spp, Ochlerotatus spp, Aedes spp*) which may vector heartworm (*Dirofilaria immitis*) for up to one month
- Repels and kills up to100% of mosquitoes for one month
- Proven treatment technology for flea infestations.
- Proven treatment technology for the control of fleas, ticks and mosquitoes
- Recommended for use in an integrated flea management system
- Veterinarians [and the Companion Animal Parasite Council (CAPC)] (often) recommend year round use depending on the needs of your pet
- Veterinarians recommend year round use of an ectoparasite, (such as SVP7)
- Pyriproxyfen control and attacks (all stages) of immature fleas
- Pyriproxyfen the insect growth regulator found in SVP7 stops the development of immature fleas
- Hospital (Clinic)pack (24 and 36 packages only)
- Puppy pack (24 and 36 packages only, 1.6 ml and 3.6 mls)
- Dog pack (24 and 36 packages only)
- Medipack, veterinary pack, summit pack
- Effective monthly treatment of fleas, ticks, mosquitoes, lice, mites and flies
- Effective monthly treatment of lice, mites and flies
- Effective monthly treatment of fleas, ticks, mosquitoes and flies
- Repels and kills fleas, ticks, mosquitoes, lice, mites and flies
- Repels and kills fleas, ticks, mosquitoes and flies
- Monthly treatment is recommended for control (and prevention) of fleas, ticks, mosquitoes, flies, lice and mites
- SVP7 provides ongoing protection against fleas, ticks, mosquitoes, flies, lice and mites for one month
- SVP7 contains permethrin an effective insecticide/acaricide that combines with dinotefuran to provide efficacy against fleas, ticks, mosquitoes, flies, mites and lice
- Protects against all Ixodes species
- Protects against Ixodes scapularis, Ixodes pacificus and Ixodes ricinus
- Repels and kills fleas, ticks, mosquitoes, flies, lice and mites
- Easy effective control of fleas, ticks, mosquitoes, flies, lice and mites
- Protects against [4 types (species) of ticks (Rhipicephalus spp, Ixodes spp, Dermacentor variables, Amblyomma maculatum), [3 types (species of)] mosquitoes (Culex spp, Ochlerotatus spp, Aedes spp), [3 types (species of) flies (Leishmania spp, Stomoxys calcitrans, Phlebotomus perniciosus), lice
- (Linognathus setosus), mites (Cheyletiella yasguri)
- Repels and kills fleas that may cause anemia

- Kills fleas that may cause anemia
- Repels fleas that may cause anemia
- Prevents flea infestation which may lead to anemia
- Kills the listed pests that may transmit (cause) Lyme disease, Rocky Mountain Spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatozoonosis, anaplasmosis, West Nile virus and heartworm disease
- Repels and kills ticks that may transmit Lyme disease, Rocky Mountain Spotted fever, babesiosis, ehrlichiosis, bartonellosis, hepatozoonosis and anaplasmosis
- Repels and kills mosquitoes that may cause West Nile virus and heartworm disease
- Kills mosquitoes that may cause West Nile virus
- Repels mosquitoes that may cause West Nile virus
- Repels and kills Brown dog ticks (Rhipicephalus spp), Deer ticks (Ixodes spp), American dog tick (Dermacentor variablis) and Gulf Coast ticks (Amblyomma maculatum)
- Repels and kills Deer ticks (Ixodes scapularis, Ixodes ricinus, Ixodes pacificus)
- Repels and kills (sucking) lice (Linognathus setosus)
- Repels and kills (sucking) lice which may cause pruritus, erythema, crusting and scaling
- Repels and kills mites (Cheyletiella yasguri)
- Repels and kills mites which may cause (heavy) dandruff, alopecia and pruritus
- Repels and kills sand and stable flies (Phlebotamus pernicious and Stomoxys cacitrans)
- Repels and kills sand flies (Phlebotamus perniciouc)
- Repels and kills stable flies (Stomoxys calcitrans)
- Kills and repels sand flies (Phlebotamus pernicious) may carry and transmit Leischmanium infantum, the causative agent of leischmaniasis
- Kills and repels stable flies (Stomoxys calcitrans) which may inflict irritating bites
- Kills and repels biting flies that may inflict serious and irritating bites that may lead to infection
- SVP7 destroys flea infestation that may lead to painful skin irritation and bacterial infection
- Relieve your dogs discomfort by eliminating flea and tick infestation
- Long lasting flea, tick, mosquito, lice, mite and fly control for your pet
- SVP7 kills more than adult fleas you see, it controls flea eggs, larvae and pupae
- Kills all life stages of ticks
- Fleas, ticks, mosquitoes, flies, lice and mites do not have to bite to die, SVP7 kills them on contact
- SVP7 kills on contact
- Prevents all flea stages from developing
- SVP7 kills not only adult fleas, but also breaks the flea life cycle by preventing development of flea eggs, larvae and pupae (may include diagram of flea life cycle)
- Illustration of flea life cycle
- Repels annoying (bothersome) (nuisance) biting flies

NEXT DOSE STICKERS/ TREATMENT REMINDER CALENDAR

Prototype:

NEXT DOSE STICKERS AND REMINDER CALENDAR

It can be hard to remember when your dog's due for its next dose of Product. So we developed these tools to help you keep track of every dose. When you use the last tube in this package, call your veterinarian to order more Product.

Attach these stickers to your wall calendar or day planner on the date you give the first dose of Product, and then place another sticker on the same date for each of the next two months.

Product Product Product TIME FOR

To use the calendar, simply write in the dates you are planning to use Product. Then, peel off the backing and place it in a hard-to-miss location. 14/15

Jan Feb Mar Apr May Jun DATE DATE DATE DATE Jul Aug Sep Oct Nov Dec

APPLICATOR LABELING

15/5

SVP7

KEEP OUT OF REACH OF CHILDREN

WARNING READ ENTIRE LABEL BEFORE USE

Dinotefuran	4.95%
Pyriproxyfen	0.44%
Permethrin	36.08%

X fl. oz. (*X* mL)

DO NOT USE ON CATS [ICON]

EPA Reg. No. 83399-6 EPA Est. No. TBD

Lot # (designation will identify producing establishment)