



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

83399-10

Date of Issuance:

5/27/16

NOTICE OF PESTICIDE:

Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
Expires: 5/28/2018

Name of Pesticide Product:

SVP9 for Dogs

Name and Address of Registrant (include ZIP Code):

Alicia Henk
Ceva Animal Health, LLC
8735 Rosehill Road,
Lenexa, KS 66215

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Mark Suarez, Product Manager 07
Invertebrate & Vertebrate Branch 3, Registration Division
(7505P)

Date:

5/27/16

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 5/28/2018.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the amendment letter dated 5/28/2014.
4. You are required to comply with the data requirements described in the DCI or EDSP Order identified below:
 - a. Dinotefuran GDCI-044312-1147
 - b. Pyproxifen GDCI-129032-1299
 - c. Dinotefuran EDSP-044312
 - d. Pyroproxifen EDSP-129032

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI or EDSP Order listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 1/25/2007
- Alternate 1 CSF dated 1/25/2007

Page 3 of 3
EPA Reg. No. 83399-10
Decision No. 514094

If you have any questions, please contact Rita Kumar by phone at (703) 308-8291, or via email at kumar.rita@epa.gov.

“Master Label”

This master label includes label text for different size packages and application rates specific to the pet’s age and body weight. Text that appears in parenthesis are informational to the EPA, but will not be printed. Text that appears in brackets are optional.

(FRONT PANEL OF OUTER BOX)

(Market Label-

The word Dog will be at least 40-75% in height of the largest letter in the primary brand name.

A large clear picture of a dog in the respective weight range will be on the front panel of the label.)

SVP9 for Dogs

Alternate Brand Names:

**[Vectra] [Vectra D] [Vectra Plus] [Vectra 2D] [Vectra Excel] [Vectra Dual] [Vectra Duo]
[Vectra II] [Vectra +] [Vectra 2] [Vectra Gold] [Vectra Shield]
for Dogs and Puppies**

(The above brand names will be packaged in the weight ranges below:)

2.5 to 10 lbs., over 8 weeks of age (0.044 fl. oz.) (1.30 mL)


11 to 20 lbs., over 8 weeks of age (0.068 fl. oz.) (2.00 mL)

21 to 55 lbs., over 8 weeks of age (0.135 fl. oz.) (4.00 mL)

56 to 100 lbs., over 8 weeks of age (0.204 fl. oz.) (6.00 mL)

over 100 lbs. (0.250 fl. oz.) (7.40 mL)

(Outer box will list only one weight range based on the package dose volume)



Effective monthly control of[:] adult fleas, (flea) eggs, and (flea) larvae

(Optional marketing claims –see pages 7-10)

ACTIVE INGREDIENTS:

Dinotefuran.....22.00%

Pyriproxyfen.....3.00%

OTHER INGREDIENTS.....75.00%

TOTAL.....100.00%

Net Contents: XXX fl oz

X Doses, each dose xxx fl oz (xx ml)

**KEEP OUT OF REACH OF CHILDREN
WARNING**

See package insert for directions for use, precautionary statements, [and] first aid [and other information].

FOR DOGS & PUPPIES – Use only on dogs weighing (insert product weight range) lbs. and 8 weeks or older



("Do Not Use on Cats" icon 1.5 cm X 1.5 cm) (placed on lower front panel)

(BACK PANEL OF OUTER BOX)

(Optional marketing claims –see pages 7-10)

FIRST AID	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice
If swallowed:	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center, doctor, or 1-800-999-0297 or after 6pm EST 1-888-426-4435 immediately for treatment advice
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-800-999-0297 or after 6pm EST 1-888-426-4435 for emergency medical information.	

READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on puppies less than 8 weeks old.

Do not use this product on debilitated, aged, medicated, pregnant or nursing dogs or dogs known to be sensitive to pesticide products without first consulting a veterinarian.

SIDE EFFECTS: Monitor your dog after application. Individual sensitivity, such as slight transitory redness, erythema, itching –pruritus- or other signs of discomfort at the site of application, may occur after using ANY pesticide product for dogs. If signs of sensitivity occur, bathe your dog with mild soap or shampoo and rinse with large amounts of water. If signs of

individual dog sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these signs occur, consult your veterinarian or call us at 1-800-999-0297. Have the product container or label with you when calling your veterinarian for advice.



(alternate brand name graphic may vary)

Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

RESTRICTIONS:

- Do not allow children to apply product.
- Do not apply more than one tube per treatment.
- Do not split one tube between two or more dogs.
- Do not treat your dog with more than one pesticide product at a time. Overdosing your dog can result in serious illness and even death.

See package insert for additional Restrictions and complete Directions For Use.

EPA Reg. No. 83399-10
EPA Est. No. TBD

Lot # [label code] [UPC code]
[Ceva logo]

[Made in the USA (by)] [Sold by:] [Manufactured for:] [Distributed by:] [Product of]
Ceva Animal Health, LLC
8735 Rosehill Road
Lenexa, KS 66215

[For additional information, contact us at 1-800-999-0297 or contact.us@ceva.com]

[Recyclable Packaging] [Recycling Symbol]

[Vectra and Vectra logo are registered trademarks of Ceva Animal Health, LLC]

(PACKAGE INSERT)

SVP9 for Dogs

Alternate Brand Names:

**[Vectra] [Vectra D] [Vectra Plus] [Vectra 2D] [Vectra Excel] [Vectra Dual] [Vectra Duo]
[Vectra II] [Vectra +] [Vectra 2] [Vectra Gold] [Vectra Shield]
for Dogs and Puppies**

(The above brand names will be packaged in the weight ranges below:)

2.5 to 10 lbs., over 8 weeks of age (0.044 fl. oz.) (1.30 mL)

11 to 20 lbs., over 8 weeks of age (0.068 fl. oz.) (2.00 mL)

21 to 55 lbs., over 8 weeks of age (0.135 fl. oz.) (4.00 mL)

56 to 100 lbs., over 8 weeks of age (0.204 fl. oz.) (6.00 mL)

over 100 lbs. (0.250 fl. oz.) (7.40 mL)

(Package insert will list only one weight range based on the package dose volume)

Effective monthly control of[:] adult fleas, (flea) eggs, and (flea) larvae
(Optional marketing claims –see pages 7-10)

ACTIVE INGREDIENTS:

Dinotefuran.....	22.00%
Pyriproxyfen.....	3.00%
OTHER INGREDIENTS	<u>75.00%</u>
TOTAL	100.00%

**KEEP OUT OF REACH OF CHILDREN
WARNING**

(Optional marketing claims –see pages 7-10)

FIRST AID	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice
If swallowed:	Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything to an unconscious person.
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center, doctor, or 1-800-999-0297 or after 6pm EST 1-888-426-4435 immediately for treatment advice
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-800-999-0297 or after 6pm EST 1-888-426-4435 for emergency medical information.	

**READ ENTIRE LABEL BEFORE EACH USE
USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: Causes substantial but temporary eye injury. Harmful if swallowed or absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use on dogs only. Do not use on puppies less than 8 weeks old.

Do not use this product on debilitated, aged, medicated, pregnant or nursing dogs or dogs known to be sensitive to pesticide products without first consulting a veterinarian.

SIDE EFFECTS: Monitor your dog after application. Individual sensitivity, such as slight transitory redness, erythema, itching –pruritus- or other signs of discomfort at the site of application, may occur after using ANY pesticide product for dogs. If signs of sensitivity occur, bathe your dog with mild soap or shampoo and rinse with large amounts of water. If signs of individual dog sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these signs occur, consult your veterinarian or call us at 1-800-999-0297. Have the product container or label with you when calling your veterinarian for advice.



Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Precaución al consumidor: si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the User: If you cannot speak English, do not use this product until the label has been fully explained to you).]


RESTRICTIONS:

- USE ONLY ON DOGS
- Do not use on cats or other animals.
- Do not allow children to apply product.
- Do not have contact or allow children to have contact with treated areas until treatment is completely dry.
- Weigh your dog to be sure you are using the right size product for your dog.
- For use only on dogs and puppies 8 weeks and older and according to the dog's weight:
 - 2.5-10 lbs., 0.044 fl. oz.
 - 11-20 lbs., 0.068 fl. oz.
 - 21-55 lbs., 0.135 fl. oz.
 - 56-100 lbs., 0.204 fl. oz.
 - [over 100 lbs., 0.250 fl. oz.]
- Do not apply more than one tube per treatment.
- Do not split one tube between two or more dogs.
- Do not treat your dog with more than one pesticide product at a time. Overdosing your dog can result in serious illness and even death.


HOW TO APPLY:

1. Remove the applicator tube from the package.
2. The dog should be standing or in a comfortable position for easy application.
3. Holding the applicator tube upright, pointing away from your face, place your thumb and index finger around the applicator tip under the large disk. With your other hand, grasp the stem of the applicator tip above the smaller disk. Press down firmly on the small disk

until both disks meet, piercing the seal. See illustration.



- Using the applicator tip, part the hair at the base of the tail and begin applying the product onto the skin in a continuous line from the base of the tail along the center of the back all the way up to the shoulder blades, as shown in the diagram, squeezing the applicator tube until it is empty. Avoid superficial application to the dog's hair.



- Discard the empty applicator tube as outlined in the Storage and Disposal section.
- Repeat every month, or as recommended by your veterinarian.
- For optimal treatment, control and prevention of fleas, flea eggs and flea larvae, year-round treatment is recommended.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Protect from freezing. **KEEP OUT OF REACH OF CHILDREN.**

PESTICIDE DISPOSAL AND CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** place in trash or offer for recycling, if available. **If partially filled:** call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

[NET CONTENTS: XXX fl oz (XXX ml)]

[[1] [2] [3] [4] [6] [8] [9] [12] [18] [24] [36] [applications]][applicators]]

[each dose 0.044 fl oz, (1.3 ml)]

[each dose 0.068 fl oz (2.0 ml)]

[each dose 0.135 fl oz (4.0 ml)]

[each dose 0.204 fl oz (6.0 ml)]

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that the material conforms to the chemical parameters of the US EPA registration and the label. Seller makes no warranty to the extent consistent with applicable law, express or implied, other than indicated on the label. Buyer and user assume all risk of use and handling of this material when such use and handling are contrary to the label directions. To the extent consistent with applicable law, any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.

[label code] [ceva logo]

[Ceva Animal Health, LLC Lenexa, KS 66215]

(OPTIONAL MARKETING CLAIMS)

(for use on the front, side, or back panels of the outer box or on the package insert)

- For dogs and puppies 8 weeks of age or older weighing 2.5 to 10 lbs (1.3ml)
- For dogs and puppies 8 weeks of age or older weighing 11 to 20 lbs (2.0ml)
- For dogs and puppies 8 weeks of age or older weighing 21 to 55 lbs (4.0ml)
- For dog and puppies 8 weeks of age or older weighing 56 to 100 lbs (6.0ml)
- For dogs over 100 lbs (7.4ml)
- Effective monthly treatment of (against) fleas, flea eggs, and larvae
- Protects your dog (and puppy 8 weeks of age or older) from multiple flea stages for one month
- Protects from fleas for one month
- Kills newly emerged fleas before they lay eggs
- Kills fleas within 6 hours
- Formulated for dogs (and puppies over 8 weeks of age)
- Flea treatment formulated for dogs (and puppies over 8 weeks of age)
- Easy, spot on (topical) application
- Satisfaction guaranteed or your money back (Ceva ICON) (Please call our professional staff at xxx-xxx-xxxx if you have any questions or comments about SVP9)
- Kills fleas that may cause flea allergy dermatitis (FAD) and anemia
- Kills fleas that may transmit bartonellosis and tapeworm
- Controls development of fleas, flea eggs, larvae and pupae for one month
- Convenient topical treatment formulated for dogs
- Controls adult fleas, (flea) eggs, and (flea) larvae
- Convenient topical treatment formulated for dogs (and puppies over 8 weeks of age)
- (Patented) applicator tip for easy application
- Satisfaction guaranteed. Ceva Animal Health, LLC will provide new product or your money back.

- Satisfaction guaranteed. (Ceva ICON) Please call our professional staff (experts) at xxx-xxx-xxxx if you have any questions or comments about (insect infestations) (or) SVP9
- Pyriproxyfen is an insect growth regulator which controls the development of multiple flea stages.
- Using the (patented) (Trademark) applicator, SVP9 is specially designed to spread over the dog's body providing effective control of immature flea stages for thirty days (four weeks, one month).
- Picture of dog or puppy (older than 8 weeks)
- Protects dogs (and puppies over 8 weeks of age) weighing at least [2.5 lbs (1.3mL)] or [11 lbs. (2.0 mL)] or [21 lbs. (4.0 mL)] or [56 lbs. (6.0mL)] by controlling fleas, flea eggs, and flea larvae for one month
- Multistage flea protection for one month
- Performance guaranteed or Ceva Animal Health, LLC will supply replacement product
- Onset of activity within 2 hours
- Persistent efficacy through 30 days
- Prevents re-infestation for one month
- Monthly treatment (all year) is recommended for control and prevention of fleas
- Once monthly application
- X applicators (tubes)
- X monthly doses (applications) (treatments)
- Quick drying, non-greasy
- Easy to apply spot-on (topical) application
- Convenient, easy to apply
- Fragrance (odor) free
- No noticeable odors
- Convenient to use (easy to apply)
- Convenient (easy to apply) topical treatment (with patented applicator (tip)) [that allows application (down) to the skin]
- Convenient topical treatment formulated for dogs (and puppies over 8 weeks of age)
- Available from licensed veterinarians
- Sold by veterinarians
- Seller (Ceva) markets this product to licensed veterinarians who have an established veterinary-client-patient relationship
- After application, SVP9 spreads across the dog's body to provide (full body) (all-over) protection against fleas
- Effective multistage flea control
- Dinotefuran kills fleas within 6 hours
- SVP9 kills fleas within 6 hours
- Questions or comments—please call (tel. no.) or e-mail us at contact.us@ceva.com
- For more information call(tel. no.) or email us at contact.us@ceva.com
- For emergencies call (tel. no.)
- Kills fleas that may transmit bartonellosis, tapeworm and tularemia
- Kills fleas
- Easy to apply, effective control of fleas that lasts 1 month

- Kills fleas in 6 hours
- Acts to kill fleas that may transmit bartonellosis, tapeworm and tularemia
- Regular (monthly) use breaks the flea life cycle
- Starts working with the first application and continues to control fleas for one month
- Starts with first application, killing fleas in 6 hours
- Treatment with SVP9 kills fleas that may cause flea allergy dermatitis (FAD)
- SVP9 contains the insect growth regulator pyriproxyfen that acts to prevent the development of fleas for one month
- May be used on puppies from 8 weeks of age
- Regular use (of SVP9) breaks the flea life cycle
- Controls development of multiple flea stages [for one (1) month] [through 30 days]
- Proven treatment technology for flea infestation
- Pyriproxyfen arrests the development of immature fleas
- Prevents re-infestation (by fleas) for one month
- Available in (5),(4) sizes for (accurate) dosing
- Easy to use, (patented) applicator makes treatment simple (trouble free, smooth) and comfortable for your dog (puppy over 8 weeks of age)
- No drip applicator
- For indoor dogs
- For indoor and outdoor dogs
- No drip applicator, squeeze tube to dispense for easy application
- The (patented) applicator (tip) offers a rounded end minimizing possibility for skin abrasions
- SVP9 prevents infestation in flea free dogs (puppies over 8 weeks of age) weighing at least [2.5 lbs (1.3mL)] or [11 lbs. (2.0 mL)] or [21 lbs. (4.0 mL)] or [56 lbs. (6.0mL)] and protects dogs in flea contaminated environments
- A single dose effectively stops flea infestation and prevents re-infestation for one month
- SVP9 may be used to prevent re-infestation in dogs (and puppies over 8 weeks of age) that are flea free
- Kills adult fleas which may cause Flea Allergy Dermatitis (FAD)
- 21st century flea control
- One piece applicator allows for easy (more convenient) administration
- SVP9 protects dogs (and puppies over 8 weeks of age) weighing at least [2.5 lbs (1.3mL)] or [11 lbs. (2.0 mL)] or [21 lbs. (4.0 mL)] or [56 lbs. (6.0mL)] from fleas that may carry and transmit *Rickettsia felis* and *Rickettsia typhi*
- SVP9 protects dogs (and puppies over 8 weeks of age) weighing at least [2.5 lbs (1.3mL)] or [11 lbs. (2.0 mL)] or [21 lbs. (4.0 mL)] or [56 lbs. (6.0mL)] from fleas that may carry and transmit *Francisella tularensis*
- SVP9, flea control for an age old problem
- Kills fleas which may cause anemia
- Fleas do not have to bite to die
- Contains pyriproxyfen an insect growth regulator
- Kills fleas that may cause anemia
- Protects your dog from flea infestation that may cause anemia

- SVP9 provides ovicidal activity
 - Remains effective after exposure to sunlight
 - Proven treatment (technology) for flea infestation
 - SVP9 kills by contact
-

(Next Dose Stickers and Reminder Calendar)

Prototype:


NEXT DOSE STICKERS AND REMINDER CALENDAR

It can be hard to remember when your dog's due for its next dose of Product. So we developed these tools to help you keep track of every dose. When you use the last tube in this package, call your veterinarian to order more Product.

Attach these stickers to your wall calendar or day planner on the date you give the first dose of Product, and then place another sticker on the same date for each of the next two months.



To use the calendar, simply write in the dates you are planning to use Product. Then, peel off the backing and place it in a hard-to-miss location.



(APPLICATOR LABELING)

SVP9 for Dogs

Alternate Brand Names:

[Vectra] [Vectra D] [Vectra Plus] [Vectra 2D] [Vectra Excel] [Vectra Dual] [Vectra Duo]
[Vectra II] [Vectra +] [Vectra 2] [Vectra Gold] [Vectra Shield]
for Dogs and Puppies

(The above brand names will be packaged in the weight ranges below:)

- 2.5 to 10 lbs., over 8 weeks of age (0.044 fl. oz.) (1.30 mL)**
- 11 to 20 lbs., over 8 weeks of age (0.068 fl. oz.) (2.00 mL)**
- 21 to 55 lbs., over 8 weeks of age (0.135 fl. oz.) (4.00 mL)**
- 56 to 100 lbs., over 8 weeks of age (0.204 fl. oz.) (6.00 mL)**
- over 100 lbs. (0.250 fl. oz.) (7.40 mL)**

Dinotefuran.....22.00%
Pyriproxyfen.....3.00%

KEEP OUT OF REACH OF CHILDREN
WARNING

READ ENTIRE LABEL BEFORE USE

Use only on dogs & puppies over 8 weeks of age weighing (insert weight range) lbs.



- 0.044 fl. oz. (1.30 mL)
- 0.068 fl. oz. (2.00 mL)
- 0.135 fl. oz. (4.00 mL)
- 0.204 fl. oz. (6.00 mL)
- 0.250 fl. oz. (7.40 mL)

EPA Reg. No. 83399-10
EPA Est. No. TBD

Lot # *(designation will identify producing establishment)*
[label code]