



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

October 21, 2022

Garret Newbound
Senior Director, Development and Regulatory Affairs
Ceva Animal Health, LLC
8735 Rosehill Road
Lenexa, KS 66215

Subject: PRIA Label Amendment – Addition of new CRP packaging/label directions and other minor label updates
Product Name: C708.0 (Vectra Cat Plus Tick)
EPA Registration Number: 83399-15
Application Date: 1/07/2022
Decision Number: 581210

Dear Mr. Newbound:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance

Page 2 of 2
EPA Reg. No. 83399-15
Decision No. 581210

with FIFRA section 6. If you have any questions, please contact Scott Campbell at
Campbell.Scott@epa.gov

Sincerely,

A handwritten signature in blue ink, appearing to read "Gene Benbow".

Gene Benbow, Senior Biologist
Invertebrate & Vertebrate Branch 3
Registration Division (7505P)
Office of Pesticide Programs

“Master Label”


This master label includes label text for different packaging configurations. Text that appears in braces{} are informational to the EPA, but will not be printed. Text that appears in brackets are optional.

(FRONT PANEL OF OUTER BOX- 3 & 6 dose packaging)

{Market Label-

The word cat will be at least 75% in height of the largest letter in the primary brand name.

A large clear picture of a cat in the respective weight range will be on the front panel of the label.}



C708.0 (Vectra Cat Plus Tick)

{Large, clear picture of cat according to weight range}

Alternate Brand Names:

[Vectra Cat Plus Tick] [Vectra Plus for Cats] [Vectra Trio for Cats] [Vectra 3C for Cats] [Vectra III for Cats] [Vectra 3 for Cats] [SimpleGuard 3 for Cats] [FirstShield Trio for Cats] [Catego for Cats]

Over 1.5 lbs 8 weeks or older

FOR CATS & KITTENS – Use only on cats and kittens weighing over 1.5 lbs and over 8 weeks of age

Kills adult fleas, [flea] eggs, [flea] larvae, ticks, [and] chewing lice

[Optional marketing claims for front, back, or side panels are continued on pages 9-13]

ACTIVE INGREDIENTS:

Dinotefuran.....	22.00%
Fipronil.....	8.92%
Pyriproxyfen.....	3.00%
OTHER INGREDIENTS.....	66.08%
TOTAL.....	100.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

See package insert for complete Directions For Use, Storage and Disposal, and other information.

**Net Contents: (0.051 fl oz) (0.102 fl oz)
(3)(6) Doses [each dose, 0.017 fl oz (0.50 mL)]**

[Ceva logo] [Picture of tube]

(BACK PANEL OF OUTER BOX- 3 & 6 dose packaging)

READ ENTIRE LABEL BEFORE EACH USE

FIRST AID	
If swallowed:	Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center, doctor, or 1-800-999-0297 immediately for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-800-999-0297 for emergency medical information.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: May be fatal if swallowed. Causes moderate eye irritation. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco products, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use only on cats and kittens weighing over 1.5 lbs and over 8 weeks of age.

Do not use this product on debilitated, aged, medicated, pregnant or nursing cats or cats known to be sensitive to pesticide products without first consulting a veterinarian.

Side Effects: Monitor your cat after application. Individual sensitivity, such as slight transitory redness, erythema, scratching, pruritus or other signs of discomfort at the site of application, may occur after using ANY pesticide product for cats. If signs of sensitivity occur, bathe your cat with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian

C708: EPA REG. NO. 83399-15

Date: October 19, 2022

CRP Update

or call us at 1-800-999-0297. Have the product container or label with you when calling your veterinarian for advice.

{Side Effects box will be placed on the lower right side of the back panel}

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RESTRICTIONS:

- FOR EXTERNAL USE ONLY.
 - Do not have contact or allow children to have contact with treated areas until treatment is completely dry.
 - Do not apply more than one tube per treatment.
- See package insert for complete Directions For Use.*

[Ceva art codes]

EPA Reg. No. 83399-15

EPA Est. No. XXXX-XX-X

[Sold by:] [Manufactured for:]

Ceva Animal Health, LLC

8735 Rosehill Road

Lenexa, KS 66215

[For additional information, contact us at 1-800-999-0297 or contact.us@ceva.com]

[Recyclable Packaging (Recycling Symbol)]

[Catego is a registered trademark of Ceva Santé Animale S.A.]

(SIDE PANELS OF OUTER BOX- 3 & 6 dose packaging)

C708.0 (Vectra Cat Plus Tick)

Over 1.5 lbs

8 weeks or older

Lot: #

SKU: #

Barcode [UPC Code]

Ceva Logo

(FRONT PANEL OF OUTER BOX- 1 dose packaging)

{Market Label-

The word cat will be at least 75% in height of the largest letter in the primary brand name.

A large clear picture of a cat in the respective weight range will be on the front panel of the label.}

C708.0 (Vectra Cat Plus Tick)

{Large, clear
picture of cat
according to
weight range}

Alternate Brand Names:

[Vectra Cat Plus Tick] [Vectra Plus for Cats] [Vectra Trio for Cats] [Vectra 3C for Cats] [Vectra III for Cats] [Vectra 3 for Cats] [SimpleGuard 3 for Cats] [FirstShield Trio for Cats] [Catego for Cats]

Over 1.5 lbs 8 weeks or older

FOR CATS & KITTENS – Use only on cats and kittens weighing over 1.5 lbs and over 8 weeks of age

Kills adult fleas, [flea] eggs, [flea] larvae, ticks, [and] chewing lice

[Optional marketing claims—front or back or side panels/continued on pages 9-13]

ACTIVE INGREDIENTS:

Dinotefuran.....	22.00%
Fipronil.....	8.92%
Pyriproxyfen.....	3.00%
OTHER INGREDIENTS.....	66.08%
TOTAL.....	100.00%

KEEP OUT OF REACH OF CHILDREN WARNING

See package insert for Directions For Use, First Aid, and Storage and Disposal.

Net Contents: 0.017 fl oz (0.50 mL) (1 dose)

[Recyclable Packaging (Recycling Symbol)]
[Ceva logo]

(BACK PANEL OF OUTER BOX- 1 dose packaging)

READ ENTIRE LABEL BEFORE EACH USE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

WARNING: May be fatal if swallowed. Causes moderate eye irritation. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking,

C708: EPA REG. NO. 83399-15

Date: October 19, 2022

CRP Update

chewing gum, using tobacco products, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use only on cats and kittens weighing over 1.5 lbs and over 8 weeks of age.

Do not use this product on debilitated, aged, medicated, pregnant or nursing cats or cats known to be sensitive to pesticide products without first consulting a veterinarian.

SIDE EFFECTS:

Monitor your cat after application. Individual sensitivity, such as slight transitory redness, erythema, scratching, pruritus, or other signs of discomfort at the site of application, may occur after using ANY pesticide product for cats. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call us at 1-800-999-0297.

{Side Effects box will be placed on the lower right side of the back panel}

EPA Reg. No. 83399-15

EPA Est. No. XXXX-XX-X

[Recyclable Packaging (Recycling Symbol)]

[Sold by:] [Manufactured for:]

Ceva Animal Health, LLC

8735 Rosehill Road

Lenexa, KS 66215

[For additional information, contact us at 1-800-999-0297 or contact.us@ceva.com]

[Catego is a registered trademark of Ceva Santé Animale S.A.]

[Recyclable Packaging (Recycling Symbol)]

[Ceva logo]

(SIDE PANELS OF OUTER BOX- 1 dose packaging)

C708.0 (Vectra Cat Plus Tick)

Over 1.5 lbs

8 weeks or older

Lot: #

SKU: #

Barcode [UPC Code]

[Ceva Logo]

[Picture of tube]

(PACKAGE INSERT- 1, 3, & 6 dose packaging)

C708.0 (Vectra Cat Plus Tick)

Over 1.5 lbs 8 weeks or older

[Optional marketing claims for front, back, or side panels are continued on pages 9-13]

ACTIVE INGREDIENTS:

Dinotefuran.....	22.00%
Fipronil.....	8.92%
Pyriproxyfen.....	3.00%
OTHER INGREDIENTS	<u>66.08%</u>
TOTAL	100.00%

Kills adult fleas, [flea] eggs, [flea] larvae, ticks, [and] chewing lice

**KEEP OUT OF REACH OF CHILDREN
WARNING**

READ ENTIRE LABEL BEFORE EACH USE

USE ONLY ON CATS AND KITTENS WEIGHING OVER 1.5LBS AND OVER 8 WEEKS OF AGE

FIRST AID	
If swallowed:	Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice
If on skin or clothing:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center, doctor, or 1-800-999-0297 immediately for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-800-999-0297 for emergency medical information.	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS**

WARNING: May be fatal if swallowed. Causes moderate eye irritation. Harmful if absorbed through the skin. Do not get in eyes or on clothing. Avoid contact with skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco products, or using the toilet. Remove and wash contaminated clothing before reuse.

HAZARDS TO DOMESTIC ANIMALS

For external use only on cats and kittens weighing over 1.5 lbs and over 8 weeks of age.

Do not use this product on debilitated, aged, medicated, pregnant or nursing cats or cats known to be sensitive to pesticide products without first consulting a veterinarian.

Side Effects: Monitor your cat after application. Individual sensitivity, such as slight transitory redness, erythema, scratching, pruritus or other signs of discomfort at the site of application, may occur after using ANY pesticide product for cats. If signs of sensitivity occur, bathe your cat with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, consult your veterinarian or call us at 1-800-999-0297. Have the product container or label with you when calling your veterinarian for advice.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. [Precaución al consumidor: si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (To the User: If you cannot speak English, do not use this product until the label has been fully explained to you).]

RESTRICTIONS:

- FOR EXTERNAL USE ONLY.
- Do not have contact or allow children to have contact with treated areas until treatment is completely dry.
- Do not apply more than one tube per treatment.
- Do not allow children to apply this product.
- Use only on cats weighing over 1.5 lbs and over 8 weeks of age.
- Do not allow your cat to ingest this product.

HOW TO OPEN:

{Directions for plastic clamshell CRP}


Separate one unit from the others. *{This line will not appear on the single dose insert}*

Cut on both dotted lines with scissors.


Open plastic lid.

Remove tube.


{Directions for CRP pouch}



LOCATE LIP WITH GREY DOT ● AND HOLD TIGHTLY BETWEEN THUMB AND FOREFINGER




HOLD REAR FLAP WITH OTHER HAND AND INSERT THUMB INTO OPENING AS FAR AS POSSIBLE




PRESS KNUCKLES OF THUMBS TOGETHER AND PUSH THUMB TIPS OUTWARD IN OPPOSITE DIRECTIONS TO PEEL OPEN ZIPPER

HOW TO APPLY:

1. Ensure your cat is dry before applying the product, and ensure your cat remains dry for 24 hours after application. The cat should be standing or in a comfortable position for easy application.
2. Remove the tube from the package.
3. Holding the tube upright, pointing away from you and your cat's face, place your thumb and index finger around the applicator tip under the large disk. With the other hand, grasp the stem of the applicator tip above the small disk. Press down firmly on the small disk until both disks meet, piercing the seal. (See illustration)



4. Part the hair down to the level of the skin and slowly apply the product at the base of the cat or kitten's head until the tube is [completely] empty, as shown in the diagram below. Avoid superficial application to the cat's hair. Do not get the product in your cat's eyes or mouth.



5. Discard the empty tube as outlined in the Storage and Disposal section.
6. Repeat every month [30 days, 4 weeks].
7. For optimal treatment, control and prevention of [adult] fleas, flea eggs, flea

larvae, ticks and chewing lice, year-round monthly application is recommended.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Protect from freezing.

PESTICIDE DISPOSAL AND CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling, if available. **If partially filled:** call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that the material conforms to the chemical parameters of the US EPA registration and the label. Seller makes no warranty to the extent consistent with applicable law, express or implied, other than indicated on the label. Buyer and user assume all risk of use and handling of this material when such use and handling are contrary to the label directions. To the extent consistent with applicable law any damages arising from a breach of this warranty shall be limited to direct damages and shall not include consequential commercial damages such as loss of profit or values.

[art codes] [Ceva logo]

Ceva Animal Health, LLC 8735 Rosehill Road, Lenexa, KS 66215

[Catego is a registered trademark of Ceva Santé Animale S.A.]

EPA Reg. No. 83399-15

EPA Est. No. XXXXX-XX-X

[NET CONTENTS: (0.017 fl oz (0.5 ml)) (0.051 fl oz (1.5 ml)) (0.102 fl oz (3 mL))]

[(1)(3)(6) (dose(s)(tube(s))

[each 0.017 fl oz (0.5 mL)]

ALTERNATE MARKETING TEXT

(for use on front, side, or back panels of outer box or package insert)

- Protects cats and kittens [over 1.5 lbs and 8 weeks of age or older] from fleas, flea eggs and flea larvae for one month
- For cats and kittens over 1.5 lbs and [over] 8 weeks of age [or older], three [six] [single] dose[s] [tubes]
- Effective monthly treatment of [against] fleas, flea eggs, and larvae
- Protects your cat [and kitten] from all stages of fleas for one month
- Prevents development of fleas, flea eggs, and flea larvae
- Protects your cat [kitten] from fleas for one month





- Kills newly emerged fleas before they lay eggs on your cat [kitten]
- Kills fleas on your cat within 6 hours
- Flea treatment formulated for cats and kittens over 1.5 lbs.
- Easy, spot-on [topical] application for cats [and kittens]
- [Patented] applicator tip [Trademark] for easy application directly to the skin of your cat [kitten]
- Satisfaction guaranteed or your money back [Ceva ICON] [[Please] call our professional staff at xxx-xxx-xxxx or e-mail us at contact.us@ceva.com if you have any questions or comments about [Trade Name]]
- Kills fleas that may cause flea allergy dermatitis [FAD]
- Treatment of cat with C708.0 kills fleas that may cause FAD
- Flea control for cats and kittens
- Pyriproxyfen is an insect growth regulator which controls development of immature fleas on cats [and kittens].
- Satisfaction guaranteed [Ceva Icon] Ceva Animal Health, LLC will provide new product or your money back.
- Persistent efficacy through 30 days
- [Formulated] [Made] [specifically] for cats and kittens [only]
- Prevents [re-]infestation of fleas on cats [and kittens] for one month
- Monthly treatment [all year] is recommended for optimal control and prevention of fleas on your cat [kitten]
- Once monthly application
- 1 dose [tube]
- 1 monthly dose [application] [treatment]
- 3 doses [tubes]
- 3 monthly doses [applications] [treatments]
- 6 doses [tubes]
- 6 monthly doses [applications] [treatments]
- Quick drying, non-greasy
- Easy to apply spot-on patented applicator tip
- Easy to apply spot-on patented applicator tip allows the product to be applied directly to the skin
- Convenient, easy to apply
- Fragrance [odor] free
- No noticeable [lingering] odors
- Convenient to use
- Convenient [easy to apply] topical treatment
- Convenient [easy to apply] topical treatment [with [patented] applicator tip] [that allows application down to the skin]
- Formulated for cats and kittens over 1.5 lbs and over 8 weeks of age
- Available from [licensed] veterinarians
- Sold by veterinarians
- C708.0 provides ongoing protection against fleas on cats for one month
- Effective monthly control of all stages of fleas [flea stages] on cats [and kittens]

- After application, C708.0 spreads over the cat's body to provide [full body] [all-over] protection against all stages of fleas
- C708.0 kills fleas on cats [and kittens] within 6 hours
- Questions or comments—please call (tel. no.) or e-mail us at contact.us@ceva.com
- For more information call (tel. no.)
- C708.0 protects cats and kittens from fleas that may carry and transmit *Rickettsia felis* and *Rickettsia typhi*
- C708.0 protects cats and kittens from fleas and ticks that may carry and transmit *Francisella tularensis*
- C708.0 kills fleas on cats that may carry and transmit *Rickettsia felis*, *Rickettsia typhi* and *Francisella tularensis*
- For emergencies call (tel. no.)
- Kills fleas on cats that may transmit bartonellosis , tapeworm and tularemia
- Controls fleas [all stages of fleas] on cats [and kittens]
- Easy to apply, effective control of fleas on cats that lasts 1 month [30 days] [4 weeks]
- Kills fleas on cats that may transmit bartonellosis and tapeworm
- Regular monthly use breaks the flea life cycle on cats [and kittens]
- Starts working with the first application and continues to kill fleas and immature fleas on cats for up to one month
- Starts working with first application, killing fleas on cats in 6 hours
- Recommended for use in an integrated flea management system
- Treatment of cats and kittens with C708.0 kills fleas that may cause flea allergy dermatitis [FAD]
- Kills fleas on cats that may cause flea allergy dermatitis [FAD] and anemia
- The successive feeding activity of fleas on cats may elicit a hypersensitivity skin disorder known as flea allergy dermatitis [FAD]. Treatment of cats with C708.0 kills fleas that may cause FAD.
- C708.0 contains the insect growth regulator pyriproxyfen that acts to prevent the development of immature fleas on cats for one month [30 days] [4 weeks]
- Regular monthly use [of C708.0] protects your cat and kitten against all stages of the flea life cycle
- Proven formulation for treatment of flea infestations on cats [kittens]
- Pyriproxyfen [the insect growth regulator] found in C708.0 stops the development of immature fleas on cats
- Pyriproxyfen controls immature fleas on cats [kittens]
- A single dose effectively stops flea infestation on cats [and kitten] and prevents re-infestation for one month [30 days] [4 weeks]
- For both indoor and outdoor cats and kittens
- Single spot control for all flea stages on cats
- C708.0 may be used to prevent infestation in flea free cats and kittens
- C708.0 protects cats from fleas in flea-infested environments
- Kills adult fleas on cats [kittens] which may cause flea allergy dermatitis [FAD]

- Patented applicator tip makes it easier to apply and minimizes risk of skin abrasion
- Controls and stops flea infestations on cats [kittens]
- Prevents flea re-infestation on cats [kittens]
- Kills fleas and prevents infestation on cats [kittens] for one month
- Apply monthly to cats for long-lasting flea control and year-round protection against fleas
- C708.0 kills more than the adult fleas you see on cats, it controls immature fleas on cats
- Fleas do not have to bite to die
- C708.0 kills fleas on cats [and] [kittens] by contact
- C708.0 not only kills adult fleas on cats, it breaks the flea life cycle
- Kills existing flea infestations on your cat [kitten]
- Kills adult fleas and controls immature fleas on cats [kittens] with three effective ingredients [dinotefuran, fipronil, and pyriproxyfen]
- Proven effective topical flea control containing dinotefuran, fipronil, and pyriproxyfen
- After application, C708.0 spreads over the cat's body to provide [full body] [all-over protection against all flea stages]
- Kills fleas so they can't lay eggs
- Contains pyriproxyfen an insect growth regulator
- Kills fleas on cats that may cause anemia
- Protect your cat from flea infestation that may cause anemia
- Pyriproxyfen provides ovicidal activity
- Kills all life stages of ticks [larva, nymph and adult] on cats [kittens], including brown dog ticks [*Rhipicephalus sanguineus*], American dog ticks [*Dermacentor variabilis*], lone star ticks [*Amblyomma americanum*] and deer ticks [*Ixodes scapularis*].
- Kills ticks on cats [kittens] that may transmit Lyme disease, cytauxzoonosis, haemobartonellosis, ehrlichiosis, babesiosis, and anaplasmosis.
- Kills ticks on cats [kittens] that may carry and transmit the causative agent of cytauxzoonosis.
- Kills ticks on cats [and] [kittens] through contact
- Kills fleas and ticks on cats [and kittens] through contact
- Effective monthly prevention and treatment of fleas, ticks, and chewing lice on cats [kittens]
- Easy, effective control of fleas, ticks, and chewing lice on cats [kittens] that lasts 1 month.
- Kills ticks on cats [kittens] that may carry and transmit the organism which causes Lyme disease.
- Kills ticks on cats [kittens] that may carry and transmit babesiosis.
- Kills ticks on cats [kittens] that may carry and transmit Ehrlichia.
- C708.0 kills ticks on cats [kittens] that may carry and transmit *Cytauxzoon felis* [*C felis*].
- Effective monthly treatment of fleas, ticks, and chewing lice on cats [kittens].

- Effective monthly treatment of fleas [ticks] [chewing lice] on cats [kittens]
- Kills ticks [and chewing lice] on cats [kittens]
- Available from [Ceva authorized] [Seller authorized] [approved] [endorsed] [certified] [qualified] [licensed] veterinarians.
- This product has been authorized for sale [by] [Ceva] [Seller] [through] veterinarians [in the context of an established veterinarian/client/patient relationship]. [Ceva] [Seller] may pursue appropriate [legal] action against any person not so authorized involved in the sale of this product.
- Sold by [Ceva authorized] [Seller authorized] [approved] [endorsed] [certified] [qualified] veterinarians. [We] [Ceva] [Seller] [company name] may take appropriate [legal] action if the product is sold by an unauthorized person.
- Sold by [authorized] [approved] [endorsed] [certified] [qualified] veterinarians. [Seller] [Company name] reserves the right to take appropriate [legal] action if this product is sold by an unauthorized person.
- Available from [authorized] [approved] [endorsed] [certified] [qualified] veterinarians. Seller markets this product to [authorized] [approved] [endorsed] [certified] [qualified] veterinarians, who have established [veterinary client relationship] [veterinary patient relationship] [veterinary client patient relationship]. Sale or marketing of this product by [unauthorized] [not approved] [non-qualified] persons could result in appropriate action by the [manufacturer] [Ceva] [company name]
- Available from [Ceva authorized] [Seller authorized] [approved] [endorsed] [certified] [qualified] veterinarians.
- Available from licensed veterinarians. [Company name] reserves the right to take appropriate [legal] action if this product is sold by an unauthorized person.
- [Company name] reserves the right to take appropriate [legal] action if this product is sold by an unauthorized person.
- Sold by veterinarians. [Company name] reserves the right to take appropriate [legal] action if this product is sold by an unauthorized person.
- Sale or marketing of this product by [unauthorized] [not approved] [non-qualified] persons could result in appropriate action by the [manufacturer] [Ceva] [company name]
- Authorized for sale by licensed veterinarians

Graphics of Pests:

- Fleas  Flea eggs & larvae 
- Ticks  Lice 

(TUBE LABELING)

C708.0 (Vectra Cat Plus Tick)

Alternate Brand Names:

[Vectra Cat Plus Tick] [Vectra Plus for Cats] [Vectra Trio for Cats] [Vectra 3C for Cats] [Vectra III for Cats] [Vectra 3 for Cats] [SimpleGuard for Cats] [FirstShield Trio for Cats] [Catego for Cats] [Catego]

ACTIVE INGREDIENTS:

Dinotefuran.....	22.00%
Fipronil.....	8.92%
Pyriproxyfen.....	3.00%

KEEP OUT OF REACH OF CHILDREN

WARNING

READ ENTIRE LABEL BEFORE USE

Use only on cats and kittens over 8 weeks of age, weighing 1.5 lbs. and over

0.017 fl. oz. [0.50 mL]

EPA Reg. No. 83399-15

EPA Est. No. TBD

Lot # {*designation will identify producing establishment*}