

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.

Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration
Reregistration

(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

83399-16

9/25/2025

Term of Issuance:

Conditional

Name of Pesticide Product:

Imidacloprid & Pyriproxifen Spot-On Solution for Cats

Name and Address of Registrant (include ZIP Code):

Katy Hernandez Regulatory Manager Ceva Animal Health, LLC 8735 Rosehill Rd. Lenexa. KS 66215

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Date:

Ralph Narain, Risk Manager

Ralph Narain

Invertebrate and Vertebrate Branch 3,

Registration Division

9/25/2025

Page 2 of 3

EPA Reg. No. 83399-16

Case Numbers: 605987, 490047, 666635

- 2. Consistent with the guidance on Pet Spot-On Enhanced Reporting Implementation (updated Aug. 2019), the Agency has reviewed your request to extend the two-year registration expiration date and has found your company to be in compliance with the terms and conditions for the subject product. The Agency is therefore granting the requests to extend the two-year time-limited registration restrictions. As such, the following change is being made to the terms and conditions for the product listed above:
 - a. The two-year time-limited registration restriction has been extended. The new expiration date for the registration listed above is 09/26/2027.
- 3. The Agency has reviewed your request to change the terms of your registration from quarterly to annual submission of enhanced incident and sales reports using EPA's standardized templates. You must submit enhanced incident and sales reports for this product to the Agency every 12 months from the date the product is first released for shipment, or from the end date in the last quarterly enhanced reporting submission. The initial released-for-shipment date must be provided to the Product Manager, once known. The enhanced reporting submission should be addressed to the Product Manager's attention and must use the standardized, electronic templates available on the EPA website through the following links: Enhanced Incident Reporting Template, Sales Reporting Template. Submissions must be received by the Agency no later than 60 days following the completion of the 12-month period. Please follow appropriate procedures and flag any Confidential Business Information as such.
- 4. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation information as stated in the amendment letter dated 02/08/2016 and to submit annual reports of enhanced incident and sales using EPA's standardized templates as stated above.
- 5. Submit one copy of the final printed label for the record before you release the product for shipment. This labeling supersedes all previously accepted labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims

Page 3 of 3

EPA Reg. No. 83399-16

Case Numbers: 605987, 490047, 666635

substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these terms and conditions, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

• Basic CSF dated 01/04/2022

If you have any questions, please contact Loren LaPointe via email at LaPointe.Loren@epa.gov.

Enclosure: stamped label

"Master Label"

This master label includes label text for different size packages and application rates specific to the pet's age and body weight. Text that appears in parenthesis are informational to the EPA, but will not be printed. Text that appears in brackets are optional.

(FRONT PANEL OF OUTER BOX)

(Market Label-

- The word Cat will be at least 40-75% in height of the largest letter in the primary brand name.
- o A large clear picture of a cat in the appropriate weight range will be on the front panel of the label.)

Imidacloprid and Pyriproxyfen Spot-On Solution for Cats

Alternate Brand Names:

Combiva II For Cats

Combiva II For Cats and Kittens

CrossBlock II For Cats

CrossBlock II For Cats and Kittens

(The above brand names will be packaged in the weight ranges below:)

2-5 lbs., 8 weeks and older (0.0078 fl oz)

5-9 lbs., 8 weeks and older (0.014 fl oz)

Over 9 lbs. (0.027 fl oz)

(Outer box will list only one weight range based on the package dose volume)

Imidacloprid and Pyriproxyfen Spot-On Solution for Cats treats and prevents further flea infestation on cats

(Optional marketing claims –see pages 9-10)

ACTIVE INGREDIENTS:

Imidacloprid	
_	
OTHER INGREDIENTS:	
TOTAL	100.00%

NET CONTENTS: XXX fl oz (XXX mL)

[XX Doses [each dose XXX fl oz]]

EPA Est. No.

EPA Reg. No. 83399-16

ACCEPTED

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the

83399-16

pesticide registered under

EPA Reg. No.

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel / Package Insert for additional Precautionary Statements, First Aid and complete Directions for Use.

Use only on cats and kittens weighing (insert product weight range) lbs. and 8 weeks of age and older

(BACK PANEL OF OUTER BOX)

Imidacloprid and Pyriproxyfen Spot-On Solution for Cats

Alternate Brand Names:

Combiva II For Cats

Combiva II For Cats and Kittens

CrossBlock II For Cats

CrossBlock II For Cats and Kittens

(The above brand names will be packaged in the weight ranges below:)

2-5 lbs., 8 weeks and older (0.0078 fl oz)

5-9 lbs., 8 weeks and older (0.014 fl oz)

Over 9 lbs. (0.027 fl oz)

(Outer box will list only one weight range based on the package dose volume)

(Optional marketing claims –see pages 9-10)

FIRST AID	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.
	Have the person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by the poison control center or
	doctor.
	Do not give anything by mouth to an unconscious person.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue
	rinsing eye.
	Call a poison control center or doctor for treatment advice.
IF ON SKIN OR	Take off contaminated clothing. Rinse skin with plenty of water for 15-20
CLOTHING:	minutes. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going	
for treatment. You may contact 1-800-999-0297 for emergency medical treatment information.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS.

FOR EXTERNAL USE ON CATS ONLY. DO NOT use on any other animals.

Do not use on cats or kittens under 8 weeks of age or weighing less than {minimum weight based on the package size} 2 lbs (0.0078 fl oz) [5 lbs (0.014 fl oz)] [9 lbs (0.027 fl oz)]. Do not treat your cat with more than one pesticide product at a time. As with any product, consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing cats. Individual sensitivities may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any pesticide product.

> Side Effects: Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects such as lethargy occur, consult your veterinarian or call 1-800-999-0297.

Product of [Distributed by:] [Manufactured for:]

[Made in Germany]

Ceva Animal Health, LLC

lot#,

8735 Rosehill Road

Lenexa, KS 66215

[Date] [label code] [UPC CODE]

[MWI, Boise, ID 83705]

[Recyclable Packaging][recycling symbol]

[Combiva is a registered trademark of Ceva Santé Animale]

(SECTION UNDER FRONT PANEL- appears after lifting the front panel of the box)

Imidacloprid and Pyriproxyfen Spot-On Solution for Cats

Alternate Brand Names:

Combiva II For Cats

Combiva II For Cats and Kittens

CrossBlock II For Cats

CrossBlock II For Cats and Kittens


(The above brand names will be packaged in the weight ranges below:)

2-5 lbs., 8 weeks and older (0.0078 fl oz)

5-9 lbs., 8 weeks and older (0.014 fl oz)

Over 9 lbs. (0.027 fl oz)

(Outer box will list only one weight range based on the package dose volume)



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE EACH USE

RESTRICTIONS:

- Do not allow children to apply product.
- Do not apply more than one [1] tube per treatment, even for larger cats.
- Do not split one tube between two cats.
- Do not treat your cat with more than one pesticide product at a time. Overdosing your cat can result in serious illness and even death.

See package insert for complete directions for use.

(PACKAGE INSERT)

Imidacloprid and Pyriproxyfen Spot-On Solution for Cats

Alternate Brand Names:
Combiva II For Cats
Combiva II For Cats and Kittens
CrossBlock II For Cats
CrossBlock II For Cats and Kittens

(The above brand names will be packaged in the weight ranges below:)

2-5 lbs., 8 weeks and older (0.0078 fl oz) 5- 9 lbs., 8 weeks and older (0.014 fl oz) Over 9 lbs. (0.027 fl oz)

(Package Insert will list only one weight range based on the package dose volume.)

Imidacloprid and Pyriproxyfen Spot-On Solution for Cats treats and prevents further flea infestation on cats

(Optional marketing claims –see pages 9-10)

ACTIVE INGREDIENTS:

Imidacloprid	
Pyriproxyfen	0.46%
OTHER INGREDIENTS:	
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.
	Have the person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by the poison control center or
	doctor.
	Do not give anything by mouth to an unconscious person.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue
	rinsing eye.
	Call a poison control center or doctor for treatment advice.
IF ON SKIN OR	Take off contaminated clothing. Rinse skin with plenty of water for 15-20
CLOTHING:	minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may contact 1-800-999-0297 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly with soap and warm water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

HAZARDS TO DOMESTIC ANIMALS.

FOR EXTERNAL USE ON CATS ONLY. DO NOT use on any other animals.

Do not use on cats or kittens under 8 weeks of age or weighing less than {minimum weight based on package size} 2 lbs (0.0078 fl. oz.) [5 lbs (0.014 fl. oz.)] [9 lbs (0.027 fl. oz.)]. As with any product, consult a veterinarian before using this product on debilitated, aged, medicated, pregnant or nursing cats. Individual sensitivities may occur after using ANY pesticide product for cats. If signs persist, or become more severe, consult a veterinarian immediately. If your cat is on medication, consult your veterinarian before using this or any pesticide product.

Side Effects: Monitor your cat after application. Side effects may include signs of skin irritation such as redness, scratching or other signs of discomfort. Gastrointestinal signs such as hypersalivation, vomiting or diarrhea have also been reported. If these or other side effects such as lethargy occur, consult your veterinarian or call 1-800-999-0297.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL BEFORE EACH USE

CONSUMER INFORMATION

Imidacloprid and Pyriproxyfen Spot-On Solution for Cats [This product] kills fleas within 12 hours, and reinfesting fleas are killed within 2 hours. **Imidacloprid and Pyriproxyfen Spot-On Solution for Cats** prevents further flea infestation for four [4]weeks [1 month][30 days].

OR

[The active ingredients in] Imidacloprid and Pyriproxyfen Spot-On Solution for Cats [this product] are formulated for control of fleas for 1 month[4 weeks][30 days] on cats. Imidacloprid and Pyriproxyfen Spot-On Solution for Cats is an effective flea adulticide, larvicide, and ovicide [that kills [prevents][,treats] [,and controls] fleas.]


RESTRICTIONS:

- FOR EXTERNAL USE ONLY.
- DO NOT use on animals other than cats.
- For use only on cats and kittens 8 weeks and older weighing 2-5lbs (0.0078 fl. oz.) [5-9 lbs (0.014 fl. oz.)] [over 9lbs (0.027 fl. oz.)]
- Weigh your cat to be sure you are applying the correct dose for your cat.

- DO NOT allow your cat to ingest this product.
- In multi-cat households DO NOT allow cats to groom each other until the product has dried.
- Do not apply more than one [1] tube per treatment, even for larger cats.
- Do not split one tube between two cats.
- Do not treat your cat with more than one pesticide product at a time. Overdosing your cat can result in serious illness and even death.
- DO NOT allow children to apply the product.
- DO NOT have contact or allow children to have contact with treated area until completely dry.


TO PREVENT HARM TO YOU AND YOUR CAT, READ THE ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.

OPENING INSTRUCTIONS:



HOW TO APPLY:

- 1. Ensure your cat is dry before applying the product and ensure your cat remains dry for 24 hours after application. The cat should be standing or in a comfortable position for easy application.
- 2. Part the hair down to the level of the skin, and slowly apply the product at the base of the cat's head until the applicator is completely empty. (Avoid superficial application to the cat's hair).



Page 7 of 11

- 3. Do not get the product in the cat's eyes or mouth. Do not allow your cat to ingest this product. Salivation may occur if the cat ingests the product immediately after application. Discard the empty applicator as outlined in the Storage and Disposal section.
- 4. Repeat every month, or as recommended by your veterinarian.

FREQUENCY OF APPLICATION

The presence of fleas on cats may cause a sensitive skin disorder due to the feeding activity of fleas. This is called flea allergy dermatitis (FAD). Imidacloprid and Pyriproxyfen Spot-On Solution for Cats kills fleas that may cause flea allergy dermatitis [FAD]. Treatment of Imidacloprid and Pyriproxyfen Spot-On Solution for Cats will kill fleas on cats [and][kittens] within twelve [12] hours. It is possible pre-existing pupae in the environment may continue to emerge for six [6] weeks [or longer] depending on climatic conditions. Use Imidacloprid and Pyriproxyfen Spot-On Solution for Cats monthly [every 30 days][every 4 weeks] for the control of fleas.

OR

[Studies have shown that] Imidacloprid and Pyriproxyfen Spot-On Solution for Cats kills fleas on cats within 12 hours for up to four [4] weeks [1 month][30 days]]. To prevent flea re-infestation, apply monthly. Imidacloprid and Pyriproxyfen Spot-On Solution for Cats remains effective even after exposure to sunlight. Imidacloprid and Pyriproxyfen Spot-On Solution for Cats is water resistant and is still effective, after bathing or water immersion. Allow treated area to dry thoroughly.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Keep out of reach of children and pets.

PESTICIDE DISPOSAL AND CONTAINER HANDLING: Non-refillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITED WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that the material conforms to the chemical parameters of the US EPA registration and the label. To the extent consistent with applicable law, seller makes no warranty, express or implied, other than indicated on the label. Buyer and user assume all risk of use and handling of this material. To the extent consistent with applicable law, any damages arising from use of this product or a breach of this warranty shall be limited to direct damages and shall not include consequential or incidental damages such as loss of profit or values.

Product of [Distributed by:] [Manufactured for:] EPA Reg. No. 83399-16

Ceva Animal Health, LLC 8735 Rosehill Road Lenexa, KS 66215 [date] [label code] [UPC CODE] [Recyclable Packaging][recycling symbol] [MWI, Boise, ID 83705] [Combiva is a registered trademark of Ceva Santé Animale] EPA Est. No. lot#

[Made in Germany]

(OPTIONAL MARKETING CLAIMS)

(for use on the front, side, or back panels of the outer box or on the package insert)

- [Imidacloprid and Pyriproxyfen Spot-On Solution for Cats] contains the active ingredient imidacloprid and an [the] insect growth regulator [IGR] pyriproxyfen
- [Imidacloprid and Pyriproxyfen Spot-On Solution for Cats] contains an insect growth regulator [IGR] that effectively kills flea eggs
- [Imidacloprid and Pyriproxyfen Spot-On Solution for Cats] prevents further flea infestation on cats [and kittens] for four [4] weeks [1 month][30 days]
- Protects cats [kittens] against fleas
- Protects cats [kittens] against further flea infestation up to four [4] weeks [1 month][30 days]
- Imidacloprid and Pyriproxyfen Spot-On Solution for Cats helps prevent further flea infestation on cats [kittens] for up to four [4] weeks [1 month][30 days]
- Imidacloprid and Pyriproxyfen Spot-On Solution for Cats [continually] works to prevent further flea infestation on cat [kittens] for up to four [4] weeks [1 month][30 days]
- Effectively stops [controls] existing flea infestation by killing adult fleas [and prevents further reinfestation] on cats [kittens]
- [Imidacloprid and Pyriproxyfen Spot-On Solution for Cats] treats, controls, and prevents further flea reinfestation on cats [kittens]
- [Imidacloprid and Pyriproxyfen Spot-On Solution for Cats] treats fleas [within 12 hours] on cats and kittens 8 weeks or older weighing at least 2 lbs (0.0078 fl oz) [5 lbs (0.014 fl oz)] [9 lbs (0.027 fl oz)]
- Kills fleas on cats [kittens] within [in] 12 [twelve] hours [after application]
- Kills fleas so they can't lay eggs on your cat [kitten]
- Kills fleas on cats and kittens 8 weeks or older weighing at least 2 lbs (0.0078 fl oz) [5 lbs (0.014 fl oz)] [9 lbs (0.027 fl oz)]
- Kills fleas and their eggs on cats [kittens]
- Effectively kills flea eggs
- Disrupts the flea cycle and kills larval flea stages on cats [kittens]
- Breaks the flea life cycle and prevents [stops] flea eggs from developing into adult [biting] fleas
- Kills flea eggs from hatching[and developing into biting adults]
- Kills larval flea stages on cats [kittens]
- Kills flea larvae on cats [kittens]
- Kills re-infesting fleas on cats [kittens] within 2 hours [and protects against further flea infestations on cats [kittens] up to four [4] weeks [one month][30 days]
- Prevents further re-infestations by killing adult fleas on cats [kittens] within 12 hours for up to one month [4 weeks] [30 days]
- Controls fleas for cats and kittens 8 weeks or older weighing at least 2 lbs (0.0078 fl oz) [5 lbs (0.014 fl oz)] [9 lbs (0.027 fl oz)]
- Treats flea infestation on cats and kittens 8 weeks or older weighing at least 2 lbs (0.0078 fl oz) [5 lbs (0.014 fl oz)] [9 lbs (0.027 fl oz)]

- Provides cats [and kittens] with protection from fleas [up to [four [4] weeks][a month][30 days]]
- Controls against fleas
- Kills fleas that may cause flea allergy dermatitis (FAD) on cats [kittens]
- [Imidacloprid and Pyriproxyfen Spot-On Solution for Cats] offers cats [kittens] 3-way protection from fleas and kills [controls][prevents against] adults, larvae, and eggs
- [An effective] flea adulticide, larvicide, and ovicide that kills [prevents][,treats] [,and] controls] fleas on cats [kittens]
- [Imidacloprid and Pyriproxyfen Spot-On Solution for Cats] offers effective multistage flea control on cats [kittens]
- Effective once-a-month flea protection [prevention and treatment] for cats [and kittens]
- Effective flea treatment for your cat 8 weeks of age or older weighing at least 2 lbs (0.0078 fl oz) [5 lbs (0.014 fl oz)] [9 lbs (0.027 fl oz)]
- Monthly topical treatment of Imidacloprid and Pyriproxyfen Spot-On Solution for Cats kills fleas and treats flea infestation for cats and kittens 8 weeks or older weighing at least 2 lbs (0.0078 fl oz) [5 lbs (0.014 fl oz)] [9 lbs (0.027 fl oz)]
- Monthly treatment prevents further re-infestation and treats fleas on cats and kittens 8 weeks or older weighing at least 2 lbs (0.0078 fl oz) [5 lbs (0.014 fl oz)] [9 lbs (0.027 fl oz)]
- Formulated to target multiple stages of flea development [to treat and prevent further flea infestations] on cats [and kittens]

All Others

- For Cats and Kittens 8 weeks or older weighing at least 2 lbs (0.0078 fl oz) [5 lbs (0.014 fl oz)] [9 lbs (0.027 fl oz)]
- For use on kittens 8 weeks or older weighing at least 2 lbs (0.0078 fl oz) [5 lbs (0.014 fl oz)] [9 lbs (0.027 fl oz)]
- For use on cats 8 weeks or older weighing at least 2 lbs (0.0078 fl oz) [5 lbs (0.014 fl oz)] [9 lbs (0.027 fl oz)]
- Easy to Use Applicator
- Easy to Apply Applicator
- Applies Easily
- Monthly treatment recommended
- One Step Flea Prevention for cats [and kittens] for up to four [4] weeks [one month][30 days]
- Apply Monthly [every [30 Days] [four [4] weeks]]
- For year-round protection against fleas on cats, apply monthly [every [four [4] weeks] [30 days]]
- Use monthly [every 30 Days][four [4] weeks] for best results
- Only one treatment needed every month [30 days][four [4] weeks]
- One treatment remains effective for four [4] weeks[1 month][30days]
- Waterproof 24 hours after application
- Imidacloprid and Pyriproxyfen Spot-On Solution for Cats is waterproof 24 hours after application
- Imidacloprid and Pyriproxyfen Spot-On Solution for Cats is effective after bathing [shampooing], 24 hours after application
- Imidacloprid and Pyriproxyfen Spot-On Solution for Cats is effective [even] after your cat is exposed to rain or sunlight 24 hours after application
- Formulated for control of fleas for 1 month [4 weeks] on cats
- Contains the active ingredients [imidacloprid, pyriproxyfen] in [Elanco's] Advantage II For Cats*
- Contains the active ingredients found in [Elanco's] Advantage II For Cats*
- Imidacloprid and Pyriproxyfen Spot-On Solution for Cats is not manufactured or distributed by Elanco US, Inc*
- Satisfaction guaranteed or Ceva Animal Health, LLC will provide new product or your money

back

(APPLICATOR LABELING)

Imidacloprid and Pyriproxyfen Spot-On Solution For Cats

[insert wt range] lbs 8 weeks and older

Imidacloprid 9.10% Pyriproxyfen 0.46%

KEEP OUT OF REACH OF CHILDREN CAUTION

Read entire label before use. [Use scissors to open.]

EPA REG. No. 83399-16

Lot # (designation will identify producing establishment)

XXX fl. oz.

[label code]

^{*{}When a claim is used comparing the product to Elanco's Advantage II For Cats, the disclaimer for manufacturing and distributing will also be used.}