

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

JUL 10 2009

Ross Beattie **Product Registration Specialist BWA Water Additives US LLC** 1979 Lakeside Parkway, Suite 925 Tucker, GA 30084

Subject:

Bellacide 355

EPA Reg. No. 83451-16

Application Dated: June 4, 2009 Receipt Date: June 10, 2009

Dear Ross Beattie

The following notification submitted in connection with registration under the provisions of PR Notice 98-10, Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9. is acceptable.

Proposed Notification

Revised Storage and Disposal Per 2007-4

Comments

Based on a review of the material submitted, the following comments apply: This application for notification to revise the storage and disposal section per PR notice 2007-4 is acceptable. A copy has been placed in our records for future reference.

Should you have any questions or comments concerning this letter, please contact Velma Noble at (703) 308-6233.

Sincerely,

Product Manager (31)

Regulatory Management Branch1 Antimicrobia

			CONCURRENC		(7510F)		
SYMBOL		:				*****	
SURNAME		·					
DATE)				************			
				*****		055161	. CH C COD

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

Please road instructions on reverse before completing form.

Print Form Form Approved. OMB No. 2070-0060.

	Registration
i	Amendment
-	

Application for Pesticide - Section I 1. Company/Product Number 83451-16 2. EPA Product Manager V. Noble None None Section I 4. Company/Product (Name) PM# 31 5. Name and Address of Applicant (Include ZIP Code) BWA Water Additives US LLC (b)(i), my product is similar or identical in composition and 1979 Lakeside Parkway, Suite 925 Tucker, GA 30084 Check if this is a new address Product Name Product Name
83451-16 4. Company/Product (Name) Bellacide 355 5. Name and Address of Applicant (Include ZIP Code) BWA Water Additives US LLC 1979 Lakeside Parkway, Suite 925 Tucker, GA 30084 V. Noble PM# 31 6. Expedited Reveiw. In accordance with FIFRA Section (b)(i), my product is similar or identical in composition and to: EPA Reg. No.
4. Company/Product (Name) Bellacide 355 5. Name and Address of Applicant (Include ZIP Code) BWA Water Additives US LLC 1979 Lakeside Parkway, Suite 925 Tucker, GA 30084 None PM# 31 6. Expedited Reveiw. In accordance with FIFRA Section (b)(i), my product is similar or identical in composition and to: EPA Reg. No.
BWA Water Additives US LLC 1979 Lakeside Parkway, Suite 925 Tucker, GA 30084 (b)(i), my product is similar or identical in composition and to: EPA Reg. No.
Check if this is a new address Product Name
Section - II
Amendment - Explain below. Resubmission in response to Agency letter dated "Me Too" Application. Notification - Explain below. Cher - Explain below. Explanation: Use additional page(s) if necessary. (For section 1 and Section II.) Fee Determination: Fee category - Not Applicable (Notification) ross.beattie@wateradditives.com Notification to change the Pesticide Container Disposal language per PR Notice 2007-4 See attached page for certification
Section - III
1. Material This Product Will Be Packaged In: Child-Resistant Packaging Yes No No Unit Packaging Yes Yes No No If "Yes" Unit Packaging Water Soluble Packaging Yes Yes Other (Specify) If "Yes" Package wgt Other (Specify)
be submitted
3. Location of Net Contents Information 4. Size(s) Retail Container 5. Location of Label Directions On Label On Labeling accompaning product
6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled
Section - IV
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)
Name Title Ross Beattie Title Product Registration Specialist Telephone No. (Inc. ude And Product Registration Specialist)
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law. 6. Date Application Received (Stamp)
2. Signature / 3. Title
2. Signature Product Registration Specialist
2. Signature Product Registration Specialist 4. Typed Name 5. Date

EPA Registration Number:

83451-16

Registration Name:

Bellacide 355

Application for Pesticide dated:

June 4, 2009

Section - II

Explanation (Continued)

"Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146 and 156.156. No other changes have been made to the labeling or Confidential Statement of Formula for this product. I understand that it is a violation of the 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146 and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Mos hulon



BWA Water Additives 1979 Lakeside Parkway Suite 925 Tucker, GA 30084

> Tel 678 802 3050 Fax 678 802 3024

June 4, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202

Re:

Bellacide 355

EPA Reg. No.: 83451-16

Sir or Madam:

Please process the enclosed notification for the above referenced product.

The purpose of this notification is to:

Add language required by the Pesticide Container Rule under Storage and Disposal per PR notice 2007-4.

Enclosed are:

- 1) Application for Pesticide (EPA Form 8570-1);
- 2) Notification Certification Statement; and
- 3) Proposed label with changes marked.

If you have any questions, please contact me via phone (678-802-3032) or email (ross.beattie@wateradditives.com).

Thank you for your time,

Ross Beattie

Product Registration Specialist

Enclosures

{All text in brackets [xxx] is optional and may or may not be included on a final label.} {All text in braces {xxx} is administrative and will not appear on a final label.}

BELLACIDE 355

For use as an algicide, bactericide, fungicide, for the control algae, slime forming bacteria, sulfate reducing bacteria, and fungi in air-washers and industrial air scrubbing systems, recirculating cooling water and process water systems including cooling towers, evaporative coolers, brewery pasteurizers, can warmers, and hydrostatic sterilizers and retorts, non-food contact paper and paperboard process water (e.g.: brown paper, corrugated sheet, Kraft paper, newsprint, etc.), enhanced oil recovery systems, oil and gas production and transmission pipelines and systems, gas storage wells and systems, hydrotesting of pipelines and tanks, pipeline pigging and scraping operations and oil and gas well drilling and maintenance fluids. FOR INDUSTRIAL APPLICATION. This product must be loaded and transferred only using a metering-pump system. Open pouring is prohibited.

ACTIVE INGREDIENT:

Tributyl tetradecyl phosphonium chloride OTHER INGREDIENTS: TOTAL:

5.0% 95.0%

100.0%

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID:

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after the first 5 minutes, then continue

rinsing eye.

- Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.

- Rinse skin immediately with plenty of water for 15-20 minutes.

- Call a poison control center or doctor for treatment advice.

IF INHALED:

- Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, and then give

artificial respiration, preferably mouth-to-mouth, if possible.
-Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call poison control center or doctor immediately for treatment advice.

- Have person sip a glass of water if able to swallow.

- Doinot induce vomiting unless told to do so by the poison control center or

doctor.

- Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center of doctor, or going for treatment. [IN CASE OF MEDICAL EMERGENCY, CALL [1-303-623-5718] [1-877-800 5553][IN CASE OF TRANSPORT EMERGENCY, CALL [1-800-424-9300 (CHMETREC)] [telephone number supplied by supplemental registrant].]

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through skin. May be irritating to nose and throat. Do not get in eyes, on skin or on clothing. Wear coveralls worn over long-sleeved shirt and long pants, socks, chemical-resistant footwear, chemical resistant gloves and protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

PHYSICAL OR CHEMICAL HAZARDS: Do not mix with other chemicals. Mix only with water.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in any manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions. This product must be loaded and transferred only using a metering-pump system. Open pumping is prohibited

This product must be loaded and transferred only using a metering-pump system or a close loading/application system. Open pouring is prohibited. Wear coveralls worn over long-sleeved shirt and long pants, socks, chemical-resistant footwear, chemical resistant gloves and protective eyewear

RECIRCULATING COOLING AND PROCESS WATER SYSTEMS / AIR WASHERS AND INDUSTRIAL AIR SCRUBBING SYSTEMS:

DOSAGE RATES FOR ABOVE APPLICATIONS.

Initial Dose: When the system is noticeably fouled, add 26 to 77 fluid ounces of this product per 1000 gallons (200 to 600 milliliters/1000 liters) of water contained in the system. Repeat until control is achieved.

Subsequent Dose: When microbial control is evident, add 13 to 38 fluid ounces of this product per 1000 gallons (100 to 300 milliliters/1000 liters) of water contained in the system. Repeat as needed to maintain control.

Heavily fouled systems must be cleaned before treatment is begun.

When used as directed, this product effectively controls algal, bacterial, and fungal slimes in commercial and industrial cooling towers, evaporative condensers, heat exchange water systems, evaporative coolers, dairy sweetwater systems, industrial process water systems, brewery pasteurizers, can warmers, hydrostatic sterilizers and retorts, air washing systems equipped with a mist eliminator, and industrial air scrubbing systems. Add this product at a point of uniform mixing such as the basin area.

PULP, PAPER, AND PAPERBOARD MILLS:

DOSAGE RATES.

Initial Dose: When the system is noticeably fouled, add 5 to 30 pounds of this product per ton of pulp or paper (dry basis) as a slug dose. Repeat until control is achieved. Heavily fouled systems must be cleaned before initial treatment.

Subsequent Dose: When biological control is evident, add 3 to 20 pounds of product per ton of pulp or paper (dry basis) as a slug dose as necessary to maintain control.

THIS PRODUCT IS ONLY FOR USE IN NON-FOOD APPLICATION, such as Brown Paper Mills, Sheet for Corrugated Board, Kraft Paper, Newsprint and similar paper / paperboard not intended for food contact uses. When used as directed this product effectively controls bacterial and fungal slimes in pulp, paper, and paperboard mill process water systems including white water systems. Treat water at critical areas in the system where mixing of the product will be uniform such as beaters, furnish chest, whitewater tank, save-all, and broke chest. The frequency and duration of the treatment will depend upon the severity of the problem.

ENHANCED OIL RECOVERY SYSTEMS:

DOSAGE RATES FOR ENHANCED OIL RECOVERY SYSTEMS.

When the system is noticeably fouled, or to maintain control in the system, add 42 to 420 gallons of product per 1000 barrels of water as a slug dose for 1-8 hours per day, 1-4 times per week.

NOT FOR USE IN ESTURARINE OR MARINE OIL RECOVERY SYSTEMS. When used as directed this product effectively controls slime-forming and sulfate-reducing bacteria in injection and produced water systems, water disposal systems, and other oilfield water systems. Treat water at critical points in the system such as water or oil storage tarks, surge tanks, oil-water separators, before or after injection pumps, and injection well headers.

OIL AND GAS PRODUCTION AND TRANSMISSION PIPLINES AND SYSTEMS

This product should be added at a point in the pipeline where uniform mixing will occur. The application should be conducted to ensure maximum distribution of the product through the entire internal surface of the pipeline. Follow dosing instructions for enhanced oil recovery systems.

GAS STORAGE WELLS AND SYSTEMS

Individual injection wells should be treated with a sufficient quantity of product to produce a concentration of 1000-10000 ppm of product when diluted by the water present in the formation. Injections should be repeated as needed to maintain control

Individual drips should be treated with a sufficient quantity of product to produce a concentration of 1000-10000 ppm of product when diluted by the water present in the drips. Injections should be repeated as needed to maintain control.

HYDROTESTING

Water used to hydrotest pipelines or vessels could contain 1000-10000 ppm of product, depending on water quality and length of time the equipment will remain idle.

PIPELINE PIGGING AND SCRAPING OPERATIONS

Add the product to a slug of water immediately following the scraper (ideally this water volume can be kept to a minimum and contained between the scraper and a trailing pig). Sufficient product should be added to produce a concentration of 1000-10000 ppm of product in the water at the discharge point or pig trap depending on the length of the pipeline and the severity of biofouling.

DRILLING, PACKER, COMPLETION, WORKOVER AND FRACTURING FLUIDS

The product should be added to these fluids at a point where uniform mixing will occur. Add 1000-10000 ppm of product to a freshly prepared fluid depending on the severity of the contamination.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep product dry and store in a cool dry well-ventilated area away from heat or open flame. Store in original container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

{Text for non-refillable containers}

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. *{For containers of 5 gallons or less}*[Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.1

{For containers with capacities of greater than 5 gallons} [Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.]

{Text for refillable containers}

CONTAINER DISPOSAL: Refillable container. Refill this container with Tributyl tetradecyl phosphonium chloride only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

Manufactured for: BWA Water Additives US LLC 1979 Lakeside Parkway, Suite 925 Tucker, GEORGIA 30084

EPA REG. # 83451-16 EPA EST. # 56567-IL-01 Product of USA

NET WEIGHT: ## lbs (##kg)