1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY

Antimicrobials Division (7510P)
1200 Pennsylvania Avenue N.W.
Office of Pesticide Programs
Washington, D.C. 20460

	remo
NOTICE OF PESTICIDE:	Cond

x Registration

Reregistration

(under FIFRA, as amended)

EPA Reg.

Number:

83451-17

Date of Issuance:

Dec. 19, 2007

Term of Issuance:

Conditional

Name of Pesticide Product:

BWA

Liquibrom 4000

Name and Address of Registrant (include ZIP Code):

BWA Water Additives U.S. LLC 1979 Lakeside Parkway, Suite 925 Tucker, GA. 30084

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
- 2. Change EPA File Symbol 83451-RT to EPA Registration Number 83451-17.
- 3. Remove "Disfectant" from page 1 and "disinfects" from page 2. This use is not allowed on this type of product.
- 4. Submit one copy of the final printed label prior to releasing this product for sale.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Date:

Emily H. Mitchell
Product Manager ac

Product Manager 32

Antimicrobials Division (7510P)

December 19, 2007

{All text in brackets [xxx] is optional and may or may not be included on a final label.} {All text in braces {xxx} is administrative and will not appear on a final label.}

delete

BWA Liquibrom 4000

[For use as a Disinfectant, Bactericide, Fungicide, Algicide, and Mollusk Control Agent, and for Control of Microbial Slimes in: Recirculating Cooling Water Systems, Once-Through Cooling Water Systems, Wastewater Treatment Systems, Brewery Pasteurizers, and Pulp and Paper Mill Water.]

ACTIVE INGREDIENT:

Sodium bromide

40.0%

OTHER INGREDIENTS:

60.0%

TOTAL:

100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID:

IF ON SKIN OR

- Take off contaminated clothing.

CLOTHING:

- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue

rinsing eye.

- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or

doctor.

- Do not give anything by mouth to an unconscious person.

[IN CASE OF MEDICAL EMERGENCY, CALL [1-800-424-9300] [telephone number supplied by supplemental registrant].]

SEE OTHER PRECAUTIONS ON SIDE PANEL

Net Weight _____ Lot No. ____ EPA Reg. No. 83451-**
EPA Est. No. 3085EPR 20
With COMMENTS
m EPA Letter Dated:

DEC 19 2007

Under the Federal Insecticide, Fundacine and Rodenticide Act amended, for the penicide, registered under APA Reg. No.

BWA WATER ADDITIVES US LLC 1979 Lakeside Parkway, Suite 925 TUCKER, GA 30084 800-600-4523



statements and directions.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner

RECIRCULATING COOLING WATER SYSTEMS, INCLUDING AIR WASHERS AND **BREWERY PASTEURIZERS:**

inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary

When used in conjunction with an oxidant, this product effectively controls algal, bacterial, and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (Dreissena) or the Asiatic clam (Corbicula) in commercial and industrial cooling towers; influent water systems such as flow through filters, cooling ponds, canals, and lagoons; heat exchange water systems; air washers; pasteurizers; retort systems; and industrial water scrubbing systems.

DOSAGE RATES. Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example:

- 1.6 to 26.5 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; or, 1)
- 1.3 to 21.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of 2) sodium bromide solution.

Initial Dose: When the system is noticeably fouled, add 0.0003 to 0.024 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.008 to 0.040 pounds gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.032 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water).

Subsequent Dose: When microbial control is evident, add 0.0002 to 0.024 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.004 to 0.040 pounds gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.003 to 0.032 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water).

ONCE-THROUGH COOLING WATER AND WASTE WATER TREATMENT SYSTEMS:

When used in conjunction with an oxidant, this product effectively controls algal, bacterial and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (Dreissena) or the Asiatic clam (Corbicula) in once-through fresh and sea water cooling systems, cooling ponds, canals, and lagoons; and disinfects secondary and tertiary wastewater treatment systems.

DOSAGE RATES. Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example:

1.6 to 26.5 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; or, 1)

1.3 to 21.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of 2) ACCEPTED sodium bromide solution.

WITH COMMENTS in EPA Letter Dated:

DEC 19 2007

Under the Federal Insecticide, h. The And Rodenticide Not as2 s and for the spessicide, 83451-17 n twice for the pesticide,

4/5

Initial Dose: When the system is noticeably fouled, add 0.0008 to 0.049 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.02 to 0.08 pounds gas chlorine per 1000 gallons of contained volume), or sodium hypochlorite solution (0.02 to 0.06 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained volume).

Subsequent Dose: When microbial control is evident, add 0.0003 to 0.049 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.008 to 0.08 pounds gas chlorine per 1000 gallons of contained volume), or sodium hypochlorite solution (0.006 to 0.06 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained volume).

FRUIT AND VEGETABLE WASH: When used in conjunction with an oxidant (Chlorine gas or NaOCl), this product can be used for the wash and transport of fruits and vegetables. This product and oxidant should be added at a rate not to exceed a dosage of 55 ppm of product (38.5 gallons of this product per one million gallons of water treated). Apply sufficient amount of this product and chlorine or sodium hypochlorite to achieve a residual bromine level of 0.5 to 5 ppm when measured approximately 5 minutes after treatment. The recommended activiation mix of this product and oxidant is a one to one molar ratio. Chlorine dose (99%) 3.3 pounds, 10% NaOCl dose (3.3 gallons) or 15% NaOCl dose (2.0 gallons) will activate one gallon of this product (40% sodium bromide solution). This product may be continuously metered to Chlorinator eductor water or mixed with a NaOCl solution for activation. The use of this product under this application must be followed by a potable water rinse to remove, to the extent possible, residues of the chemical.

PULP AND PAPER MILLS:

When used in conjunction with an oxidant, this product effectively controls algal, bacterial, and fungal slime in pulp and paper mill fresh and sea water influent water systems; cooling water systems, wastewater treatment systems, service water systems, white water systems, non-potable water systems, and other process water.

DOSAGE RATES. Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example:

- 1) 1.6 to 26.5 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; or,
- 2) 1.3 to 21.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of sodium bromide solution.

Add sufficient amount of mixed product/oxidant solution to achieve a residual bromine level of 0.5 to 5.0 parts per million. For 0.5 parts per million add 0.00057 gallons of product and 0.0018 gallons of (12.5%) bleach or 0.0019 pounds gas chlorine per 1,000 gallons of water treated.

with COMMENTS in EPALetter Dated:

DEC 19 2007

Under the Foderal Insecticide,

He defended Notes

The periode,

The periode,

3

Treatment levels of this product and oxidant can best be measured with test kits for either bromine or chlorine. Tests should be made immediately after drawing water samples from the system. Use test kits according to directions.

1. When a bromine test kit is used, results can be read directly as parts per million bromine.

2. When a chlorine test kit is used, results can be expressed in terms of bromine by multiplying chlorine values by the conversion factor 2.25.

This product weighs 11.9 pounds/gallon at 70° F.

STORAGE AND DISPOSAL:

STORAGE. Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well ventilated area. Product should be stored at 0°F or above.

DISPOSAL. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. DO NOT REUSE EMPTY CONTAINER. Triple rinse the container (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate. Burn only if allowed by state and local authorities. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS:


HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION. Causes moderate eye irritation. Avoid contact with eyes, skin and clothing. Wash with soap and water after handling. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS:

Sodium bromide is not flammable. However, in fires fueled by other materials, hydrogen bromide or bromine may be released. In case of fire, wear self-contained breathing apparatus.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.



Under the Foderal Insecticide,

emiliaction the pesicide, raguster ed utmor EPA Reg. Na.

water to a Rodonticide suctas 4