

4-51-18 UNITED S. IES ENVIRONMENTAL PROTECTION A _ACY UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Washington, D.C. 20460

July 11, 2008

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Ross Beattie Product Registration Specialist BWA Water Additives US LLC 1979 Lakeside Parkway, Suite 925 Tucker, GA 30084

> Bromicide 4300 EPA Registration No. 83451-18 Application Date: June 10, 2008 Receipt Date: June 16, 2008

Dear Mr. Beattie:

Subject:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification

Change of primary brand name to "Bromicide 4300"

General Comments

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at (703) 308-6345.

Sincerely,

Wanda Y. Henson Product Reviewer (32) Regulatory Management Branch II Antimicrobials Division (7510P)

| | | | | | · · · | • | | |
|--------|-------------------------------------|---------|--|----------------|----------------|---------------------------------------|---|-------|
| · | | | | CONCURRENC | ZS | · · · · · · · · · · · · · · · · · · · | | |
| YMBOL | 7510P | 2520P | | : • | | | | |
| JRNAME | | Henson. | | ************** | ******** | ********** | • | ***** |
| ATE | 7/11/08 | 7/11/68 | •••••• | ********** | ************** | •••••• | ***** | |
| | الي يستجد التي يسكننا البداد عد عدا | | and the second | | | | | |

EPA Form 1320-1A (1/90)

OFFICIAL EU COBY

| | | | 284 | | | |
|---|---|---|---|--|--|--|
| Please read instructions on reverse before completing form. United State Environmental Protec Washington, DC 2 | tion Agency | Hegistration Amendment Other | 60. Approval expires 2-28-95 OPP Identifier Number | | | |
| Applica | tion for Pesticide - Sec | | | | | |
| 1. Company/Product Number | 2. EPA Product Man | | Proposed Classification | | | |
| 83451-18 | Emily Mitchell | [v | None Restricted | | | |
| 4. Company/Product (Name) BWA Liquibrom 4300 | PM# 32 | | | | | |
| 5. Name and Address of Applicant <i>(Include ZIP Code)</i> BWA Water Additives U.S. LLC 1979 Lakeside Parkway, Suite 925 Tucker GA, 30084 | <pre>2 (b)(i), my product i to: EPA Reg. No</pre> | eiw. In accordance wit s similar or identical in c | omposition and labeling | | | |
| | Product Name | | | | | |
| Amendment - Explain below. Final printed labels in repsonse to Resubmission in response to Agency letter dated "Me Too" Application. Image: Motification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) Notification of Primary Product Name Change per PR Notice 98-10. This is a notification request to change the primary product name of this product to BromiCide 4300, the Certification Statement for this notification is included in the accompanying letter. Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container | | | | | | |
| Yes Yes ✓ No ✓ No | Ves ✓ No | Metal ✓ Plastic | | | | |
| Certification must be submitted | If "Yes" No. per | es" No. per Paper | | | | |
| | Retail Container | 5. Location of Label Direct | ions | | | |
| 6. Manner in Which Lebel is Affixed to Product $\begin{bmatrix} \checkmark \end{bmatrix}$ Lith | containers 50 to 3000 lbs ograph er glued nciled | | | | | |
| | Section - IV | · | | | | |
| 1. Contact Point (Complete items directly below for identifica | tion of individual to be contacted, | f necessary, to process thi | s application.) | | | |
| Name Dana S. Lateulere | Title Consultant | | elephone No. (Include Area Code) 01-743-6050 | | | |
| Certific I certify that the statements I have made on this form and I acknowledge that any knowlinglly false or misleading s both under applicable law. 2. Signature Man Rutt | nd all attachments thereto are true | 6. Date Application Récéived (Stamped) | | | | |
| 4. Typed Name Ross Beattie | 5. Date June 10/08 | | | | | |

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

Yellow - Applicant Copy



BWA Water Additives 1979 Lakeside Parkway Suite 925 Tucker, GA 30084

> Tel 678 802 3050 Fax 678 802 3024

June 10, 2008

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4400 One Potomac Yard, 277 South Crystal Drive Arlington, VA 22202-4501

Attn: Ms. Emily Mitchell Product Manager No. 32

Re: Primary Name Change Notification for BWA Liquibrom 4300 EPA File Symbol 83451-18

Dear Ms. Mitchell:

BWA Water Additives US LLC (BWA) is submitting this notification of a change to the primary name of the product *BWA Liquibrom 4300* to the new name: *BromiCide 4300*.

Certification Statement

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46 and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

I understand that I may not sell or distribute this antimicrobial product until I receive EPA notice of approval or until 60 days after submission, whichever comes first.

Sincerely,

Mas Butte

Ross Beattie Product Registration Specialist

Enclosures: Copy of labeling with changes highlighted

+ www.wateradditives.com

| DISPOSAL Wastes resulting from the use of this product may be disposed of on stree or an approved waste disposal facility. DO NOT REUSE EMPTY CONTAINER: trial Agent, and ing Mater System Triple rinse the container (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate. Burn only if and waster after handling. Remove contaminated clothing and wash with soap and water after handling. Remove contaminated clothing and wash before reuse. HYSICAL AND CHEMICAL HAZARDS: Sodium bromide is not flammable. However, in fires fueled by other materials, hydrogen bromide or bromine may be released. In case of fire, wear self-contained breathing apparatus. ACTIVE INGREDI ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, esturies, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPCES) permit and the permiting authority has been notified in writing prior to discharge. FIRST AID: DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent withing labeling. Reade entire label and use strictly in accordance with precedult in divide and controls the settlement and growth of mollusks toxic as the zebra mussel (Dreissena) or the Asiatic dam (Corbicula) in commercial and industrial owater scrubbing systems. IF IN EYES: IF IN EYES: IF IN EYES: Set orther mater scrubbing systems. DOSAGE RATES. Add this product to esystem at a 0.125 to 2.0 sodium bromide solution; or, or, or sodium hypochlorite solution (0.007 | | STORAGE AND DISPOSAL: STORAGE. Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well- ventilated area. Product should be stored at 30°F or above. | |
|--|---|---|---|
| HÄZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION. Causes moderate exeinition. Avoid contact with eyes, skin and clothing. Wash with soap and wash are after handling. Remove contaminated clothing and wash before reuse. PHYSICAL AND CHEMICAL HAZARDS: Sodium Bromide is no tammable. However, in fires fueled by other materials, hydrogen bromide or bromine may be released. In case of fire, wear self-contained breathing apparatus. ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, occans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. <u>DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistem with its labeling. Read entire label and use strictly in accordance with there reating and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (Dreissena) or the Asiatic dam (Corbicula) in commercial and industrial water scrubbing systems.</u> DOSAGE RATES. Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example: 1) 1.8 to 29.0 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution. IN CASE OF TRANS Subsequent Dore: When the system is noticeably fouled, add 0.0003 to 0.022 gallons of this product per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 | | site or at an approved waste disposal facility. DO NOT REUSE EMPTY CONTAINER. Triple rinse the container (or equivalent), then offer for recycling or recondition- ing, or puncture and dispose of in a sanitary landfill, or incinerate. Burn only if | For use as a Sani trol Agent, and fi ing Water Systen Treatment Systen Pulp and Paper N |
| Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sever systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labelino. Read entire label and use strictly in accordance with precationary statements and directions. RECIRCULATING COOLING WATER SYSTEMS. INCLUDING AIR WASHERS AND BREWERY PASTEURIZERS: When used in conjunction with an oxidant, this product effectively controls algal, bacterial, and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (Dreissena) or the Asiatic clam (Corbicula) in commercial and industrial cooling towers; influent water systems, air washers, pasteurizers, retort systems, and industrial water scrubbing systems. DOSAGE RATES. Add this product to the system at a 0.125 to 2.0 sodium bromide solution; or, or, or sodium hypochlorite gas chlorine gas (99.9%) per gallon of sodium bromide solution; or, sodium hypochlorite solution (0.007 to 0.034 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium/hypochlorite gas chlorine (0.004 to 0.042 to 0.034 gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution; water contained in the system and oxidize with either gas chlorine (0.004 to 0.042 to 0.043 gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.034 gallons of | | HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION. Causes moderate eye irritation. Avoid contact with eyes, skin and clothing. Wash with soap and water after handling. Remove contaminated clothing and wash before reuse. PHYSICAL AND CHEMICAL HAZARDS: Sodium bromide is not flammable. However, in fires fueled by other materials, hydrogen bromide or bromine may be released. In case of fire, wear self-con- tained breathing apparatus. | ACTIVE INGREDIE Sodium Bromide OTHER INGREDIE TOTAL INGREDIE |
| DiskL LIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labelina, Read entire label and use strictly in accordance with pre- cautionary statements and directions. CLOTHING: RECIRCULATING COOLING WATER SYSTEMS, INCLUDING AIR WASHERS AND BREWERY PASTEURIZERS: When used in conjunction with an oxidant, this product effectively controls algal, bac- terial, and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (Dreissena) or the Asiatic clan (Corbicula) in commercial and indus- trial cooling towers; influent water systems such as flow-through filters, cooling ponds, canals, and lagoons, heat exchange water systems, air washers, pasteurizers, retort sys- tems, and industrial water scrubbing systems. IF SWALLOWED: DOSAGE RATES. Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example: 1) 1.8 to 29.0 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; or, 2) 1.4 to 23.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gal- lon of sodium bromide solution. Initial Dose: When the system is noticeably fouled, add 0.0003 to 0.022 gallons of this product per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium;hypochlorite solution per 1000 gallons of contained water), or sodium hypochlorite isolution (0.007 to 0.034 gallons of 12.5% sodium;hypochlorite solution per 1000 gallons of contained water). SEE OTHER PRECAU Manufactured for: ONCE-THROUGH COOLING WATER AND WASTE WATER TREATMENT SYSTEMS: When used in conjunction with an oxidant, this product effectively controls algal, bac- teria and fungal slime and controls the settlement and growth of mollusks such as the zeivra rousel ():Preissera) cr the Asiatic clafn (Carbicula) in once-th | | Do not discharge effluent containing this product into lakes, streams, ponds, es- tuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permit- ting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Wa- | |
| PASTEURIZERS: When used in conjunction with an oxidant, this product effectively controls algal, bacterial, and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (Dreissena) or the Asiatic clam (Corbicula) in commercial and industrial cooling towers; influent water systems such as flow-through filters, cooling ponds, canals, and lagoons, heat exchange water systems, air washers, pasteurizers, retort systems, and industrial water scrubbing systems. DOSAGE RATES. Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example: IF SWALLOWED: 1) 1.8 to 29.0 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; or, or, 2) 1.4 to 23.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of sodium bromide solution. IN CASE OF TRANS Initial Dose: When the system is noticeably fouled, add 0.0003 to 0.022 gallons of this product per 1000 gallons of contained mater), or sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium/hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium/hypochlorite solution for; 00.021 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium/hypochlorite solution per 1000 gallons of contained water). SEE OTHER PRECAU Manufactured for: Subsequent Dore; When the system And oxidize with either gas chlorine (0.004 to 0/04 pounds gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution? SEE OTHER PRECAU Manufactured for: SUBsequent Dore; When the system And oxidize with either gas chlorine (0.004 to 0/04 pounds gas chlorine per 1000 gallons of contained water), or sodium | | DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with pre- | |
| Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example: 1) 1.8 to 29.0 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; or, 2) 1.4 to 23.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gal- lon of sodium bromide solution. Initial Dose: When the system is noticeably fouled, add 0.0003 to 0.022 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.008 to 0.042 pounds gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water). Subsequent Dore: Wile microJial contrJi is evident, add 0.00014 to 0.022 gallons of this product per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water). <u>ONCE-THROUGH COOLING WATER AND WASTE WATER TREATMENT SYSTEMS:</u> When used in conjunction with an oxidant, this product effectively controls algal, bac- teria' and furgal slime and contrJis the settlement and growth of mollusks such as the zeivra mussel (Vireisseria) cr the Asiatic clafa (Carbicula) in once-through fresh and sea water cool ng rystums, clucting Gonds, canals, and lagoons; and secondary and tertiary | | PASTEURIZERS: When used in conjunction with an oxidant, this product effectively controls algal, bac- terial, and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (Dreissena) or the Asiatic clam (Corbicula) in commercial and indus- trial cooling towers; influent water systems such as flow-through filters, cooling ponds, canals, and lagoons, heat exchange water systems, air washers, pasteurizer, retort sys- | |
| Initial Dose: When the system is noticeably fouled, add 0.0003 to 0.022 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.008 to 0.042 pounds gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium hypochlorite gas chlorine (0.004 to 0.027 galloris of water contained in the system and oxidize with either gas chlorine (0.004 to 0.027 galloris of water contained in the system and oxidize with either gas chlorine (0.004 to 0.0104 gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.003 to 0.023 galloris of contained water). SEE OTHER PRECAU Manufactured for: Subsequent Dore: Wilen microbial control is evident, add 0.00014 to 0.022 gallons of this product per 1000 gallons of contained water), or sodium hypochlorite solution: (0.003 to 0.023 galloris of contained water). Manufactured for: ONCE-THROUGH COOLING WATER AND WASTE WATER TREATMENT SYSTEMS: When used in conjunction with an oxidant, this product effectively controls algal, bacteria ransel (v)reissera) cr the Asiatic claîn (Corbicula) in once-through fresh and sea water cooling rystums, clucing Gonds, canals, and lagoons; and secondary and tertiary EPA REG. NO. 83451-1 | | Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example: 1) 1.8 to 29.0 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution, or, 2) 1.4 to 23.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gal- | IN CASE OF TRANSF |
| this product pei_10C0_gallofs of water contained in the system and oxidize with either gas chlorine (0.004 to 0.0044 pounds gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.003 co 0.034 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water). <u>ONCE-THROUGH COOLING WATER AND WASTE WATER TREATMENT SYSTEMS</u> . When used in conjunction with an oxidant, this product effectively controls algal, bac- teria and fuifigal slime and controls the settlement and growth of mollusks such as the zebra mussel (Vieissena) or the sistic clafa (Corbicula) in once-through fresh and sea water cooling rystums, cucing ponds, canals, and lagoons; and secondary and tertiary | | Initial Dose: When the system is noticeably fouled, add 0.0003 to 0.022 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.008 to 0.042 pounds gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium;hypochlorite | SEE OTHER PRECAU |
| When used in conjunction with an oxidant, this product effectively controls algal, bac- teria and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (به والله عنه الله الله الله الله الله الله الله ال | 1 | this product pe: الكلام الله الله الله الله الله الله الله ا | |
| | 1 | When used in conjunction with an oxidant, this product effectively controls algal, bac- terja and furigal slime and controls the settlement and growth of mollusks such as the repra mussel (Dreissena) or the Asiatic clara (Corbicula) in once-through fresh and sea water cooling cystums, cocijing ponds, canals, and lagoons; and secondary and tertiary | EPA REG. NO. 83451-18 xxxxxx |
| | | | |

BromiCide 4300

a Sanitizer, Bactericide, Fungicide, Algicide, and Mollusk Con-and for Control of Microbial Slimes in: Recirculating Cool-Systems, Once-Through Cooling Water Systems, Wastewater Systems, Brewery Pasteurizers, Drip Irrigation Systems, and aper Mill Water.

| ACTIVE INGREDIENT: | | |
|--------------------|--------|--|
| Sodium Bromide | 40.0% | |
| OTHER INGREDIENTS | 60.0% | |
| TOTAL INGREDIENTS | 100.0% | |
| | | |

KEEP OUT OF REACH OF CHILDREN

CAUTION

OR -Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice. -Hold eye open and rinse slowly and gently with water for 15-20 minutes -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. -Call a poison control center or doctor for treatment advice. WED: -Call poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to do so by the poison cotro center or doctor Do not give anything by mouth to an unconscious person. RANSPORT EMERGENCY, CALL 1-800-424-9300 (CHEMTREC).

RECAUTIONS ON SIDE PANEL.

BWA Water Additives US LLC 1979 Lakeside Parkway, Suite 925 Tucker, GA 30084 678-802-5000

EPA EST, NR 5785-AR-02

060308

NET WEIGHT: 2000 lb

DIRECTIONS FOR USE CONTINUED:

DOSAGE RATES.

Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example.

1) 1.8 to 29.0 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; or.

2) 1.4 to 23.2 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of sodium bromide solution.

Initial Dose: When the system is noticeably fouled, add 0.0007 to 0.044 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.02 to 0.08 pounds gas chlorine per 1000 gallons of contained volume), or sodium hypochlorite solution (0.02 to 0.07 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained volume).

Subsequent Dose: When microbial control is evident, add 0.0003 to 0.044 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.008 to 0.08 pounds gas chlorine per 1000 gallons of contained volume), or sodium hypochlorite solution (0.006 to 0.07 gallons of 12.5% sr `}hypochlorite solution per 1000 gallons of contained volume).

DRIP IRRIGATION SYSTEMS:

For the control of algal and microbial slimes in drip irrigation distribution lines, preventing plugging and allowing uniform distribution of water.

DOSAGE RATES: Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example:

1) 1.8 to 29.0 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution:

2) 1.4 to 23.2 gallons of sodium hypochlorite (12.5% available chlorine) per gallon of sodium bromide solution.

Add sufficient amount of this product and oxidize with either gas chlorine or sodium hypochlorite solution to achieve a residual bromine level of 0.2 to 5 ppm as needed to maintain control of the system. For 0.2 ppm bromine add 0.000464 gallons of this product mixed with 0.0016 gallons 12.5% bleach or 0.00168 lbs. gas chlorine per 1,000 gallons water treated. This product can be added whenever chlorination is applied.

PULP AND PAPER MILLS:

When used in conjunction with an oxidant, this product effectively controls algal, bacterial, and fungal slime in pulp and paper mill fresh and sea water influent water systems; cooling water systems, wastewater treatment systems, service water systems, white water systems, non-potable water systems, and other process water.

DOSAGE RATES: Add this product to the system at a 0.125 to 2.0 sodium bromide/ oxidant mole ratio. For example:

1) 1.8 to 29.0 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution;

2) 1.4 to 23.2 gallons sodium hypochlorite (12.5% available chlorine) solutic lon of sodium bromide solution.

Add sufficient amount of mixed product/oxidant solution to achieve a residual bromine level of 0.5 to 5.0 parts per million. For 0.5 parts per million add 0.00051 gallons of product and 0.0018 gallons of (12.5%) bleach or 0.0019 pounds gas chlorine per 1,000 gallons of water treated.

Treatment levels of this product and oxidant can best be measured with test kits for either bromine or chlorine. Tests should be made immediately after drawing water samples from the system. Use test kits according to directions.

1. When a bromine test kit is used, results can be read directly as parts per million hromine

2. When a chlorine test kit is used, results can be expressed in terms of bromine by multiplying chlorine values by the conversion factor 2.25.

This product weighs 12.2 pounds/gallon at 70° F.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.