

83451-19

6/26/2009

1099

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460



United States
Environmental Protection
Agency

Office of Pesticide Programs

JUN 26 2009

FILE COPY

Ross Beattie
BWA Water Additives US LLC
1979 Lakeside Parkway, Suite 925
Tucker, GA 30084

Subject: **Bromicide 4600**
EPA Registration Number: 83451-19
Application Dated: June 4, 2009
Receipt Dated: June 10, 2009

Dear Mr. Beattie:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA Section 3(c) 9.

Proposed Notification:

- Updating Storage and Disposal per PR Notice 2007-4.

General Comment:

Based on a review of the material submitted, the following comment applies:

This notification is accepted and a copy has been inserted in your file for future reference.

In accordance with PR Notice 2007-4, the Agency defines "refillable" as follows:


"Refillable container" means a container that is intended to be filled with pesticide more than once for sale or distribution. The registrant determines whether a container is intended to be refilled for sale or distribution (in which case it is a refillable container) or if it is not intended to be refilled for sale or distribution (in which case it is not a refillable container) and implements its decision by labeling the container appropriately. This decision also would impact packaging design, packaging material, and distribution and marketing plans.

Please consider whether your containers meet our definition of refillable. If it is not your intention for this product to be marketed in containers which are returned to the distributor for refill and resale, then delete the language relevant to refillable containers, within the Storage and Disposal statement.

2019

Should you have any questions concerning this letter, please contact Wanda Henson at (703) 308-6345.

Sincerely,



Wanda Henson

Product Reviewer (32)

Regulatory Management Branch II

Antimicrobials Division (7510P)

3099

Print Form

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0080. Approval expires 2-28-



United States Environmental Protection Agency Washington, DC 20460

Registration Amendment Other (checked)

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number: 83451-19
2. EPA Product Manager: E. Mitchell
3. Proposed Classification: None/Restricted
4. Company/Product (Name): Bromicide 4600
5. Name and Address of Applicant: BWA Water Additives US LLC
6. Expedited Review: In accordance with FIFRA Section 3(c)(3)(b)(i)...

Section - II

Amendment - Explain below. Resubmission in response to Agency letter dated. Notification - Explain below. Final printed labels in response to Agency letter dated. "Me Too" Application. Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Fee Determination: Fee category - Not Applicable (Notification) ross.beattie@wateradditives.com
Notification to change the Pesticide Container Disposal language per PR Notice 2007-4
See attached page for certification

Section - III

1. Material This Product Will Be Packaged In: Child-Resistant Packaging, Unit Packaging, Water Soluble Packaging, 2. Type of Container, 3. Location of Net Contents Information, 4. Size(s) Retail Container, 5. Location of Label Directions, 6. Manner in Which Label is Affixed to Product

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Name: Ross Beattie, Title: Product Registration Specialist, Telephone No. (Include Area Code)
Certification: I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete.
2. Signature: [Handwritten Signature], 3. Title: Product Registration Specialist, 4. Typed Name: Ross Beattie, 5. Date: June 4, 2009, 6. Date Application Received (Stamped)


EPA Registration Number: 83451-19
Registration Name: Bromicide 4600
Application for Pesticide dated: June 4, 2009

Section – II

Explanation (Continued)

“Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA’s regulations at 40 CFR 156.10, 156.140, 156.144, 156.146 and 156.156. No other changes have been made to the labeling or Confidential Statement of Formula for this product. I understand that it is a violation of the 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146 and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.”

[Handwritten Signature]
 June 4/09



37

5 of 9



BWA Water Additives
1979 Lakeside Parkway
Suite 925
Tucker, GA 30084
Tel 678 802 3050
Fax 678 802 3024

June 4, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202

Re: Bromicide 4600
EPA Reg. No.: 83451-19

Sir or Madam:

Please process the enclosed notification for the above referenced product.

The purpose of this notification is to:
Add language required by the Pesticide Container Rule under Storage and Disposal per PR notice 2007-4.

Enclosed are:


- 1) Application for Pesticide (EPA Form 8570-1);
- 2) Notification Certification Statement; and
- 3) Proposed label with changes marked.

If you have any questions, please contact me via phone (678-802-3032) or email (ross.beattie@wateradditives.com).

Thank you for your time,

Ross Beattie
Product Registration Specialist

Enclosures



6049

{All text in brackets [xxx] is optional and may or may not be included on a final label.}
{All text in braces {xxx} is administrative and will not appear on a final label.}

Bromicide 4600

[For use as a Sanitizer, Bactericide, Fungicide, Algicide, and Mollusk Control Agent, and for Control of Microbial Slimes in: Recirculating Cooling Water Systems, Once-Through Cooling Water Systems, Wastewater Treatment Systems, Brewery Pasteurizers, and Pulp and Paper Mill Water.]

ACTIVE INGREDIENT:

Sodium bromide 46.0%

OTHER INGREDIENTS: 54.0%

TOTAL: 100.0%

NOTIFICATION
Date Reviewed: 6/26/09
Reviewed By: D. Thompson

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID:

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF SWALLOWED:

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.


[IN CASE OF TRANSPORT EMERGENCY, CALL [1-800-424-9300] [telephone number supplied by supplemental registrant].]

SEE OTHER PRECAUTIONS ON SIDE PANEL

Net Weight _____
Lot No. _____

EPA Reg. No. 83451-19
EPA Est. No. 5785-AR-2

BWA WATER ADDITIVES US LLC
1979 Lakeside Parkway, Suite 925
Tucker, GA 30084
800-600-4523



DIRECTIONS FOR USE. It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read entire label and use strictly in accordance with precautionary statements and directions.

RECIRCULATING COOLING WATER SYSTEMS, INCLUDING AIR WASHERS AND BREWERY PASTEURIZERS:

When used in conjunction with an oxidant, this product effectively controls algal, bacterial, and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (*Dreissena*) or the Asiatic clam (*Corbicula*) in commercial and industrial cooling towers; influent water systems such as flow-through filters, cooling ponds, canals, and lagoons, heat exchange water systems, air washers, pasteurizers, retort systems, and industrial water scrubbing systems.

DOSAGE RATES. Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example:

- 1) 2 to 32 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; or,
- 2) 1.6 to 26 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of sodium bromide solution.

Initial Dose: When the system is noticeably fouled, add 0.0002 to 0.020 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.008 to 0.042 pounds gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.007 to 0.034 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water).

Subsequent Dose: When microbial control is evident, add 0.0001 to 0.020 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.004 to 0.042 pounds gas chlorine per 1000 gallons of contained water), or sodium hypochlorite solution (0.003 to 0.034 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained water).

ONCE-THROUGH COOLING WATER AND WASTEWATER TREATMENT SYSTEMS:

When used in conjunction with an oxidant, this product effectively controls algal, bacterial and fungal slime and controls the settlement and growth of mollusks such as the zebra mussel (*Dreissena*) or the Asiatic clam (*Corbicula*) in once-through fresh and sea water cooling systems, cooling ponds, canals, and lagoons and secondary and tertiary wastewater treatment systems.

DOSAGE RATES. Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example:

- 1) 2 to 32 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; or,
- 2) 1.6 to 26 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of sodium bromide solution.

Initial Dose: When the system is noticeably fouled, add 0.0006 to 0.04 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.02 to 0.08 pounds gas chlorine per 1000 gallons of contained volume), or sodium hypochlorite solution (0.02 to 0.07 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained volume).

8089

Subsequent Dose: When microbial control is evident, add 0.0002 to 0.04 gallons of this product per 1000 gallons of water contained in the system and oxidize with either gas chlorine (0.008 to 0.08 pounds gas chlorine per 1000 gallons of contained volume), or sodium hypochlorite solution (0.007 to 0.07 gallons of 12.5% sodium hypochlorite solution per 1000 gallons of contained volume).

PULP AND PAPER MILLS:

When used in conjunction with an oxidant, this product effectively controls algal, bacterial, and fungal slime in pulp and paper mill fresh and sea water influent water systems; cooling water systems, wastewater treatment systems, service water systems, white water systems, non-potable water systems, and other process water.

DOSAGE RATES: Add this product to the system at a 0.125 to 2.0 sodium bromide/oxidant mole ratio. For example:


- 1) 2 to 32 pounds of chlorine gas (99.9%) per gallon of sodium bromide solution; or,
- 2) 1.6 to 26 gallons sodium hypochlorite (12.5% available chlorine) solution per gallon of sodium bromide solution.

Add sufficient amount of mixed product/oxidant solution to achieve a residual bromine level of 0.5 to 5.0 parts per million. For 0.5 parts per million add 0.00047 gallons of product and 0.0018 gallons of (12.5%) bleach or 0.0019 pounds gas chlorine per 1,000 gallons of water treated.

Treatment levels of this product and oxidant can best be measured with test kits for either bromine or chlorine. Tests should be made immediately after drawing water samples from the system. Use test kits according to directions.

- 1. When a bromine test kit is used, results can be read directly as parts per million bromine.
- 2. When a chlorine test kit is used, results can be expressed in terms of bromine by multiplying chlorine values by the conversion factor 2.25.

This product weighs 12.6 pounds/gallon at 70° F.



9099

STORAGE AND DISPOSAL:

STORAGE. Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well-ventilated area. Product should be stored at 50°F or above.

Charge Per P.R
Notice
2007-4

{Text for non-refillable containers}

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. *{For containers of 5 gallons or less}* Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. *{For containers with capacities of greater than 5 gallons}* [Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.]

{Text for refillable containers}

CONTAINER DISPOSAL: Refillable container. Refill this container with sodium bromide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. CAUTION. Causes moderate eye irritation. Avoid contact with eyes, skin and clothing. Wash with soap and water after handling. Remove contaminated clothing and wash before reuse.

PHYSICAL AND CHEMICAL HAZARDS:

Sodium bromide is not flammable. However, in fires fueled by other materials, hydrogen bromide or bromine may be released. In case of fire, wear self-contained breathing apparatus.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NOTE: Buyer assumes all responsibility for safety and use not in accordance with directions.

