



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs

Registration Division (7505T)

1200 Pennsylvania Ave., N.W.

Washington, D.C. 20460

EPA Reg. Number:

83529-240

Date of Issuance:

10/3/24

NOTICE OF PESTICIDE:

☒ Registration

☐ Reregistration

(under FIFRA, as amended)

Term of Issuance:

Unconditional

Name of Pesticide Product:

Sharda Clothianidin 0.25% WG

Name and Address of Registrant (include ZIP Code):

Sharda USA, LLC
c/o SynTech Regulatory
7217 Lancaster Pike, Suite A
Hockessin, DE 19707

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
2. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 83529-240."

Continues page 2

<p>Signature of Approving Official:</p>  <p>Venus Eagle, Product Manager 01 Invertebrate and Vertebrate Branch 3, Registration Division</p>	<p>Date:</p> <p>10/3/24</p>
--	-----------------------------

EPA Form 8570-6

3. If, after formal consultation with the appropriate Service(s), additional modifications are identified in the Service's Biological Opinion(s) for clothianidin, EPA will notify Sharda USA, LLC in writing consistent with the terms in the Biological Opinion of any necessary required changes. Sharda USA, LLC must submit an application for amendment incorporating any required changes, including amended labels, consistent with the timeline specified in EPA's notification. If Sharda USA, LLC fails to comply with this term, Sharda USA, LLC has agreed in prior written acceptance on June 12, 2023 of these terms that EPA may cancel the registration under an expedited process under FIFRA 6(e).
4. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. The record for this product currently contains the following CSF(s):

- Basic CSF dated 7/22/2024

If you have any questions, please contact Marianne Lewis at lewis.marianne@epa.gov.

Enclosure: Stamped label

[MASTER LABEL]

CLOTHIANIDIN	GROUP	4A	INSECTICIDE
--------------	-------	----	-------------

Sharda Clothianidin 0.25% WG

For Systemic Insect Control in Turfgrass, Sod Farms*, Landscape Ornamentals, Interior Plantscapes, and Non-Bearing Fruits and Nuts (In Landscapes).
*Not for use on sod farms in Arizona
Not for use in New York State

ACTIVE INGREDIENT:	WT. BY %
Clothianidin: (E)-1-(2-chloro-1,3-thiazol-5-ylmethyl)-3-methyl-2-nitroguanidine	0.25%
OTHER INGREDIENTS:	99.75%
TOTAL:	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you **DO NOT** understand this label, find someone to explain it to you in detail.)

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor for treatment advice.• Have person sip a glass of water if able to swallow.• DO NOT induce vomiting unless told to by a poison control center or doctor.• DO NOT give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 - 20 minutes.• Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or ambulance, and then give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for further treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at 1-800-222-1222 .	

[Optional referral statements when booklets and container labels are used:]
[See label booklet for [complete] [additional] First Aid, [Precautionary Statements], [Directions For Use], and Storage and Disposal.]

EPA Reg. No. 83529-XXX

EPA Est. No. XXXXX-XX-XXX

Manufactured for:
Sharda USA LLC 

7217 Lancaster Pike, Suite A
Hockessin, Delaware 19707

ACCEPTED

10/03/2024

Under the Federal Insecticide, Fungicide
and Rodenticide Act as amended, for the
pesticide registered under
EPA Reg. No. 83529-240

Net Contents: _____ Lbs. [Kg.]
Lot No.:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made out of barrier laminate, nitrile rubber ≥ 14 mils, butyl rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, polyvinyl chloride ≥ 14 mils or Viton ≥ 14 mils

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

IMPORTANT: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "**Applicators and other handlers**" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. **DO NOT** apply where runoff is likely to occur. **DO NOT** apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. **DO NOT** contaminate water when cleaning equipment or disposing of equipment wash waters or rinsate.

This product is toxic to bees exposed to direct treatment or residues on blooming crops. **DO NOT** apply during bloom or when bees are present.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of **12 hours**.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, including plants, soil, or water), is:

- Coveralls
- Chemical-resistant gloves made out of barrier laminate, nitrile rubber ≥ 14 mils, butyl rubber ≥ 14 mils, neoprene rubber ≥ 14 mils, polyvinyl chloride ≥ 14 mils or Viton ≥ 14 mils
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in the box apply to use of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPA applies when this product is used to produce agricultural plants on farms, forests, nurseries, and commercial greenhouses.

Keep children and pets off treated area until the dust has settled.

PRODUCT INFORMATION

Sharda Clothianidin 0.25% WG is a broad-spectrum insecticide, for control of listed insects infesting turfgrass, sod farms, landscape ornamentals, interior plantscapes and non-bearing fruit trees (including apple and pear) and nut trees (in landscapes). When applied as directed, **Sharda Clothianidin 0.25% WG** provides excellent and long residual insect control.

Use Restrictions:

- **DO NOT** use a foliar application of clothianidin (**Sharda Clothianidin 0.25% WG**) following a soil application of clothianidin.
- **DO NOT** apply more than 160 lbs. (0.4 lb. a.i.) of **Sharda Clothianidin 0.25% WG** per acre per calendar year.
- If the maximum season limit of clothianidin as mentioned above has been applied and pest populations require additional treatments, use another registered pesticide that is not in the neonicotinoid class of chemistry.
- **DO NOT** apply this product, by any application method, to linden, basswood or other *Tilia* species.

Plant Tolerance

Neither the manufacturer nor the seller has determined whether or not **Sharda Clothianidin 0.25% WG** can be used safely on all cultivars of plants listed on the label. **Sharda Clothianidin 0.25% WG** has been tested on many cultivars with no phytotoxicity observed at label rates. Since all plant species and their varieties and cultivars have not been tested for tolerance, it is recommended that a small number of plants be treated to make certain that no phytotoxicity occurs, prior to any large-scale application to plants. The end user assumes all risks arising from application of **Sharda Clothianidin 0.25% WG** in a manner inconsistent with its labeling. **Sharda Clothianidin 0.25% WG** can be blended just prior to application or co-applied with other crop management tools. However, all plant species and their varieties and cultivars have not been tested with possible blended or co-applied combinations or sequential pesticide treatments. The user must conduct a small-scale compatibility and phytotoxicity trial under local conditions to ensure compatibility prior to any large-scale use.

It is the pesticide user's responsibility to ensure that all products are registered for the intended use. Read and follow the applicable restrictions and limitations and directions for use on all product labels involved in tanks mixing. Users must follow the most restrictive directions for use and precautionary statements of each product in the tank mixture.

INSECT RESISTANCE MANAGEMENT

For resistance management, **Sharda Clothianidin 0.25% WG** contains a Group 4A insecticide.

Any insect population may contain individuals naturally resistant to **Sharda Clothianidin 0.25% WG** and other Group 4A insecticides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Appropriate resistance-management strategies must be followed.

To delay insecticide resistance, take the following steps:

- Rotate the use of **Sharda Clothianidin 0.25% WG** or other Group 4A insecticides within a growing season, or among growing seasons, with different groups that control the same pests.
- Use tank mixtures with insecticides from a different group that are equally effective on the target pest when such use is permitted. **DO NOT** rely on the same mixture repeatedly for the same pest population. Consider any known cross-resistance issues (for the targeted pests) between the individual components of a mixture.
- In addition, consider the following recommendations provided by the Insecticide Resistance Action Committee (IRAC):
 - Individual insecticides selected for use in mixtures should be highly effective and be applied at the rates at which they are individually registered for use against the target species.
 - Mixtures with components having the same IRAC mode of action classification are not recommended for insect resistance management.
 - When using mixtures, consider any known cross-resistance issues between the individual components for the targeted pest(s).
 - Mixtures become less effective if resistance is already developing to one or both active ingredients, but they may still provide pest management benefits.
 - The insect resistance management benefits of an insecticide mixture are greatest if the two components have similar periods of residual insecticidal activity. Mixtures of insecticides with unequal periods of residual insecticide activity may offer an insect resistance management benefit only for the period where both insecticides are active.
- Adopt an integrated pest management program for insecticide use that includes scouting, uses historical information related to pesticide use, crop rotation, record keeping, and which considers cultural, biological, and other chemical control practices.
- Monitor after application for unexpected target pest survival. If the level of survival suggests the presence of resistance, consult with your local university specialist or certified pest control advisor.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance, contact Sharda USA LLC at <https://shardausa.com/>.

COMMERCIAL AND RESIDENTIAL LANDSCAPE USES

Sharda Clothianidin 0.25% WG is for use on landscape ornamentals, interior plantscapes and non-bearing fruit trees (including apple and pear) and nut trees (in landscapes). **Sharda Clothianidin 0.25% WG** should be applied when threshold populations are observed. **DO NOT** wait until large insect populations have been established. Apply to established plants. For control of pests on established plants, irrigate the treated area thoroughly. Choose lower rates for light infestations and/or smaller plants and higher rates for heavy

infestations and/or larger plants.

Application Methods:

Sharda Clothianidin 0.25% WG is a systemic and soil active insecticide when applied to the soil.

Residential Landscapes and In-ground Plants: For flower beds, broadcast **Sharda Clothianidin 0.25% WG** evenly over the top of plants. For treatment of individual shrubs or trees, broadcast **Sharda Clothianidin 0.25% WG** evenly on soil around base of plant within 18 inches of the trunk. Pull back mulch prior to application if mulch is more than 1 inch thick. Irrigate after application with enough water to dissolve granules and move product into root zone.

Restriction:

- **DO NOT** apply more than 160 lbs. (0.4 lb. a.i.) of **Sharda Clothianidin 0.25% WG** per acre per calendar year.

Pests Controlled by Sharda Clothianidin 0.25% WG in Landscapes Ornamentals, Interior Plantscapes and Non-bearing Fruit Trees (Including Apple and Pear) and Nut Trees (in Landscapes)	
Adelgids, including Hemlock Woolly Fungus Gnats (Larvae) Glassy-Winged Sharpshooter Lacebugs, including Azalea Leaf Beetles Leafhoppers Leafminers, including Boxwood and Serpentine Mealybugs, including Citrus, Long-tailed, Madeira, Obscure, Pink Hibiscus, and Root	Psyllids, including Asian Citrus Root Weevils (Larvae and Adult) including Black Vine Roundheaded Borers Scales (Soft) *Thrips, including Chilli and Western Flower (suppression) Whiteflies, including Giant, Greenhouse, Silverleaf, and Sweet Potato White Grubs, including Oriental Beetle
*Not for use in California.	

Soil Application to Interiorscapes, Landscapes, Non-Bearing Fruit, and Nut Trees		
For systemic insect control on ornamental plants grown in-ground and outdoor landscapes (commercial, industrial, recreational, and residential).		
Crops	Sharda Clothianidin 0.25% WG Rates	Special Instructions
Ornamental Plants including Shrubs Bedding Plants Flowering Plants Foliage Plants Ground Covers Evergreens Ornamental Trees Non-Bearing Fruit Trees Non-Bearing Nut Trees Non-Bearing Vines	Shrubs 0.5 - 1.0 lb./ft. of height 5 - 10 lbs. per 10 cumulative ft. of height	Only apply to moist soil media. DO NOT apply to dry or saturated soil. DO NOT apply to saturated or frozen soil, or when plants are not actively taking up water from soil. Heavy rainfall or inadequate irrigation immediately following application may decrease performance.
	Trees 0.5 - 1.0 lb./inch of trunk diameter of breast height (DBH) For multi-stem trees, base rate on cumulative inches of diameter of all stems at breast height.	For optimal control, apply early in the shrub or tree's annual growing cycle.
	Broadcast Application in Herbaceous Flower Beds and Ground Covers Apply 3.6 lbs./1,000 sq. ft. of bed.	Broadcast application may not be effective in trees and shrubs.
Sharda Clothianidin 0.25% WG is a systemic insecticide and must move to the area of the plant where the target pest is feeding. Control of pests may be delayed following an application for 1 or more weeks as Sharda Clothianidin 0.25% WG moves to the feeding site. Factors including plant size, soil type and water demands will impact the time between application and obvious insect control.		
Restrictions: <ul style="list-style-type: none"> • DO NOT apply more than 160 lbs. (0.4 lb. a.i.) of Sharda Clothianidin 0.25% WG per acre per calendar year. • Non-bearing fruit and nut trees in landscapes are only for ornamental use. • DO NOT harvest fruit and nuts from treated trees within 1 year of application. • This product may be blended just prior to application or co-applied with other compatible insecticides. 		

TURFGRASS

Sharda Clothianidin 0.25% WG can be used as directed on grass grown in industrial, commercial, and residential landscapes including, airports, athletic fields, cemeteries, commercial sod farms, golf courses, home lawns, parks, and playgrounds.

Sharda Clothianidin 0.25% WG has sufficient residual activity to provide high levels of control when applications are made proceeding or during the egg laying activity of the target pests. The need for an application can be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. Follow applications with sufficient irrigation or rainfall to move the active ingredient through the thatch.

Sharda Clothianidin 0.25% WG can be applied to turf at 80 - 160 lbs. per acre. The rate is dependent on the target pest(s), their

stage of development and the desired of control. Multiple applications can be made but **DO NOT** exceed the maximum amount per year (160 lbs. per acre). Consult your local State Agricultural Experiment Station, State Extension Turf Specialists or other turf experts for specific information concerning the timing of application(s). When targeting multiple pests, make application to earliest egg lay or adult flight. The high end of the rate range may be needed if extended control of secondary pests are desired.

Apply **Sharda Clothianidin 0.25% WG** as a broadcast application to turfgrass for control of targeted pests. Use a calibrated spreader to uniformly broadcast **Sharda Clothianidin 0.25% WG** over the treatment area. **DO NOT** mow turfgrass until after irrigation or rainfall has occurred to allow for the uptake and distribution of **Sharda Clothianidin 0.25% WG** in soil and turfgrass

Application on Turfgrass		
Pests	Sharda Clothianidin 0.25% WG Application Rates per Acre	Timing Instructions
Annual Bluegrass Weevil (Larval Stages) Bill Bugs Black Turfgrass Ataenius (Larval Stages) <i>Phyllophaga</i> spp. (May or June Beetle) Spittlebug White Grubs, including Asiatic Garden Beetle, European Chafer, Green June Beetle, Japanese Beetle, Northern Masked Chafer, Oriental Beetle, and Southern Masked Chafer	80 - 160 lbs. (0.2 - 0.4 lb. a.i.)	Preventative Applications: Make applications through peak egg hatch of target species. Use the upper end of the rate range if application is made 60 days or more prior to peak adult flight and/or egg lay. Applications: For applications after egg hatch or when obvious turf damage has occurred use the upper end of the rate range.
Armyworms Chinch Bugs Crane Fly, including American and European Cutworms Nuisance Ants Sod Webworms	120 - 160 lbs. (0.3 - 0.4 lb. a.i.)	Crane fly: Apply in the spring, when larvae are mature but prior to pupation or in the fall prior to egg hatch. Other Pests: Apply when pest first appear.
Mole Crickets (Suppression)	160 lbs. (0.4 lb. a.i.)	Time application to peak egg lay or early instars.
Restriction: <ul style="list-style-type: none"> DO NOT apply more than 160 lbs. (0.4 lb. a.i.) of Sharda Clothianidin 0.25% WG per acre per calendar year. Not for use on sod farms in Arizona 		

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a dry place away from excessive heat. **DO NOT** store near food or feed. Store in original container only.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

Non-refillable Plastic Containers (Capacity Equal to or Less than 50 Pounds): Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two or more times. Offer for recycling, or puncture and dispose of in a sanitary landfill.

[Non-refillable Plastic Containers (Capacity Equal to or more than 50 Pounds): Do not reuse or refill this container. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank. Hold container upside down over application equipment or a mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.]

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Sharda USA LLC or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Sharda USA LLC and Seller harmless for any claims relating to such factors.

Sharda USA LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under


normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Sharda USA LLC and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, SHARDA USA LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither Sharda USA LLC nor Seller shall be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SHARDA USA LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF SHARDA USA LLC OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Sharda USA LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Sharda USA LLC.

[All trademarks are the property of their respective owners.]

[OPTIONAL MARKETING LANGUAGE]

1	<div>https://shardausa.com/</div> <div></div> <div>[]</div>
2	[Handle with Care]
3	[This side Up]