

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505T)
1200 Pennsylvania Ave., N.W.

Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration
Reregistration
(under FIFRA, as amended)

EPA Reg. Number:

Date of Issuance:

83529-348

4/18/25

Term of Issuance:

Conditional

Name of Pesticide Product:

Sharda Imidacloprid 0.20% Plus 9-15-13 GR

Name and Address of Registrant (include ZIP Code):

Sharda USA LLC c/o Sci Reg, Inc.

12733 Director's Loop, Woodbridge, VA 22192

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA).

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Continues page 2

Signature of Approving Official:

Date:

4/18/25

Loren LaPointe, Acting Product Manager 01

Invertebrate-Vertebrate Branch III, Registration Division (7505T)

EPA Form 8570-6

Page 2 of 2 EPA Reg. No. 83529-348 Case No. 486838

- 2. You are required to comply with the data requirements described in the generic data call-in (GDCI) or endocrine disruptor screening program (EDSP) order identified below:
 - a. Imidacloprid GDCI-129099

You must comply with all of the data requirements within the established deadlines. If you have questions about the GDCI listed above, you may contact the Chemical Review Manager in the Pesticide Re-Evaluation Division: http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

- 3. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 83529-348."
- 4. If, after formal consultation with the appropriate Service(s), additional modifications are identified in the Service's Biological Opinion(s) for imidacloprid, EPA will notify Sharda USA LLC in writing consistent with the terms in the Biological Opinion of any necessary required changes. Sharda USA LLC must submit an application for amendment incorporating any required changes, including amended labels, consistent with the timeline specified in EPA's notification. If Sharda USA LLC fails to comply with this term, EPA may cancel the registration under an expedited process under FIFRA 6(e).
- 5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance. If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

The record for this product currently contains the following CSF(s):

Basic CSF dated 07/14/2023

If you have any questions, please contact Scott Campbell at campbell.scott@epa.gov

[MASTER LABEL]

Sharda Imidacloprid 0.20% Plus 9-15-13 GR

[ABN: Evimida]

[Ready-To-Spread Granules]

For Outdoor Residential Use Only.

For [Fertilization] [and] Control of Listed Pests on Azaleas and Evergreens [, Lawns,][Landscape Areas, Roses, Flowers, and Shrubs].

 ACTIVE INGREDIENT:
 WT. BY %

 Imidacloprid
 0.20%

 OTHER INGREDIENTS:
 99.80%

 TOTAL:
 100.00%

{Note to Reviewer: Fertilizer Guaranteed Analysis information will be placed here.}

[Refer to Fertilizer Tag For Analysis.]

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you **DO NOT** understand the label, find someone to explain it to you in detail.)

	FIRST AID
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING:	Rinse skin immediately with plenty of water for 15 - 20 minutes.
	Call a poison control center or doctor for treatment advice.
	HOTLINE NUMBERS

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For emergency information concerning this product, call your poison control center at **1-800-222-1222**. For general information about this product, contact the National Pesticides Information Center (NPIC) at **1-800-858-7378**, Monday through Friday, 8 AM to 12 PM PST, or at http://npic.orst.edu.

NOTE TO PHYSICIAN

No specific antidote is available. Treat the patient symptomatically.

Optional referral statements when booklets and container labels are used:

[See label booklet for [complete] [additional] [First Aid,] [Precautionary Statements], [Directions For Use], and [Storage and Disposal].]

Manufactured for:

Sharda USA LLC S U

7217 Lancaster Pike, Suite A
Hockessin, Delaware 19707

Net Contents:	Lbs. [Kg]	
Batch Code/Lot No.:		•

ACCEPTED
04/18/2025
Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under
EPA Reg. No. 83529-348

EPA Est. No.	:
--------------	----------

[Not for Sale, Distribution, or Use in Nassau, Suffolk, Kings, or Queens Counties, New York.]

Page 2 of 6

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove contaminated clothing and wash before reuse. Wear long-sleeved shirt and long pants, shoes, socks, and protective eyewear.

ENVIRONMENTAL HAZARDS

This product is highly toxic to aquatic invertebrates. **DO NOT** apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high-water mark. **DO NOT** contaminate water when disposing of equipment wash waters or rinsate. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product contains a chemical with properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

To prevent contamination of the environment, **DO NOT** apply near water, storm drains, gutters or ditches. **DO NOT** apply when heavy rain or downpour is predicted for that day. Apply this product only to your lawn or garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto the treated area of your lawn or garden.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For Outdoor Residential Use Only on Lawns, Landscape Areas, Roses, Flowers, and Shrubs.

PRODUCT INFORMATION

This product feeds the plant to promote strong roots and beautiful blooms, while protecting the plant against insect damage for up to 8 weeks. This product is taken up by the roots and travels throughout the entire plant. New growth is protected against insects for up to 8 weeks. This product works inside the plant so rain and water will not wash off the insect protection. This product kills Adelgids, Aphids, Fungus gnats, Leafminers, Lace bugs, Leafhoppers, Mealybugs, Plant bugs, Psyllids, Soft Scales, Thrips (suppression), Whiteflies, and other listed pests. Apply every 8 weeks during the growing season to roses, flowers, and shrubs. Two pounds treats up to 16 medium-size roses or shrubs.

Use Restrictions:

- **DO NOT** apply more than 200 pounds of this product (0.4 lb. a.i.) per acre per year or 4.5 pounds of this product (0.09 lb. a.i.) per 1,000 square feet (sq. ft.) per year.
- **DO NOT** apply this product, by any application method, to linden, basswood, or other *Tilia* species.
- Not for Sale, Distribution, or Use in Nassau, Suffolk, Kings, or Queens Counties, New York.
- **DO NOT** apply this product near fish pools, ponds, streams, or lakes.
- DO NOT apply to vegetable gardens.
- **DO NOT** apply this product to areas that are waterlogged or saturated with water. This product may not work effectively in these types of conditions.
- DO NOT harvest or consume fruit or nuts from trees that have been treated within 1 year (365 days).
- Keep children and pets off treated area until it has dried.
- DO NOT use food utensils including teaspoons or measuring cups for food purposes after use with this product.

ROSES, SHRUBS, AND FLOWERS

Application Information

Use this product on Roses, Shrubs, and plantings around homes and residential areas to control listed pests. For new plants, apply when planting. For established plants, use before pest damage occurs or immediately when seen. Repeat applications every 8 weeks during the growing season.

How to Apply

Apply the required amount of granules evenly on top of soil, being careful not to damage the upper roots, incorporate thoroughly into the top soil layer (wear glove if done by hand), then water in thoroughly after incorporating into soil. For flower beds, sprinkle granules evenly over bed. For container plants, spread required amount of product evenly over the potting soil around the base of plant foliage and water thoroughly. For the first 10 days, **DO NOT** water the container to the point that water overflows or leaks out the bottom of container.

Kills

Adelgids, Aphids, Armored scales (suppression), Bark beetles (suppression), Borers (Round-headed including Eucalyptus longhorned), (Flat-headed including Alder, and Bronze Birch), Caterpillars, Fungus gnats, Japanese beetle adults, Lace bugs, Leaf beetles (including Elm, Viburnum, and Lily), Leafhoppers (including Glassy-winged sharpshooter), Leafminers (including Birch, Boxwood, and Holly), Mealybugs, Mimosa webworms, Pine tip moth larvae, Psyllids, Root weevil larvae (including Black vine weevils), Royal palm bugs, Sawflies (larvae), Soft scales (including Lobate lac scales), Thrips, White grub larvae (including Japanese beetles, Chafers (Northern masked and European), Oriental beetles, and Asiatic garden beetles), and Whiteflies.

How Much to Use

{Note to Reviewer: For product packaged in containers that include a measuring cap or measuring device.}

Page 3 of 6

[For Roses: Apply 2 oz. [[XX] [capfuls] [cups] [tsp] [tbsp]] per plant.

For Shrubs: Apply 4 oz. [[XX] [capfuls] [cups] [tsp] [tbsp]] per foot of plant height.

For Flower Beds: Apply 4 oz. [[XX] [capfuls] [cups] [tsp] [tbsp]] per 12 sq. ft. (3' x 4' bed area). [tsp= teaspoon] [tbsp= tablespoon].]

{Note to Reviewer: For product packaged in containers with a shaker spout.}

[Roses: Apply 2 oz. per plant.

Shrubs: Apply 4 oz. per foot of plant height.

Flower Beds: Apply 4 oz. per 12 sq. ft. (3' x 4' bed area).]

Application Rates for Container Plants

Container Size	Amount of Product Needed
1 Gallon	2.5 Tablespoons [tbsp]
2 Gallon	1/3 cup
3 Gallon	1/2 cup
Plant Size	Amount of Product Needed
4 inch	2.5 Teaspoons [tsp]
5 inch	1.5 Tablespoons [tbsp]
6 inch	2.5 Tablespoons [tbsp]

LAWNS

Application Information

Use this product on lawns around homes and residences for the control of listed soil inhabiting pests. Application to water saturated lawns will result in reduced performance.

Application Equipment

Apply this product uniformly over the treatment area. Both drop-type and rotary-type spreaders may be used to apply this product.

Application Rates for Lawns

	Pest	Dosage
Larvae of:		
Annual Bluegrass Weevil Asiatic Garden Beetle Billbugs Black Turfgrass Ataenius European Chafer	European Crane Fly Northern Masked Chafer Oriental Beetle <i>Phyllophaga</i> spp. Southern Masked Chafer	3 - 4.5 lbs. per 1,000 sq. ft.
Larvae of:		
Asiatic Garden Beetle Black Turfgrass Ataenius European Chafer Japanese Beetle	Northern Masked Chafer Oriental Beetle <i>Phyllophaga</i> spp. Southern Masked Chafer	3.5 lbs. per 1,000 sq. ft.
<u>Larvae of:</u> Annual Bluegrass Weevil Billbu	gs	3.5 - 4.5 lbs. per 1,000 sq. ft.
Mole crickets	D~	4.5 lbs. per 1,000 sq. ft.
5		

Restrictions:

- **DO NOT** apply more than 200 lbs. (0.4 lb. a.i.) per acre per year or 4.5 lbs. per 1,000 sq. ft. per year.
- DO NOT mow lawn area until after irrigation or rainfall has occurred so that uniformity of application is not affected
- DO NOT apply to lawns that are water saturated.
- **DO NOT** use spreaders that apply the material in concentrated bands.
- NOT for Sod Production.

For optimum control, make application prior to egg hatch of the target pest. Irrigation or rainfall is necessary within 24 hours after application to move the active ingredient through the thatch and into the soil.

RESIDENTIAL LANDSCAPE AREAS

Application Information

Apply this product as a broadcast application to landscape areas containing, trees, shrubs, evergreens, flowers, foliage plants, and ground covers to control listed soil and foliage pests. Make application prior to anticipated pest infestation to achieve control. Rainfall, or irrigation after application will aid in maximizing control.

Application Rates for Residential Landscape Areas

Site	Pest	Dosage
	White Grub (Larvae) (Including Japanese Beetle,	
Including:	Chafers, <i>Phyllophaga</i> spp., Asiatic Garden Beetle, and	3.5 - 4.5 lbs. per
Trees, Shrubs, Evergreens, Flowers,	Oriental Beetle)	1,000 sq. ft.
Foliage Plants, Ground Covers		-
Apply as a broadcast treatment, traigation or rainfall is necessary within 24 hours after application to move the active ingredient into		

Apply as a broadcast treatment. Irrigation or rainfall is necessary within 24 hours after application to move the active ingredient into

		Page 4 of (
soil.		_
	Adelgids	4 ounces per 12 sq. ft. (3 ft. x 4 ft. bed area)
Flower Beds	Aphids Armored Scales (Suppression)	(3 it. x 4 it. bed area)
	Japanese Beetle (Adults)	[(4 ounces = [XX] [tsp] [tbsp]
	Lace Bugs	[capfuls] {or} [cups])]
	Leaf Beetles (Including Elm, Viburnum, and Lily)	2 ounces per plant
Roses	Leafhoppers (Including Glassy-Winged Sharpshooter)	
	Leafminers (Including Birch and Boxwood)	[(2 ounces = [XX] [tsp] [tbsp]
	Mealybugs	[capfuls] {or} [cups])]
	Pine Tip Moth (Larvae)	
Shrubs	Psyllids (1) (1) (1) (2)	4 ounces per foot of plant height
	Root Weevil (Larvae) (Including Black Vine)	Todifices per foot of plant fielging
	Sawflies (Larvae)	[(4 ounces = [XX] [tsp] [tbsp]
	Soft Scales (Including Lobate Lac)	[capfuls] {or} [cups])]
	Thrips	
	Whiteflies	

Restrictions:

- DO NOT apply more than 200 lbs. (0.4 lb. a.i.) per acre per year or 4.5 lbs. per 1,000 sq. ft. per year.
- **DO NOT** apply this product, by any application method, to linden, basswood, or other *Tilia* species. Not for Sale, Distribution, or Use in Nassau, Suffolk, Kings, or Queens Counties, New York.
- DO NOT apply near fish pools, ponds, lakes or streams.
- **DO NOT** allow runoff or puddling or irrigation water following application.
- **DO NOT** apply this product to areas that are water-logged or saturated with water. This product may not work effectively in these types of conditions.
- DO NOT harvest or consume fruit or nuts from trees that have been treated within 1 year (365 days). Keep children and pets
 off treated area until it has dried.
- DO NOT apply to vegetable gardens.
- DO NOT use utensils including teaspoons or measuring cups for food handling after they have been used to measure this
 product.

For new plants, apply to soil and mix prior to planting.

For established plants, use before pest damage occurs or immediately seen. Repeat applications every 8 weeks during the growing season.

Apply the required amount of granules evenly on top of soil; mix thoroughly into the top soil layer, being careful not to damage the upper roots, then water in thoroughly. For flower beds, sprinkle granules evenly over bed.

STORAGE AND DISPOSAL

DO NOT contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area. Carefully handle the container to prevent spills. If material is spilled, carefully contain any material to prevent non-target contamination. **DO NOT** walk-through spilled material and dispose of as directed for pesticides below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING:

{Note to Reviewer: appropriate language selected from below will be listed on label for container type.}

[NONREFILLABLE PLASTIC CONTAINERS: Nonrefillable container. Do not reuse or refill this container. If empty: Place container in trash or offer for recycling, if available. If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.]

NONREFILLABLE PLASTIC BAGS: Nonrefillable container. Do no reuse or refill this container. **If empty:** Place container in trash or offer for recycling, if available. **If partially filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.]

{Note to Reviewer: Container handling language for bulk shipment of product.}

[REFILLABLE PLASTIC CONTAINER: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Return to point of sale, or offer for recycling, or reconditioning, if appropriate, or dispose of in a sanitary landfill. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, fill the container about 10 percent full with water.

Agitate vigorously or recirculate water with the pump for 2 minutes. Follow Pesticide Disposal instructions for rinsate disposal. Repeat procedure two more times. Offer container for recycling if available or reconditioning if appropriate or place in trash.

REFILLABLE FIBER DRUMS WITH LINERS: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Return to point of sale, or offer for recycling, or reconditioning, if appropriate, or dispose of in a sanitary landfill. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal completely empty liner by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment or a mix tank. If drum is contaminated and cannot be reused, dispose of it in the manner required for its liner.]

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Sharda USA LLC or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Sharda USA LLC and Seller harmless for any claims relating to such factors.

Sharda USA LLC warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under conditions not reasonably foreseeable to or beyond the control of Seller or Sharda USA LLC and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, SHARDA USA LLC MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, neither Sharda USA LLC nor Seller shall be liable for any incidental, consequential, or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF SHARDA USA LLC AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR. AT THE ELECTION OF SHARDA USA LLC OR SELLER. THE REPLACEMENT OF THE PRODUCT.

Sharda USA LLC and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Sharda USA LLC.

[All trademarks are the property of their respective owners.]

{Note to Reviewer: OPTIONAL MARKETING LANGUAGE:} 2 [Handle with Care] 3 [This side Up] {The below graphic to be added to box if formulated in the United States} 4 Proudly Formulated & Packaged In The U.S.A. 5 Treats up to 5,000 sq. ft. 10 Pounds Treats 7,000 Sq. Ft. 6 7 Controls Billbugs, Green June Beetles and Mole Crickets] [Apply anytime between Spring throughout Summer 8 Kills listed Grubs for 8 weeks 9 Rose, Flower, [&] [and] Shrub Insecticide 10 Feeds and Protects Plants Against Insects for up to 8 Weeks Protects against insects for 8 Weeks 11

Page 6 of 6

12	Long lasting, effective protection
13	Insecticide that protects [plants from damaging listed insects] for up to 2 months
14	Systemic insect protection for your plants
15	Protects plants from damage by: Aphids, Whiteflies, Mealybugs, Scale, and other listed insects
16	Absorbed by the roots and moves through the entire plant, providing complete protection
17	Promotes strong roots and beautiful blooms
18	Rainproof Protection
19	Ready-To-Use Granules [Easy-To-Use Granules] [Ready-To-Use]
20	No spraying No mess
21	Protects against insect infestations
22	Effective, lasting protection for up to 8 weeks.
23	Feeds the plant to promote strong roots and beautiful blooms, while protecting the plants against insect damage for up to 8 weeks
24	Taken up by the roots and travels through the entire plant
25	New growth is protected against listed insects for up to 8 weeks
26	Insecticide works inside the plant, so rain and water will not wash off the insect protection
27	Kills Adelgids, Aphids, Fungus gnats, Leafminers, Lace bugs, Leafhoppers, Mealybugs, Plant bugs, Psyllids, Soft Scales, Thrips (suppression), Whiteflies, and
21	other listed pests.
28	Apply every 8 weeks during the growing season to roses, flowers, and shrubs
29	2 lbs. treats up to 16 medium-size roses and shrubs
30	For Outdoor Residential Use Only
31	One application kills white grubs, mole crickets and European crane flies for 8 weeks.
32	8 week grub control
33	Apply anytime from spring through late summer
34	One application stops/kills listed grubs for 8 weeks
35	Apply before insects hatch to prevent turf damage
36	14.35 lbs. treats up to 5,000 square feet ([XX] lbs. treats up to [XXXX] square feet)
37	This product kills listed grubs for 8 weeks with a single application.
38	Contains Grub killing insecticide
39	Treats up to 5,000 sq. ft.
40	Treats up to 3,775 square feet for Mole Crickets [Chafers], [Japanese Beetle], [May or June Beetle], [and] [Oriental Beetle] for 8 weeks.
41	Apply anytime from May through mid-August
42	One application kills [White] [Grubs] [and] [European Crane Fly Larvae] for 8 weeks
43	For use on lawns, ground covers, flower beds, and around ornamental trees and shrubs. Kills [White] [Grubs] [and] [European Crane Fly Larvae] before they
	damage lawns.
44	This product is for use on lawns, flower beds, ground covers, ornamental trees and shrubs to control White Grubs (including larvae of Asiatic Garden Beetle,
45	Black Turfgrass Ataenius, Chafers, Japanese Beetle, May or June Beetle, and Oriental Beetle), Mole Crickets and European Crane Fly Larvae.
45	Fertilizer plant food for Azalea/Evergreen plus systemic insecticide
46	For best results, apply this product before grubs, mole crickets or European crane fly larvae hatch and can cause damage. Contact your County Extension
	Agent for the best dates to apply in your area.

{Note to Reviewer: For placement under Fertilizer Guarantee Analysis section}

[N-P-K] [XX-XX-XX] GUARANTEED ANALYSIS

[Derived From: Ammonium sulfate, Potassium chloride, Ammonium phosphate, and Urea]

[This product does not contain live microbial inoculum.]

[Fertilizer components are all synthetically derived.]

[Microbiological guarantees are not claimed on this product.]

[Information regarding the contents and levels of metals in this product will be provided by the registrants to States and other regulatory authorities who have jurisdiction over these ingredients.]

[Information regarding the contents and levels of metals in this product are available on the Internet at [http://www.aapfco.org/metals.html].]

{Florida License No.}[FXXXX]