

83729-1

12/17/2009

1/14

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

AgriHouse, Inc.
c/o Heather R. Bjornson
Technology Sciences Group, Inc.
1150 18th Street, N.W.
Suite 1000
Washington, D.C. 20036

DEC 17 2009

Dear Ms. Bjornson:

Subject: Label Amendment to add optional marketing claims
Yea! Yield Enhancing Agent
EPA Reg. No. 83729-1
Your submission dated July 7, 2009
Decision Number: 417253

The amendment referred to above submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has been received and reviewed, and the amendment is acceptable provided that you submit and/or cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions. Please submit three (3) copies of your final printed labeling prior to shipment of your product. Should you have any questions, you may contact Mr. Colin Walsh directly at (703) 308-0298 or via email at walsh.colin@epa.gov.

Sincerely,

Linda A. Hollis, Chief
Biochemical Pesticides Branch
Biopesticides and Pollution
Prevention Division (7511P)

CONCURRENCES

SYMBOL	7511P	7511P						
SURNAME	Walsh	COE						
DATE	10/16/09	10/20/09						

Master Label containing:
Sublabel A: Agricultural Use
Sublabel B: Ornamental and Nursery Use
Sublabel C: Home & Garden Use

YEA![®] Yield Enhancing Agent

Agricultural, Ornamental, Nursery and Home & Garden Use

Alternate brand Names: YEA![®], YEA![®] for Seeds, YEA![®] for Trees, YEA![®] for crops, ODC, ECOSEED, YEA[®] Polymer Seed Coating: Corn, YEA[®] Polymer Seed Coating: Soybean, YEA[®] Polymer Seed Coating: Wheat, YEA[®] Polymer Seed Coating: Sugarbeet, YEA[®] Polymer Seed Coating: Potato, YEA[®] Polymer Seed Coating: Vegetables

Active Ingredient:

Chitosan	0.25%
Other Ingredients	99.75%
TOTAL	100.00%

Product contains 0.021 lb (0.01 kg) of chitosan / gallon

EPA Registration No. 83729-1

EPA Establishment No. 83729 CO-001

MANUFACTURED BY:

AgriHouse, Inc.
307 Welch Ave
Berthoud, Colorado 80513

ACCEPTED
DEC 17 2009

Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for
the pesticide registered under
EPA Reg. No. 83729-1

Sublabel A: Agricultural Use

YEA!® Yield Enhancing Agent

Agricultural Use

Alternate brand Names: YEA!®, YEA!® for Seeds, YEA!® for Trees, YEA!® for crops, ODC, ECOSEED, YEA!® Polymer Seed Coating: Corn, YEA!® Polymer Seed Coating: Soybean, YEA!® Polymer Seed Coating: Wheat, YEA!® Polymer Seed Coating: Sugarbeet, YEA!® Polymer Seed Coating: Potato, YEA!® Polymer Seed Coating: Vegetables

When used as directed on this label, YEA!® can boost seed germination and vitality, stimulate emergence and sprouting, enhance plant vigor, promote growth, suppress diseases and pathogens, activate plant resistances to environment stress, drought, and disease pressures, including the suppression of parasitic nematodes, increase crops yields, and improve crop vigor and quality.

For use on coffee, bananas, sweet potato, corn, canola, soybeans, potato, rice, sugar beets, tomato, vegetables, herbs, sunflowers, wheat, grains, legumes, fruit and citrus trees.

For use on cotton, tobacco, tropical plants, grasses, pine and deciduous trees, shrubs, ground covers, bedding plants, house plants, and flowers.

Active Ingredient:

Chitosan	0.25%
Other Ingredients	99.75%
TOTAL	100.00%

Product contains 0.021 lb (0.01 kg) of chitosan / gallon

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR A PRECAUTIONARY STATEMENT STATEMENTS

MANUFACTURED BY: AgriHouse, Inc. 307 Welch Ave Berthoud, Colorado 80513		EPA Establishment No. 83729 CO-001 EPA Registration No. 83729-1
Net Contents	<input type="checkbox"/> .1 ml <input type="checkbox"/> 1 ml <input type="checkbox"/> 5 ml <input type="checkbox"/> 1/2 oz <input type="checkbox"/> 1 oz <input type="checkbox"/> 4 oz <input type="checkbox"/> 8 oz <input type="checkbox"/> 12 oz <input type="checkbox"/> 16 oz	<input type="checkbox"/> 500 ml <input type="checkbox"/> 1liter <input type="checkbox"/> 1 gallon <input type="checkbox"/> 2.5 gallons <input type="checkbox"/> 5 gallons <input type="checkbox"/> 55 gallons

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.</p>	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals – CAUTION: Causes moderate eye irritation. Avoid contact with eyes. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

[For 5 gallon product: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer without previously notifying the sewage treatment plant authority. For guidance, contact your State Water board or regional Office of the EPA.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Long-sleeved shirt, long pants, waterproof gloves, protective eyewear, and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

DIRECTIONS FOR USE

It is a violation of federal laws to use this product in a manner inconsistent with its labeling.

5/14

To prevent contamination of the dilute solution of YEA!® by possible pesticide or other chemical residues in the spraying equipment, use dedicated equipment, or be sure that the equipment is thoroughly clean before use.

For Agricultural Use:

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry intervals (REI). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not allow worker entry into treated areas until sprays have dried.

PPE requirements for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water) is: - coveralls, - waterproof gloves, - protective eyewear, and - shoes plus socks.

GENERAL INSTRUCTIONS

Shake before using. For best results use pH neutral (pH 6.9 to 7.0) mix water. Follow specific crop instructions for dilution rates and application usage. Do not apply within three days of harvesting.

SPECIFIC CROP INSTRUCTIONS

Seed Treatment for True Seed Crops

- Mix 20 ml into 1 gallon
- Apply directly to seeds. Allow to dry or plant soaked seeds within 60 hours after applying.

Potato Seed Treatment Applications

- Pre-dip potatoes prior to planting
- Mix rate: 1 pint into 10 to 50 gallons or more

Field crops including corn, soybean, wheat, alfalfa, small grains, grass, and lequmes, sugar beets

- Apply after emergence; apply every 30 days as needed.
- Application rate: 100 to 500 ml per acre
- Apply by foliar spray, in furrow and/or irrigation
- Mix rate: 100 to 500 ml into 100 to 500 gallons or more

Vegetables and Herbs

- Apply at planting time; apply every 30 days as needed.
- Application rate: 100 to 500 ml per acre
- Apply by foliar spray, in furrow and/or irrigation
- Mix rate: 100 to 500 ml into 100 to 500 gallons or more

6/14

Potato Field Applications

- Apply at planting time and after emergence; apply every 30 days as needed.
- Application rate: 100 to 500 ml per acre
- Apply by foliar spray, in furrow or irrigation
- Mix rate: 100 to 500 ml into 100 to 500 gallons or more

Fruit Trees and Citrus

- Application rate: 100 to 500 ml per acre
- Apply every 30 days as needed.
- Apply by foliar spray, in furrow and/or irrigation
- Mix rate: 100 to 500 ml into 100 to 500 gallons or more

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place, away from sunlight and out of the reach of children and pets. Do not reuse container.

Pesticide Disposal: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Empty Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. (For product less than 5 gallons) [Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.] (For product greater than 5 gallons) [Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. An empty container retains vapor and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed. Completely empty contents into formulation equipment. Then offer for recycling or reconditioning or, dispose of container in a manner approved by state and local authorities.

WARRANTY

AgriHouse Inc. warrants that this product conforms to the chemical description on the label and is reasonable fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Manufactured by:

AgriHouse Inc
307 Welch Ave
Berthoud, CO 80513
USA
Tel 970 532-3554
Fax 970 532-9800

Batch code: XXX

Sublabel B: Ornamental and Nursery Uses

7
14

YEA!® Yield Enhancing Agent

Ornamental and Nursery Use

Alternate brand Names: YEA!®, YEA!® for Seeds, YEA!® for Trees, YEA!® for crops, ODC, ECOSEED, YEA!® Polymer Seed Coating: Corn, YEA!® Polymer Seed Coating: Soybean, YEA!® Polymer Seed Coating: Wheat, YEA!® Polymer Seed Coating: Sugarbeet, YEA!® Polymer Seed Coating: Potato, YEA!® Polymer Seed Coating: Vegetables

When used as directed on this label, YEA!® can boost seed germination and vitality, stimulate emergence and sprouting, enhance plant vigor, promote growth, suppress diseases and pathogens, activate plant resistances to environment stress, drought, and disease pressures, including the suppression of parasitic nematodes, increase crops yields, and improve crop vigor and quality.

For use on cotton, tobacco, tropical plants, grasses, pine and deciduous trees, shrubs, ground covers, bedding plants, house plants, and flowers.

Active Ingredient:

Chitosan	0.25%
Other Ingredients	99.75%
TOTAL	100.00%

Product contains 0.021 lb (0.01 kg) of chitosan / gallon

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR A PRECAUTIONARY STATEMENT STATEMENTS

MANUFACTURED BY: AgriHouse, Inc. 307 Welch Ave Berthoud, Colorado 80513		EPA Establishment No. 83729 CO-001 EPA Registration No. 83729-1
Net Contents	<input type="checkbox"/> .1 ml <input type="checkbox"/> 1 ml <input type="checkbox"/> 5 ml <input type="checkbox"/> 1/2 oz <input type="checkbox"/> 1 oz <input type="checkbox"/> 4 oz <input type="checkbox"/> 8 oz <input type="checkbox"/> 12 oz <input type="checkbox"/> 16 oz	<input type="checkbox"/> 500 ml <input type="checkbox"/> 1 liter <input type="checkbox"/> 1 gallon <input type="checkbox"/> 2.5 gallons <input type="checkbox"/> 5 gallons <input type="checkbox"/> 55 gallons

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.</p>	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals – CAUTION: Causes moderate eye irritation. Avoid contact with eyes. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment wash waters.

[For 5 gallon product: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer without previously notifying the sewage treatment plant authority. For guidance, contact your State Water board or regional Office of the EPA.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Long-sleeved shirt, long pants, waterproof gloves, protective eyewear, and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

DIRECTIONS FOR USE

It is a violation of federal laws to use this product in a manner inconsistent with its labeling.

To prevent contamination of the dilute solution of YEA![®] by possible pesticide or other chemical residues in the spraying equipment, use dedicated equipment, or be sure that the equipment is thoroughly clean before use.

9/14

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses. Keep people and pets off treated areas until spray solution has dried to prevent transfer of this product onto desirable vegetation.

GENERAL INSTRUCTIONS

Shake before using. For best results use pH neutral (pH 6.9 to 7.0) mix water. Follow specific crop instructions for dilution rates and application usage. Do not apply within three days of harvesting.

SPECIFIC CROP INSTRUCTIONS

Seed Treatment for True Seed Crops

- Mix 20 ml into 1 gallon
- Apply directly to seeds. Allow to dry or plant soaked seeds within 60 hours after applying.

Nursery Crops – Trees & Shrubs

- Application rate: 100 to 500 ml per acre
- Apply every 30 days as needed.
- Apply by foliar spray, in furrow and/or irrigation
- Mix rate: 100 to 500 ml into 100 to 500 gallons or more

Turf and Sod

- Apply area 1000 sq ft; apply every 10 days as needed
- Water area and spray surface area
- May be applied by means of irrigation
- Mix rate: 30 ml to 100 ml product / gallon

Greenhouse & Horticultural Use – Ornamental Crops

- Apply area 1000 sq ft; apply every two weeks as needed
- Apply to soil and spray plants
- May be applied by means of irrigation
- Pre-soak seeds prior to planting
- Mix rate: 30 ml to 100ml product / gallon

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place, away from sunlight and out of the reach of children and pets. Do not reuse container.

Pesticide Disposal: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Empty Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying. (For product less than 5 gallons) [Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.] (For product greater than 5 gallons) [Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. An empty container retains vapor and product residue. Observe all labeled safeguards until container is cleaned, reconditioned or destroyed. Completely empty contents into formulation equipment. Then offer for recycling or reconditioning or, dispose of container in a manner approved by state and local authorities.

WARRANTY

AgriHouse Inc. warrants that this product conforms to the chemical description on the label and is reasonable fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Manufactured by:

AgriHouse Inc
307 Welch Ave
Berthoud, CO 80513
USA
Tel 970 532-3554
Fax 970 532-9800

Batch code: XXX

11
14

Sublabel C: Home & Garden Use

YEA![®] Yield Enhancing Agent

Home & Garden Use

Alternate brand Names: YEA![®], YEA![®] for Seeds, YEA![®] for Trees, YEA![®] for crops, ODC, ECOSEED, YEA![®] Polymer Seed Coating: Corn, YEA![®] Polymer Seed Coating: Soybean, YEA![®] Polymer Seed Coating: Wheat, YEA![®] Polymer Seed Coating: Sugarbeet, YEA![®] Polymer Seed Coating: Potato, YEA![®] Polymer Seed Coating: Vegetables

When used as directed on this label, YEA![®] can boost seed germination and vitality, stimulate emergence and sprouting, enhance plant vigor, promote growth, suppress diseases and pathogens, activate plant resistances to environment stress, drought, and disease pressures, including the suppression of parasitic nematodes, increase crops yields, and improve crop vigor and quality.

For use on sweet potato, corn, potato, sugar beets, tomato, vegetables, herbs, sunflowers, legumes, fruit and citrus trees.

For use on tropical plants, grasses, pine and deciduous trees, shrubs, ground covers, bedding plants, house plants, and flowers.

Active Ingredient:

Chitosan	0.25%
Other Ingredients	99.75%
TOTAL	100.00%

Product contains 0.021 lb (0.01 kg) of chitosan / gallon

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR A PRECAUTIONARY STATEMENT STATEMENTS

MANUFACTURED BY: AgriHouse, Inc. 307 Welch Ave Berthoud, Colorado 80513		EPA Establishment No. 83729 CO-001 EPA Registration No. 83729-1
Net Contents	<input type="checkbox"/> .1 ml <input type="checkbox"/> 1 ml <input type="checkbox"/> 5 ml <input type="checkbox"/> 1/2 oz <input type="checkbox"/> 1 oz <input type="checkbox"/> 4 oz <input type="checkbox"/> 8 oz <input type="checkbox"/> 12 oz <input type="checkbox"/> 16 oz	<input type="checkbox"/> 500 ml <input type="checkbox"/> 1liter <input type="checkbox"/> 1 gallon <input type="checkbox"/> 2.5 gallons <input type="checkbox"/> 5 gallons <input type="checkbox"/> 55 gallons

12
/
14

FIRST AID	
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 – 20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	<ul style="list-style-type: none"> • Call poison control center or doctor immediately for treatment advice. • Have person sip a glass of water if able to swallow. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. • Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.</p>	

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals – CAUTION: Causes moderate eye irritation. Avoid contact with eyes. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treated area. Rinsing application equipment over treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of federal laws to use this product in a manner inconsistent with its labeling.

To prevent contamination of the dilute solution of YEA![®] by possible pesticide or other chemical residues in the spraying equipment, use dedicated equipment, or be sure that the equipment is thoroughly clean before use.

GENERAL INSTRUCTIONS

Shake before using. For best results use pH neutral (pH 6.9 to 7.0) mix water. Follow specific crop instructions for dilution rates and application usage. Do not apply within three days of harvesting.

SPECIFIC CROP INSTRUCTIONS

Seed Treatment for True Seed Crops

- Mix 20 ml into 1 gallon
- Apply directly to seeds. Allow to dry or plant soaked seeds within 60 hours after applying.

Home & Garden – Trees, Shrubs, Bedding Plants, Vegetables, Flowers and Ornamentals

- Apply area 1000 sq ft; apply every two weeks as needed
- Apply to soil and spray plants
- May be applied by means of irrigation
- Pre-soak seeds prior to planting
- Mix rate: 30 ml to 100 ml product / gallon

Turf and Sod

- Apply area 1000 sq ft; apply every 10 days as needed
- Water area and spray surface area
- May be applied by means of irrigation
- Mix rate: 30 ml to 100 ml product / gallon

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container in a cool, dry place, away from sunlight and out of the reach of children and pets. Do not reuse container.

Pesticide and Container Disposal: Nonrefillable container. **If empty:** Do not reuse or refill this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

WARRANTY

AgriHouse Inc. warrants that this product conforms to the chemical description on the label and is reasonable fit for the purposes set forth in the Complete Directions for Use label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, NO OTHER EXPRESS WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated herein.

Manufactured by:

AgriHouse Inc
307 Welch Ave
Berthoud, CO 80513
USA
Tel 970 532-3554
Fax 970 532-9800

Batch code: XXX

Optional Marketing Claims

- Elicitor
- Elicitation of plant enzymes for plant vitality
- For Use Throughout the Growing Season
- Easy to Use
- Increases Yields
- Boost Your Production
- Enhance blooms and yields
- Promote Healthier Plants
- Healthier plants resist disease and pathogen attacks
- Improve plant vigor
- Fortifies plant defense mechanisms
- Elicit better crop performance
- Larger Flowers
- Robust Plant Growth Leads to Early Harvest
- Robust Plant Growth Leads to (Increased Yields) (Larger Fruit) (Larger Vegetables)
- Higher Pack-out equals more return per acre
- More large fruit
- Delays senescence
- Reduce bruising and blemishes
- Longer shelf life for crops
- Reduces ethylene production
- Elevate sugar content
- Overcomes environmental stress
- Healthier plants develop deeper roots and resist drought
- Elicit immune-like defense responses in the plant
- Healthier plants defend themselves better against nibblers
- Increases germination rates and seed vitality
- Improve sprouting
- Stronger emergence
- Increases bio-mass
- Better Stand Quality
- Induced Systemic Resistance against pathogens and disease
- Alleviate defense mechanisms in plants
- Activate chemical engines within plants
- Boost Plant Health
- Amendment for better crop performance
- Healthier Stand
- Proprietary Elicitor
- Crop and Yield Promoter
- Broad spectrum Biopesticide
- Allows plants to defend for themselves against pathogen, disease and pests.