83893-13

UNITED STATES	U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA Reg. Number:	Date of Issuance:
SWUHROM ME LINAL PROTECTION	Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W. Washington, D.C. 20460	83893-13	DEC 2 0 2007
	NOTICE OF PESTICIDE: <u>X</u> Registration Reregistration	Term of Issuance: Conditional	
	(under FIFRA, as amended)	Name of Pesticide Product: Greenleaf Lawn Fungus Control	
Name and Address of Regis Greenleaf llc P.O. Box 1700 348 Highway 264 I Lowell, AR 72745	East		

12-20-2007

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

Page 1 of 2

12/20/2007

Date:

Signature of Approving Official:

Mary J. Waller

Mary L. Waller, Product Manager (21) Fungicide Branch, Registration Division (7505P)

EPA Form 8570-6

- 2. Make the following changes to the label:
  - a. Change the product registration number to "EPA Reg. No. 89893-13"
  - b. In the section "Maximum Application Rate" on page 2, change "...per bag, or applications at 3,700...." to "per bag, or 4 applications at 3,700...."
  - c. In the First Aid box
    - 1. under "If in eyes" change the comma to a period after "...20 minutes"
    - 2. use a real emergency response or poison control center phone number.
  - d. Change the address listed on page 4 of the label to the official mailing address on record with the Agency:

Greenleaf llc P.O. Box 1700 848 Highway 264 East Lowell, AR 72745

3. Submit one copy of the revised final printed label for the record before the product is released for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Mary J. Waller

Mary L. Waller Product Manager (21) Fungicide Branch Registration Division (7505P)

Enclosure: Label stamped "Accepted with Comments"

Controls major lawn disease problems without fertilizer application For home use only. Do not apply to sod farms.

- Controls brown patch, dollar spot, and other fungus diseases listed on back
- Suppresses fusarium blight, necrotic ring spot, and summer patch diseases

# KEEP OUT OF REACH OF CHILDREN CAUTION See back for additional precautionary statements

Active Ingredient:

Thiophanate-methyl, Dimethyl 4,4-o-phenylenebis,	
(3-thioallophanate)	2.30%
Inert Ingredients	
	100.00%

EPA Reg: 83893-XXX EPA Est. No. 83893-MO-1

Net Weight: XXXX lbs (XXX Kg) Made in the USA

Right Gusset: Greenleaf Lawn Fungus Control Left Gusset: Greenleaf Lawn Fungus Control

Back Panel:

# Controls the following turfgrass diseases:

Anthracnose Brown patch Copper spot Dollar spot Pink patch (red thread) Stripe smut Leaf spot

## Suppresses the following turfgrass diseases:

Fusarium blight Necrotic ring spot Summer patch

Page 1 of 4

ACCEPTED with COMMENTS In EPA Lottor Deted DEC 2 0 2007

Under the Federal Insecticide, Functicide, and Rodesnicide Act as amended, for the pesticide registered under EPA Reg. No.

83893-13

# How and When to apply:

## Directions for Use:

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not enter or allow others to enter until dust has settled.

#### When to Use:

**For prevention of dollar spot, copper spot, red thread, anthracnose, stripe smut and brown patch,** apply to dry or moist foliage at the NORMAL RATE (7,400 square feet per bag) when disease activity is noted or suspected, then repeat at 2-to-3 week intervals. The minimum re-treatment interval is 14 days. Do not exceed 8 applications per year or 4 DOUBLE RATE (3,700 square feet per bag) applications. During periods of high day and night temperature and humidity, treatment intervals may need to be shortened to achieve best brown patch control. For cure of these diseases when symptoms indicate advanced stages, apply at the DOUBLE RATE then follow with the NORMAL RATE preventive program.

**For suppression of summer patch diseases (summer patch, Fusarium blight, and necrotic ring spot),** apply to dry foliage at the DOUBLE RATE every 30 days (beginning in late spring to early summer). Three to four applications may be necessary for season-long suppression. Water immediately after application and keep turf from becoming drought stressed by watering (1 inch) weekly.

**Maximum Application Rate:** Apply contents of bag to up to 7,400 square feet of turf. (Do not apply to less than 3,700 square feet, a maximum application rate of 2.7 lb thiophanate-methyl per acre per application) Do not apply more than 10.88 lb thiophanate-methyl per acre per year (8 applications at 7,400 square feet per bag, or applications at 3,700 square feet per bag). Do not apply more often than once every 14 days.

## How to use:

Apply with a drop-type or rotary spreader. Do not apply by hand or with handheld rotary spreader (e.g. belly grinder). Do not apply this product in a way that will contact any person or pet either directly or through drift. Keep people and pets out of the area during application and until turf is dry after watering-in product. Do not enter or allow others to enter the treated areas until dusts have settled.

For best results with a rotary spreader, apply during a calm period of the day. If necessary to apply when a breeze is blowing, move in the direction of the wind to prevent material from blowing toward the operator. Allow one week between application of this and other control products. (This guideline may be relaxed where a severe insect or disease requires immediate treatment.)

Page 2 of 4

12/19/2007

It is not necessary to water in immediately. However, water is required before product will be activated.

# KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUTIONARY STATEMENTS

**Hazards to Humans and Domestic Animals: CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

First Aid		
If In Eyes:	Hold eye open and rinse slowly and gently with water for 15- 20 minutes, Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
	t container or label with you when calling a poison control center going for treatment. You may also contact 1-800-xxx-xxxx for emergency medical treatment information.	

**Environmental Hazards:** Do not apply directly to water. Do not contaminate water when disposing of equipment wash water or rinsate.

Storage and Disposal			
Pesticide Storage:	Store in a clean, dry place. Reseal opened bag by folding top down and securing.		
Disposal: If Empty	Do not reuse this container. Place in trash or offer for recycling if available.		
Disposal If Partly Filled:	Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.		

#### Spreading Tips:

	Spreader Settings		
Spreader	NORMAL RATE treats 7,400 sq. ft. (10 lb bag)	DOUBLE RATE treats 3,700 sq. ft. (10 lb bag)	Directions
Scotts Drop Spreader	4 3⁄4	6	Mow lawn first; apply 2 header strips; apply longer direction of lawn overlapping wheel marks

Page 3 of 4

12/19/2007

Scotts Easy Green Rotary	25	26	Make each pass about 30 inches from previous pass to overlap spread width
Scotts Speedy Green Rotary	3 1/2	4 1 <u>/2</u>	Make each pass about 5 feet from previous pass to overlap spread width.

# Additional Spreader Settings:

ĺ

EZ Drop Republic (#530)	6
EZ Broadcast, Republic (#540 or #545)	2
Red Devil Drop (#FH-22)	6
Red Devil Rotary (#SB-50)	5
Quaker Drop (Model # 10850)	5 1⁄2
Quaker Rotary (Model # 10301)	3 ½

Manufactured For:

Greenleaf Ilc 13960 Palm Rd Neosho, MO 64850 417-451-9996

Page 4 of 4

12/19/2007