

84024-1

07/15/2013

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY  
AND POLLUTION PREVENTION

July 15, 2013

Mrs. Connie B. Welch, Executive Director for Product Registration  
ToXcel: Toxicology & Regulatory Affairs  
7140 Heritage Village Plaza  
Gainesville, VA 20155-3061

Subject: FQPA Code 332 Minor Label Changes per PR Notice 98-10  
Product Name: **Justeq07**  
EPA Registration Number: **84024-1**  
Application Date: June 14, 2013  
Application Received Date: June 19, 2013

Dear Mrs. Welch:

This acknowledges receipt of your Notification application, submitted under the provisions of FIFRA section 3(c) 7(A) and PR Notice 98-10.

Proposed Application:

Justeq LLC is revising the eye precautionary statement per Agency Letter dated May 15, 2013 to read as follows: "Wear appropriate protective eyewear such as goggles, face shield, or safety glasses, and chemical-resistant gloves."

General Comments:

Based on a review of the submitted material, the following comment applies. The Notification application is **Acceptable**. A copy of the **accepted** Notification is attached in **Regulatory File Jacket 84024-1** for future reference.

If you have questions or comments with regard to this Agency Letter, the please contact Killian Swift via email at [Swift.Killian@epa.gov](mailto:Swift.Killian@epa.gov) or by telephone at **703-308-6346**. When you are submitting information or data in response to this Agency Letter, please send a copy of this Agency Letter with your response in order to facilitate processing.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Demson Fuller", written over a horizontal line.

Demson Fuller,  
Acting EPA Product Manager 32  
Regulatory Management Branch II  
Antimicrobials Division 7510P

	United States <b>Environmental Protection Agency</b> Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
--	---	--	-----------------------

**Application for Pesticide – Section 1**

1. Company/Product Number <p style="text-align: center;"><b>84024-1</b></p>	2. EPA Product Manager <p style="text-align: center;"><b>Mike Mendelsohn</b></p>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) <p style="text-align: center;"><b>Justeq07</b></p>	PM# <p style="text-align: center;"><b>32</b></p>	
5. Name And Address Of Applicant (Include ZIP Code) <p><b>Justeq, LLC</b>  <b>2871 Crimson Ct.</b>  <b>Northbrook, IL 60062</b></p> <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. Product Name

**Section II**

<input type="checkbox"/> Amendment – Explain below.	<input type="checkbox"/> Final Printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification – Explain below.	<input type="checkbox"/> Other – Explain Below.


**Explanation:** Use additional page(s) if necessary. (For section I and Section II.)  
**Notification to revise the eye precautionary statement per EPA's letter dated May 15, 2013.**

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

**Section III**

1. Material This Product Will Be Packaged In:			
Child Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes"      No. per Unit Packaging wgt.      Container	If "Yes"      No. per Unit Packaging wgt.      Container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(S) Retail Container <p style="text-align: center;"><b>5, 15, 30, 55 and 275 gallon</b></p>	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithographed <input checked="" type="checkbox"/> Paper glued. <input type="checkbox"/> Stenciled		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	

**Section IV**

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name <p><b>Connie B. Welch</b></p>	Title <p><b>Authorized Representative for Justeq, LLC</b></p>	Telephone No. (Include Area Code) <p><b>(763) 754-0248</b></p>
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received
2. Signature 		
4. Typed Name <p><b>Connie B. Welch</b></p>	3. Title <p><b>Authorized Representative for Justeq, LLC</b></p>	
5. Date <p style="text-align: center;"><b>June 14, 2013</b></p>		

# toXcel

Toxicology & Regulatory Affairs  
Gainesville, VA 20156  
USA

Phone: (703) 754-0248

Fax: (703) 310-6950

**HAND DELIVER**

June 14, 2013

Document Processing Desk (AMEND)  
Office of Pesticide Programs (7504P)  
U.S. Environmental Protection Agency  
Room S-4900, One Potomac Yard  
2777 South Crystal Drive  
Arlington, VA 22202-4501

ATTENTION: Mike Mendelsohn / PM-32

**RE: Notification Per PR Notice 98-10 to Revise the Eye Precautionary Statement for Justeq07 (EPA Reg. No. 84024-1)**

Dear Mr. Mendelsohn:

On behalf of Justeq LLC, we are submitting the above referenced notification to revise the eye precautionary statement as requested in the Agency's letter dated May 15, 2013. The eye precautionary statement on page 2 of the label has been revised to read "Wear appropriate protective eyewear such as goggles, face shield, or safety glasses, and chemical-resistant gloves."

As instructed, we are submitting this as a notification per PR Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. The following documents are enclosed:

- 1) Application for Registration (EPA Form 8570-1)
- 2) A copy of the Agency's letter dated May 15, 2013
- 3) One highlighted hardcopy of the proposed amended label
- 4) One clean hardcopy of the label
- 5) Once clean electronic copy of the label in PDF format on CD
- 6) Certification with Respect to Label Integrity

If you have any questions, please do not hesitate to contact me at [connie.welch@toxcel.com](mailto:connie.welch@toxcel.com) or (703) 754-0248 X 118.

Sincerely,



Connie Welch  
Executive Director, Product Registration  
toXcel, LLC

Enclosures

cc: S. Shim, Justeq LLC

# Justeq07

Justeq07 is an effective agent for controlling algae, bacteria, and fungi that produce slime in recirculating condensing and cooling equipment and in reservoirs or ponds that serve as the source of boiler feedwater or cooling water. Justeq07 can also be used to control bacteria, algae and fungal slime in decorative fountains, air washers, paper mill water systems, and food, beverage, and industrial process pasteurizers.

**ACTIVE INGREDIENTS:**

Sodium hypochlorite..... 7.00%

Sodium bromide..... 1.50%

**INERT INGREDIENTS**..... 91.50%

Total.....100.00%

Total Available chlorine = approximately 6.7%

Total Available Bromine = approximately 2.3%

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**FIRST AID**

**If in eyes:**

- o Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- o Remove contact lenses if present after the first 5 minutes then continue rinsing eye.
- o Call a poison control center or a doctor for treatment advice.

**If on skin or clothing:**

- o Take off contaminated clothing.
- o Rinse skin immediately with plenty of water for 15-20 minutes.
- o Call a poison control center or a doctor for treatment advice.

**If inhaled:**

- o Move person to fresh air.
- o If person is not breathing, call 911 or an ambulance, and then give artificial respiration, preferably mouth-to mouth if possible.
- o Call a poison control center or a doctor for further treatment advice.

**If swallowed:**

- o Call a poison control center or a doctor immediately for treatment advice.
- o **DO NOT INDUCE VOMITING**, unless told to do so by the Poison Control Center or Doctor.
- o Do not give anything by mouth to an unconscious person.

**NOTE TO PHYSICIAN:**

Aspiration may cause lung damage. Probable mucosal damage may contraindicate the use of gastric lavage. Have the product container, label or MSDS with you when calling a poison control center or a doctor, or going for treatment. In case of Medical Emergency, call (630) 428-4143

**SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

EPA Reg. No. 84024 - 1

EPA Est. No.: 6484-WI-001

**JUSTEQ LLC**  
2871 Crimson Ct.  
Northbrook, IL 60062

Net Contents \_\_\_\_\_

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER. CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. CAUSES SKIN BURNS.** Do not get in eyes, on skin or on clothing. Wear appropriate protective eyewear such as goggles, face shield, or safety glasses, and chemical-resistant gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board Regional Office of EPA.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**COOLING PONDS, RESERVOIRS AND DECORATIVE FOUNTAINS**

Justeq07 must be applied at the reservoir, pond, or fountain inlet or at a location that permits complete diffusion into the water at maximum retention time before reaching the outlet. Sufficient Justeq07 must be fed to maintain a total chlorine level of 1.0-4.0 ppm in all parts of the reservoir or pond (two fluid ounces per 1000 gallons of water yields about 1.0 ppm total chlorine).

**INDUSTRIAL & COMMERCIAL RECIRCULATING COOLING WATER SYSTEMS**

Justeq07 must be applied directly to the cooling water at any section of the system where sufficient mixing will occur. Apply Justeq07 to the cooling water to provide a total chlorine level of 1.0-4.0 ppm. Justeq07 at a dosage of two fluid ounces per 1000 gallons of water gives a dosage of approximately 1.0 ppm of total chlorine, but several times that dosage may be required to provide a total chlorine level of 1.0 ppm throughout the systems. Check the total chlorine level with a test kit and additional product applied until a reading of 1.0-4.0 ppm is obtained at the bleed-off point. The product can be added to the system either continuously or intermittently or as needed to obtain the above residual. The frequency of feeding and dosage rate will depend upon the severity of the problem.

**INDUSTRIAL PASTEURIZERS (Such as food, beverage, and industrial process pasteurizers)**

For control of bacteria and fungi in industrial pasteurizers add 4 -8 ounces of Justeq07 per 1000 gallons of system water to achieve control. To maintain control add sufficient Justeq07 to maintain 2.0-4.0 ppm total chlorine throughout the system. (Two fluid ounces per 1000 gallons of water yields 1.0 ppm total chlorine).

**SHELL EGG PASTEURIZER WATER SYSTEMS (not for use in California)**

For control of bacteria, fungi and algal slime in shell egg pasteurizer water systems add 4-8 ounces of Justeq07 per 1000 gallons of system water to achieve control. To maintain control add sufficient Justeq07 to maintain 2.0-4.0 ppm total chlorine throughout the system. (Two fluid ounces per 1000 gallons of water yields 1.0 ppm total chlorine).

**AIR WASHERS** (This product may be used only in industrial air washers and air washer systems which have mist-eliminating components.)

For control of microorganisms in industrial air washer systems add sufficient Justeq07 to the air washer sump or chill water to provide a total chlorine level of 2.0-4.0 ppm. Badly fouled systems must be cleaned before treatment is begun. Justeq07 at a dosage of two fluid ounces per 1000 gallons of water gives a dosage of approximately 1.0 ppm of total chlorine, but several times that dosage may be required to provide a total chlorine level of 1.0 ppm throughout the system. Check the total chlorine level with a test kit and additional product applied until a reading of 2.0-4.0 ppm is obtained at the bleed-off point. Some systems may be maintained in satisfactory biological condition by applying this dosage once per day while others will respond better to dosages less than once per day.

**HEAT TRANSFER SYSTEMS** (Such as Evaporative Condensers, Hydrostatic Sterilizers and Retorts, Dairy Sweetwater Systems, and Once-Through Cooling Water Systems)


Justeq07 must be used at the same application rates, and in the same manner as described above. It must be added to the system at a point of uniform mixing such as a basin area, sump area, or other reservoir or collecting area from which the treated water will be circulated uniformly throughout the system.

**PULP & PAPER MILL INFLUENT WATER SYSTEMS (not for use in California)**

Justeq07 must be applied to the raw water intake prior to the filter house, economizer, or process water. Feed at a dosage sufficient to provide total a chlorine level of 2.0-4.0 ppm. Justeq07 at a dosage of two fluid ounces per 1000 gallons of water gives a dosage of approximately 1.0 ppm of total chlorine, but several times that dosage may be required to provide a total chlorine level of 1.0 ppm throughout the system. The total chlorine level must be checked with a test kit and additional product applied until a reading of 2.0-4.0 ppm is obtained. Some systems can be maintained in satisfactory biological condition by applying this dosage intermittently while others may require a continuous application. Justeq07 can be used in pulp and paper influent water systems where the manufactured paper or paperboard can be used for food contact purposes.

**PULP & PAPER MILL PROCESS WATER SYSTEMS (not for use in California)**

Add Justeq07 to paper making systems at a point of uniform mixing such as the beaters, broke chest pump, save-all tank, or white water tank. Feed at a dosage sufficient to provide a total chlorine level of 2.0-4.0 ppm. Justeq07 at a dosage of two fluid ounces per 1000 gallons of water gives a dosage of approximately 1.0 ppm of total chlorine, but several times that dosage may be required to provide a total chlorine level of 1.0 ppm throughout the system. Check the total chlorine level with a test kit and additional product applied until a reading of 2.0-4.0 ppm is obtained. Some systems can be maintained in satisfactory biological condition by applying this dosage intermittently while others may require a continuous application. Justeq07 can be used in pulp and paper mill process water systems where the manufactured paper or paperboard can be used for food contact purposes.



### STORAGE AND DISPOSAL

Do not contaminate water, food, feed by storage and disposal.

**PESTICIDE STORAGE:** Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. **Nonrefillable container. Do not refill this container.**

**PESTICIDE DISPOSAL:** Pesticide disposal wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash collection.

**FOR RIGID NON-REFILLABLE CONTAINERS – 5 gallons or less:**

Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

**FOR RIGID NON-REFILLABLE CONTAINERS – greater than 5 gallons:**

Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

Triple rinse as follows: Empty remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container to its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

### WARRANTY STATEMENT

Justeq LLC warrants that this product complies with the specifications expressed on the label. To the extent consistent with applicable law, Justeq LLC makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose.