

	<b>U.S. ENVIRONMENTAL PROTECTION AGENCY</b> <b>Office of Pesticide Programs</b> <b>Biopesticides and Pollution</b> <b>Prevention Division (7511P)</b> <b>Ariel Rios Building</b> <b>1200 Pennsylvania Ave., NW</b> <b>Washington, D.C. 20460</b>	EPA Reg. Number: <b>84268-2</b>	Date of Issuance: <b>SEP 15 2008</b>
		Term of Issuance: <b>Conditional</b>	
		Name of Pesticide Product: <b>AM61432 50G</b>	

NOTICE OF PESTICIDE:

☒ Registration  
☐ Reregistration  
(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Advanced Microbiologics LLC  
11146 NW 69<sup>th</sup> Place  
Parkland, Florida 33076

**Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.**

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The registration application referred to above, submitted in connection with registration under § 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the following terms and conditions

- 1) The subject registration will automatically expire on midnight March 15, 2010.
- 2) Submit/cite all data required for registration of your product under FIFRA § 3(c)(5) when the Agency requires registrants of similar products to submit such data.
- 3) Data submitted in response to this notice of registration and that of AM61432 Primary Powder must be found acceptable by the Biopesticides and Pollution Prevention Division.
- 4) Submit final reports for the following product specific data on or before November 1, 2009:
  - a) Sample analysis data from three (3) additional distinct batches of this product.
  - b) Results of completed storage stability and corrosion characteristics.

Signature of Approving Official:

*Wm (see page 2)*

Date:

CONCURRENCES

SYMBOL	7511P	7511 P	7511P					
SURNAME	<i>Madri</i>	<i>Tomimatsu</i>	<i>Ruby</i>					
DATE	9/12/08	9/15/08	9/15/08					

20f9

5) Submit a revised Confidential Statement of Formula (CSF) that agrees with the label potency unit figures and which indicates viability of the microbial pesticide in CFU/gram.

6) Change the EPA Reg. No. from "(pending as File Symbol 84268-E)" to read, "EPA Reg. No. 84268-2."

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A copy of the stamped label is enclosed for your records.

Sincerely,

*W. Michael McDavit* 9/15/08

W. Michael McDavit, Associate Director  
Biopesticides and Pollution  
Prevention Division (7511P)

3069

# AM61432 (50 G)

(Alternate Brand Names: [to be identified])

## ACTIVE INGREDIENT:

*Bacillus sphaericus*, Serotype H5a5b, strain 2362\* ..... 5.00%

**OTHER INGREDIENTS:** ..... 95.00%

**TOTAL:** ..... 100.00%

\* Equivalent to 50 *Bacillus Sphaericus* International Toxic Units (BS ITU) per mg of product (0.23 billion BS ITU per lb of product). Potency units should not be used to adjust rates beyond those specified in the Directions for Use Section. Note: The percent active ingredient does not indicate product performance and potency measurements are not federally standardized.

## KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-222-1222 for emergency medical treatment information.	

**EPA Reg. No.:** (pending as File Symbol 84268-E)

**EPA Establishment No.:** XXXXX-XX-XX

**Net Contents:** XX

**Batch Code:** XXX

## Manufactured for:

ADVANCED MICROBIOLOGICS, LLC  
1801 North Gale Road  
Mitchell, SD 57301

# ACCEPTED

SEP 15 2008

Under the Federal Insecticide, Fungicide,  
and Rodenticide Act, as amended, for  
the pesticide registered under  
EPA Reg. No. 84268-2

***(Precautionary Statements and Directions for Use for uses covered by the Worker Protection Standard)***

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION.** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**PERSONAL PROTECTIVE EQUIPMENT (PPE):** Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Mixers / loaders and applicators must wear a dust / mist filtering respirator meeting NIOSH standards of at least N-95, R-95, or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization. Follow the manufacturer's instructions for cleaning and maintaining PPE. If no instructions are available, use detergent and hot water for washables. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS**

Users should:

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS:** Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

**DIRECTIONS FOR USE**

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or thorough drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

**AGRICULTURAL USE REQUIREMENTS**

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water), is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

(AM61432 (50 G) is a highly selective microbial insecticide effective against mosquitoes in a variety of habitats. Apply AM61432 (50 G) to any water sites except treated, finished water reservoirs or drinking water receptacles when the water is intended for human consumption. AM61432 (50 G) can be applied to areas that contain aquatic life, fish and plants. AM61432 (50 G) can be applied to areas used by or in contact with humans, animals, horses, livestock, pets, birds or wildlife.)

### APPLICATION DIRECTIONS

#### Mosquito species effectively controlled by AM61432 (50 G).

*Aedes vexans*  
*Anopheles quadrimaculatus*  
*Coquillettidia perturbans*  
*Culex* spp.  
*Ochlerotatus melanion* (*Aedes melanion*)  
*Ochlerotatus nigromaculis* (*Aedes nigromaculis*)  
*Ochlerotatus sollicitans* (*Aedes sollicitans*)  
*Ochlerotatus stimulans* (*Aedes stimulans*)  
*Ochlerotatus triseriatus* (*Aedes triseriatus*)  
*Psorophora columbiae*  
*Psorophora ferox*

**For control of mosquito larvae from the list of affected species above in the following crop sites.**

Habitats	Rate / Acre
Rice fields, pastures / hay fields, orchards, citrus groves, irrigated crops, agricultural irrigation waters	5 – 20 lbs

Use higher rates (10 – 20 lbs / acre) in areas where extended residual control is necessary, or in habitats having deep water or dense surface cover. Apply uniformly by aerial and conventional ground equipment. Reapply as needed after 1-4 weeks.

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential spray drift. The

applicator and treatment coordinator are responsible for considering all these factors when making decisions.

**(Precautionary Statements and Directions for Use for uses not covered by the Worker Protection Standard)**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS – CAUTION.** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Mixers / loaders and applicators must wear a dust / mist filtering respirator meeting NIOSH standards of at least N-95, R-95, or P-95. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

**USER SAFETY RECOMMENDATIONS**

Users should:

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS:** Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply to treated, finished drinking water reservoirs or drinking water receptacles when the water is intended for human consumption.

**DIRECTIONS FOR USE**

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling.

(AM61432 (50 G) is a highly selective microbial insecticide effective against mosquitoes in a variety of habitats. Apply AM61432 (50 G) to any water sites except treated, finished water reservoirs or drinking water receptacles when the water is intended for human consumption. AM61432 (50 G) can be applied to areas that contain aquatic life, fish and plants. AM61432 (50 G) can be applied to areas used by or in contact with humans, animals, horses, livestock, pets, birds or wildlife.)

**APPLICATION DIRECTIONS**

**Mosquito species effectively controlled by AM61432 (50 G).**

*Aedes vexans*

*Anopheles quadrimaculatus*

*Coquillettidia perturbans*

*Culex spp.*

*Ochlerotatus melanion* (*Aedes melanion*)

*Ochlerotatus nigromaculis* (*Aedes nigromaculis*)

*Ochlerotatus sollicitans* (*Aedes sollicitans*)

*Ochlerotatus stimulans* (*Aedes stimulans*)

*Ochlerotatus triseriatus* (*Aedes triseriatus*)  
*Psorophora columbiae*  
*Psorophora ferox*

**For control of mosquito larvae from the list of affected species above in agricultural / non-crop sites where mosquito breeding occurs.**

<b>Habitats</b>	<b>Rate / Acre</b>
<b>Wastewater:</b> Sewage effluent, sewage lagoons, oxidation ponds, septic ditches, animal waste lagoons, impounded wastewater associated with fruit and vegetable processing.	<b>5.0 – 20 lbs</b>
<b>Storm Water / Drainage Systems:</b> Storm sewers, catch basins, drainage ditches, retention, detention, and seepage ponds.	<b>5.0 - 20 lbs per 1,000 sq. ft.</b>
<b>Marine / Coastal Areas:</b> Salt marshes, mangroves, estuaries.	<b>5.0 – 20 lbs</b>
<b>Water Bodies:</b> Natural and manmade aquatic sites such as lakes, ponds, rivers, canals, and streams.	<b>5.0 – 20 lbs</b>
<b>Dormant Rice Fields:</b> Impounded water in dormant rice fields. (For application only during the interval between harvest and preparation of the field for the next cropping cycle.)	<b>5.0 – 20 lbs</b>

Use higher rates (10 – 20 lbs / acre) in areas where extended residual control is necessary, or in habitats having deep water or dense surface cover. Apply uniformly by aerial and conventional ground equipment. Reapply as needed after 1-4 weeks.

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment and weather related factors determine the potential spray drift. The applicator and treatment coordinator are responsible for considering all these factors when making decisions.

(Storage and Disposal instructions and Notice to User statements are for both uses covered by

80x9

the WPS and not covered by the WPS)

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place.

**Pesticide Disposal:** To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

**Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment by shaking and tapping sides and bottom to loosen clinging particles. Then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances. If outside container is contaminated, dispose of in the same manner as the bag.

**NOTICE TO USER**

To the extent consistent with applicable law, seller makes no warranty, express or implied, of merchantability, fitness or otherwise concerning the use of this product other than as indicated on the label. User assumes all risks of use, storage or handling not in strict accordance with label instructions.



**OPTIONAL LABEL CLAIMS**

- Biolarvicide.
- Biological Mosquito Control.
- Mosquito Biolarvicide Granule.
- Biological Larvicide Granule.
- Highly selective microbial larvicide.
- A (highly selective) microbial insecticide effective against mosquitoes in a variety of habitats.
- Easy to use.
- Effective year-round when mosquito larvae are present.
- Controls mosquito(es) (larvae).
- When ingested by mosquito larvae, (product name) prevents mosquitoes from becoming (developing into) breeding, biting adults.
- When ingested by mosquito larvae, (product name) prevents the development of adults.
- When ingested by mosquito larvae, (product name) prevents emergence of breeding, biting adults.
- Kills (mosquitoes) (developing mosquitoes) (mosquito larvae) (before they hatch) including those which may (can) transmit (carry) West Nile virus (and encephalitis) (and equine encephalitis).
- Kills (mosquitoes) (developing mosquitoes) (mosquito larvae) before they become breeding, biting adults, including those which may (can) transmit (carry) West Nile Virus (and encephalitis) (and equine encephalitis).
- Kills (mosquitoes) (developing mosquitoes) (mosquito larvae) (before they hatch) including those which may (can) transmit heartworm disease to dogs and cats.