



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Biopesticides and Pollution Prevention Division
(7511C)
1200 Pennsylvania Avenue NW
Washington, DC 20460

EPA Reg.
Number:

84418-1

Date of Issuance:

1-15-08

Term of
Issuance: **UNCONDITIONAL**

Name of Pesticide Product:
PiGNX Caulking Gel

NOTICE OF PESTICIDE:

XX Registration (under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

New Century Channel Group dba PiGNX Co.
P.O. Box 27342
Anaheim, CA 92809

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Biopesticides and Pollution Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA Sec. 3(c) provided you:

1. Submit and/or cite all data required for registration of your product under FIFRA section 3(c)(5) and section 4 when the Agency requires all registrants of similar products to submit such data.
2. Submit--within 12 months-- a data package for Guideline Study: OPPTS 830.6317 (Storage Stability).
3. Make the following label change before you release the product for shipment: Revise the EPA Registration Number to read, "EPA Reg. No. 84418-1"
4. Submit three (3) copies of the revised final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.
5. This registration is effective for 1 year from the date of issuance.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

W. Michael McDavit

W. Michael McDavit, Associate Director
Biopesticides and Pollution Prevention Division

Date:

1/15/08

2 8 16

MASTER LABEL

(This master label bears directions for residential, and commercial use.)

PiGNX® Caulking Gel

Deters pigeons from congregating, roosting and returning. PiGNX® is a repellent and deterrent. For use indoors or outdoors.

ACTIVE INGREDIENT:

CAPSAICIN.....0.0357%

OTHER INGREDIENTS:.....99.9643%

Total.....100.000%


KEEP OUT OF REACH OF CHILDREN CAUTION

See [back/side/other] panel(s) for additional Precautionary Statements

EPA Registration Number [84418-]

EPA Establishment Number: _____

Net Contents: _10 oz.____



When PiGNX® Caulking Gel is applied according to application specifications, pigeons will not return to treated area for 30 days or longer if gel is left intact and undisturbed. Reapplications will be required on an as-needed basis in areas of high pigeon pressure where the product gel has been disturbed or removed due to foot contact by pigeons.

PiGNX® is a repellent, it is not an avian toxicant.

Use as directed. Please read entire label prior to use.

Apply one 10 oz tube of PiGNX® Caulking Gel for every ten (10) linear feet using a ½ inch bead. Do not apply more than one 10 oz tube per application (0.00357 oz active ingredient/10 linear feet). Apply PiGNX® where pigeons most heavily roost, gather and reproduce. PiGNX® can be applied to indoor and outdoor surfaces, which include wood, metal, plastic, tile, brick, cinderblock, and cement.

[Residential use sites]

Typical application areas include but are not limited to residential buildings (such as residential rooftops, canopies, windowsills, ledges, beams, conduits, awnings, and patios), and other residential structures (such as statues, garages, barns, and sheds).

[Commercial use sites]

Typical commercial application areas include but are not limited to buildings (such as rooftops, canopies, windowsills, ledges, beams, conduits, awnings, water lines, parapets, fascias, sub roofs and walls, and cooling units), and other structures (such as statues, bridges, signs, sheds, and overhangs).

Apply PiGNX® at 20°F to 90°F (-7°C to 32°C). Do not apply in wet or snowy weather for best results. Installation works best when surfaces are clean and dry. Easy-to-apply tubes fit into a standard caulking gun.

PiGNX® Caulking Gel

Precautionary Statements

**HAZARDS TO HUMANS and DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. [For MSDS, contact 1-866-744-6988.]

First Aid	
If swallowed:	-Call a poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to by a poison control center or doctor. -Do not give anything to an unconscious person.
If on skin	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
If in eyes	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call poison control center or doctor for treatment advice.
HOTLINE	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 866-744-6988 in case of an emergency.	

In case of emergency, call 866-744-6988 US – PST 6AM to 6PM.

Environmental Hazards:

For Terrestrial Uses. This product may be toxic to aquatic organisms. Do not apply to or allow runoff to reach lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of equipment washwater or rinsate. Do not dump rinse water into sewers or other bodies of water.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in any manner inconsistent with its labeling.

Application Instructions:

Use one 10 oz tube for every ten (10) linear feet. Lay down a continuous bead of PiGNX® Caulking Gel in a zigzag pattern using at least a ½ inch bead that will allow the pigeons to easily and frequently step on the gel (larger bead up to 1 inch is acceptable

depending on treatment surface characteristics). Use as necessary to treat roosting areas to ensure complete bird dislocation is maintained. Clean and dry surfaces before application for best results. If surface cannot be cleaned before application, PiGNX® can be applied on top of soiled and damp surfaces if necessary. For best results, clean and wipe dirt from application surfaces prior to application. Do not expose yourself directly to bird feces.

- A) Cut end of tube off at the nozzle stem.
- B) Screw on applicator nozzle and use directly or cut off nozzle tip for a larger bead half way down the application nozzle
- C) Load and lock PiGNX® tube into standard caulking gun.
- D) Slowly pull caulking gun trigger. There is very little product resistance – be careful as it can come out of tube.
- E) Lay down continuous bead of PiGNX® Caulking Gel in a zigzag pattern so birds will step in the gel.
- F) Excess applied gel from tube may be cleaned with a clean, dry rag or paper towel.

Apply to surface areas where pigeons frequent. To ensure thorough coverage, treat areas that pigeons use to roost on, such as those listed on the label.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in cool dry area. Keep away from children and pets.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal: If empty: Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Do not store this product above 100 degrees F or below 20 degrees F for extended periods of time. Keep containers tightly closed and in original containers when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If not available, dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Warranty

To the extent consistent with applicable law, PiGNX[®] Company warrants that this product conforms to the chemical description on the product label and is reasonably fit when used in accordance with the directions for use. However, it is impossible to eliminate all risks inherently associated with the use of this product. This warranty does not extend to the use of this product in a manner inconsistent with its labeling or when used under abnormal conditions, such as adverse weather conditions and presence of other materials. These factors are beyond the control of PiGNX[®] Company or the Seller. All such risks shall be assumed by the Buyer.

To the extent consistent with applicable law, PiGNX[®] Company makes no other expressed or implied warranty and it expressly excludes and disclaims all implied warranties of fitness or merchantability for a particular purpose. To the extent consistent with applicable law, PiGNX[®] Company or the Seller are not liable for consequential, special, or indirect damages resulting from the use or handling of this product.

To the extent consistent with applicable law, the Buyer's exclusive remedy and PiGNX[®] Company's or Seller's exclusive liability, shall be limited to the purchase price of the product.

Customer Service/Questions: 866-744-6988

Manufacturer:

PiGNX[®] Company
POB 6310
Whittier, CA 90609

866-744-6988

Patent Pending

Made in USA- California

PiGNX[®] is a registered trademark of PiGNX[®] Company.

6 8 16

(OPTIONAL/MARKETING LANGUAGE)

PIGNX® Co. guarantees complete satisfaction when used as directed and application installation is not disturbed or your money back or PIGNX® will provide equivalent amount of product at no cost to the user up to the total cost of the purchase price less shipping/handling/labor/equipment charges.

PiGNX® guarantees complete satisfaction when used as directed and application installation is not disturbed.

[New] PiGNX® Caulking Gel

7 7 16

RESIDENTIAL SUB-LABEL

PiGNX® Caulking Gel

Deters pigeons from congregating, roosting and returning. PiGNX® is a -repellent and deterrent. For use indoors or outdoors.

ACTIVE INGREDIENT:

CAPSAICIN.....0.0357%

OTHER INGREDIENTS:.....99.9643%

Total..... 100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See [back/side/other] panel(s) for additional Precautionary Statements.

EPA Registration Number [84418-]

EPA Establishment Number: _____

Net Contents: _10 oz.____

When PiGNX® Caulking Gel is applied according to application specifications, pigeons will not return to treated area for 30 days or longer if gel is left intact and undisturbed. Reapplications will be required on an as-needed basis in areas of high pigeon pressure where the product gel has been disturbed or removed due to foot contact by pigeons.

PiGNX® is a -repellent, it is not an avian toxicant.

Use as directed. Please read entire label prior to use.

Apply one 10 oz tube of PiGNX® Caulking Gel for every ten (10) linear feet using a ½ inch bead. Do not apply more than one 10 oz tube per application (0.00357 oz active ingredient/10 linear feet). Apply PiGNX® where pigeons most heavily roost, gather and reproduce. PiGNX® can be applied to indoor and outdoor surfaces, which include wood, metal, plastic, tile, brick, cinderblock, and cement. Typical application areas include but are not limited to residential buildings (such as residential rooftops, canopies, windowsills, ledges, beams, conduits, awnings, and patios), and other residential structures (such as statues, garages, barns, and sheds).

Apply PiGNX® at 20°F to 90°F (-7°C to 32°C). Do not apply in wet or snowy weather for best results. Installation works best when surfaces are clean and dry. Easy-to-apply tubes fit into a standard caulking gun.

PiGNX® Caulking Gel

Precautionary Statements

HAZARDS TO HUMANS and DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. [For MSDS, contact 1-866-744-6988.]

First Aid	
If swallowed:	-Call a poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to by a poison control center or doctor. -Do not give anything to an unconscious person.
If on skin	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
If in eyes	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call poison control center or doctor for treatment advice.
HOTLINE	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 866-744-6988 in case of an emergency.	

In case of emergency, call 866-744-6988 US – PST 6AM to 6PM.

Environmental Hazards:

For Terrestrial Uses. This product may be toxic to aquatic organisms. Do not apply to or allow runoff to reach lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of equipment washwater or rinsate. Do not dump rinse water into sewers or other bodies of water.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in any manner inconsistent with its labeling.

Application Instructions:

Use one 10 oz tube for every ten (10) linear feet. Lay down a continuous bead of PiGNX® Caulking Gel in a zigzag pattern using at least a ½ inch bead that will allow the pigeons to easily and frequently step on the gel (larger bead up to 1 inch is acceptable depending on treatment surface characteristics). Use as necessary to treat roosting areas to ensure complete bird dislocation is maintained. Clean and dry surfaces before application for best results. If surface cannot be cleaned before application, PiGNX® can

be applied on top of soiled and damp surfaces if necessary. For best results, clean and wipe dirt from application surfaces prior to application. Do not expose yourself directly to bird feces.

- A) Cut end of tube off at the nozzle stem.
- B) Screw on applicator nozzle and use directly or cut off nozzle tip for a larger bead half way down the application nozzle
- C) Load and lock PiGNX[®] tube into standard caulking gun.
- D) Slowly pull caulking gun trigger. There is very little product resistance – be careful as it can come out of tube.
- E) Lay down continuous bead of PiGNX[®] Caulking Gel in a zigzag pattern so birds will step in the gel.
- F) Excess applied gel from tube may be cleaned with a clean, dry rag or paper towel.

Apply to surface areas where pigeons frequent. To ensure thorough coverage, treat areas that pigeons use to roost on, such as those listed on the label.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in cool dry area. Keep away from children and pets.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Disposal: If empty: Nonrefillable. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain

Warranty

To the extent consistent with applicable law, PiGNX[®] Company warrants that this product conforms to the chemical description on the product label and is reasonably fit when used in accordance with the directions for use. However, it is impossible to eliminate all risks inherently associated with the use of this product. This warranty does not extend to the use of this product in a manner inconsistent with its labeling or when used under abnormal conditions, such as adverse weather conditions and presence of other materials. These factors are beyond the control of PiGNX[®] Company or the Seller. All such risks shall be assumed by the Buyer.

To the extent consistent with applicable law, PiGNX[®] Company makes no other expressed or implied warranty and it expressly excludes and disclaims all implied

10 8 16

warranties of fitness or merchantability for a particular purpose. To the extent consistent with applicable law, PiGNX[®] Company or the Seller are not liable for consequential, special, or indirect damages resulting from the use or handling of this product.

To the extent consistent with applicable law, the Buyer's exclusive remedy and PiGNX[®] Company's or Seller's exclusive liability, shall be limited to the purchase price of the product.

Customer Service/Questions: 866-744-6988

Manufacturer:

PiGNX[®] Company
POB 6310
Whittier, CA 90609

866-744-6988

Patent Pending

Made in USA- California

PiGNX[®] is a registered trademark of PiGNX[®] Company.

11 7 16

(OPTIONAL/MARKETING LANGUAGE)

PIGNX® Co. guarantees complete satisfaction when used as directed and application installation is not disturbed or your money back or PIGNX® will provide equivalent amount of product at no cost to the user up to the total cost of the purchase price less shipping/handling/labor/equipment charges.

PIGNX® guarantees complete satisfaction when used as directed and application installation is not disturbed.

[New] PIGNX® Caulking Gel

12 8 16

COMMERCIAL SUB-LABEL

PiGNX® Caulking Gel

Deters pigeons from congregating, roosting and returning. PiGNX® is a repellent and deterrent. For use indoors or outdoors.

ACTIVE INGREDIENT:

CAPSAICIN.....	0.0357%
OTHER INGREDIENTS:.....	99.9643%
Total.....	100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See [back/side/other] panel(s) for additional Precautionary Statements.

EPA Registration Number [84418-]

EPA Establishment Number: _____

Net Contents: _10 oz.____

When PiGNX® Caulking Gel is applied according to application specifications, pigeons will not return to treated area for 30 days or longer if gel is left intact and undisturbed. Reapplications will be required on an as-needed basis in areas of high pigeon pressure where the product gel has been disturbed or removed due to foot contact by pigeons.

PiGNX® is a repellent, it is not an avian toxicant.

Use as directed. Please read entire label prior to use.

Apply one 10 oz tube of PiGNX® Caulking Gel for every ten (10) linear feet using a ½ inch bead. Do not apply more than one 10 oz tube per application (0.00357 oz active ingredient/10 linear feet). Apply PiGNX® where pigeons most heavily roost, gather and reproduce. PiGNX® can be applied to indoor and outdoor surfaces, which include wood, metal, plastic, tile, brick, cinderblock, and cement. Typical application areas include buildings (such as rooftops, canopies, windowsills, ledges, beams, conduits, water lines, awnings, parapets, fascias, sub roofs and walls, and cooling units) and other structures (such as statues, bridges, signs, sheds, and overhangs).

Apply PiGNX® at 20°F to 90°F (-7°C to 32°C). Do not apply in wet or snowy weather for best results. Installation works best when surfaces are clean and dry. Easy-to-apply tubes fit into a standard caulking gun.

Precautionary Statements

**HAZARDS TO HUMANS and DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. [For MSDS, contact 1-866-744-6988.]

First Aid	
If swallowed:	-Call a poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to by a poison control center or doctor. -Do not give anything to an unconscious person.
If on skin	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
If in eyes	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call poison control center or doctor for treatment advice.
HOTLINE	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also call 866-744-6988 in case of an emergency.	

In case of emergency, call 866-744-6988 US – PST 6AM to 6PM.

Environmental Hazards:

For Terrestrial Uses. This product may be toxic to aquatic organisms. Do not apply to or allow runoff to reach lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of equipment washwater or rinsate. Do not dump rinse water into sewers or other bodies of water.

DIRECTIONS FOR USE:

It is a violation of federal law to use this product in any manner inconsistent with its labeling.

Application Instructions:

Use one 10 oz tube for every ten (10) linear feet. Lay down a continuous bead of PiGNX® Caulking Gel in a zigzag pattern using at least a ½ inch bead that will allow the pigeons to easily and frequently step on the gel (larger bead up to 1 inch is acceptable depending on treatment surface characteristics). Use as necessary to treat roosting areas to ensure complete bird dislocation is maintained. Clean and dry surfaces before application for best results. If surface cannot be cleaned before application, PiGNX® can be applied on top of soiled and damp surfaces if necessary. For best results, clean and

wipe dirt from application surfaces prior to application. Do not expose yourself directly to bird feces.

- A) Cut end of tube off at the nozzle stem.
- B) Screw on applicator nozzle and use directly or cut off nozzle tip for a larger bead half way down the application nozzle
- C) Load and lock PiGNX[®] tube into standard caulking gun.
- D) Slowly pull caulking gun trigger. There is very little product resistance – be careful as it can come out of tube.
- E) Lay down continuous bead of PiGNX[®] Caulking Gel in a zigzag pattern so birds will step in the gel.
- F) Excess applied gel from tube may be cleaned with a clean, dry rag or paper towel.

Apply to surface areas where pigeons frequent. To ensure thorough coverage, treat areas that pigeons use to roost on, such as those listed on the label.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Do not store this product above 100 degrees F or below 20 degrees F for extended periods of time. Keep containers tightly closed and in original containers when not in use.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If not available, dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Warranty

To the extent consistent with applicable law, PiGNX[®] Company warrants that this product conforms to the chemical description on the product label and is reasonably fit when used in accordance with the directions for use. However, it is impossible to eliminate all risks inherently associated with the use of this product. This warranty does not extend to the use of this product in a manner inconsistent with its labeling or when used under abnormal conditions, such as adverse weather conditions and presence of other materials. These factors are beyond the control of PiGNX[®] Company or the Seller. All such risks shall be assumed by the Buyer.

To the extent consistent with applicable law, PiGNX[®] Company makes no other expressed or implied warranty and it expressly excludes and disclaims all implied warranties of fitness or merchantability for a particular purpose. To the extent consistent with applicable law, PiGNX[®] Company or the Seller are not liable for

15 8 16

consequential, special, or indirect damages resulting from the use or handling of this product.

To the extent consistent with applicable law, the Buyer's exclusive remedy and PiGNX[®] Company's or Seller's exclusive liability, shall be limited to the purchase price of the product.

Customer Service/Questions: 866-744-6988

Manufacturer:

PiGNX[®] Company
POB 6310
Whittier, CA 90609

866-744-6988

Patent Pending

Made in USA- California

PiGNX[®] is a registered trademark of PiGNX[®] Company.

(OPTIONAL/MARKETING LANGUAGE)

PiGNX® Co. guarantees complete satisfaction when used as directed and application installation is not disturbed or your money back or PiGNX® will provide equivalent amount of product at no cost to the user up to the total cost of the purchase price less shipping/handling/labor/equipment charges.

PiGNX® guarantees complete satisfaction when used as directed and application installation is not disturbed.

[New] PiGNX® Caulking Gel