WASHINGTON, DC 20460





AUG - 8 2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Robert S. Brennis Agent for Sunbelt Chemical Corp. Sunbelt Chemical Corp. 6628 Birchleigh Way Alexandria, VA 22315

Subject:

Smart Chlorinating Solution EPA Registration No. 84517-3 Application Date: July 5, 2011 Receipt Date: July 11, 2011

Dear Mr. Brennis:

The following notification submitted in connection with registrations under the provisions of PR Notice 98-10, Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9 is acceptable.

Proposed Notification:

To add the NSF logo to the label

Comments:

Based on a review of the material submitted, the following comments apply:

This application for notification as referenced above is acceptable. A copy has been placed in our records for future reference.

Should you have any questions concerning this letter, please contact Wanda Henson on (703) 308-6345 or at Henson.Wanda@epa.gov.

Product Manager (32)

Regulatory Management Branch II Antimicrobials Division (7510P)

	<u> </u>	CONCURRENC	ZS	
SYMBOL N 75/DP	7510P			7 0000 00000 0000 0000 0000000000000000
SURNAME Len SUN	HARRIS			
DATE 8/8//	8-9-11	·	·	***********************
				ACCIBIAL BULB CARV

Please read instructions on reverse before	ited States		Form Approved	(entifier Number
EPA Env	vironmental Protection	. Δαρηνί	☐ Registr		\	
Env				la)	XXXX	
,	Washington, DC 2046	Other- Notification ⊠				
	Application	n for Pestici	de - Section	11		
I. Company/Product Number 34517-3	·	2. EPA Product Wanda Hens			3. Proposed C	lassification
. Company/Product (Name)		PM#			None	Restricted
Smart Chlorinating Solution		32				
5. Name and Address of Applicant (In	clude ZIP Code)			accordance wit		
Sunbelt Chemical Corp.	. :	1	iduct is similar	or identical in	composition	and labeling
71 Hargrove Grade		to:	. 5			
Palm Coast, FL 32137	DECDANDENCE TA	EPA Reg. N	0			_
PLEASE SEND ALL CORE "CONTACT POINT" L		Product Nar	ne			
Check if this is a new as		Trouder Hai				
		Section -	II			
Amendment – Explain below.	· · · · · · · · · · · · · · · · · · ·	· []	Final printed labe	els in response to	Agency letter da	ited
Resubmission in response to Age	ency letter dated July 6, 2004		"Me Too" Applica		,	
Notification - Explain below.			Other - Explain b	pelow		
Explanation: Use additional p						
Enclosed is a notification to add th						
Notice 95-2 and EPA regulations						
Samuella of this muscles at I sandousta	and that it is a violation of 1	18U.S.C. Sec. 10	001 to willfully	make any false		
				OVER 1 50 16 1		
understand that if this notification	is not consistent with the to	erms of PR Not			is product may	be in violation
understand that if this notification of FIFRA and I may be subject to	is not consistent with the te enforcement action and pe	erms of PR Not nalties under se	ctions 12 and 14	4 of FIFRA.	is product may	be in violation
understand that if this notification of FIFRA and I may be subject to	is not consistent with the te enforcement action and pe	erms of PR Not nalties under se 7 or at my emai	ctions 12 and 14 l at <u>brennis.bob</u>	4 of FIFRA.	is product may	be in violation
understand that if this notification of FIFRA and I may be subject to	is not consistent with the te enforcement action and pe	erms of PR Not nalties under se	ctions 12 and 14 l at <u>brennis.bob</u>	4 of FIFRA.	is product may	be in violation
understand that if this notification of FIFRA and I may be subject to If you have any questions, please of	is not consistent with the te enforcement action and pe	erms of PR Not nalties under se 7 or at my emai Section – I	ctions 12 and 14 l at <u>brennis.bob</u>	4 of FIFRA. @gmail.com.	is product may	
understand that if this notification of FIFRA and I may be subject to if you have any questions, please of	is not consistent with the trenforcement action and percontact me at 703-922-667 Unit Packaging Yes	erms of PR Not nalties under se 7 or at my emai Section – I	ctions 12 and 14 l at brennis.bob	4 of FIFRA. @gmail.com.		
understand that if this notification of FIFRA and I may be subject to if you have any questions, please of the control of the	is not consistent with the trenforcement action and percontact me at 703-922-667 Unit Packaging Yes No	erms of PR Not nalties under se 7 or at my emai	ctions 12 and 14 l at brennis.bob	4 of FIFRA. @gmail.com.	2. Type of Conta	
understand that if this notification of FIFRA and I may be subject to If you have any questions, please of Child-Resistant Packaging Yes*	is not consistent with the trenforcement action and percontact me at 703-922-667 Unit Packaging Yes No If "Yes"	erms of PR Not nalties under se 7 or at my emai Section – I Wate	ctions 12 and 14 l at brennis.bob II der Soluble Packag Yes No	4 of FIFRA. @gmail.com. ling 2 No. per	2. Type of Conta	
understand that if this notification of FIFRA and I may be subject to if you have any questions, please of the control of the	is not consistent with the trenforcement action and percontact me at 703-922-667 Unit Packaging Yes No If "Yes" Unit Packaging wgt.	erms of PR Not nalties under se 7 or at my emai Section – I Wate No. per If "Ye container Pa	ctions 12 and 14 l at brennis.bob	4 of FIFRA. @gmail.com. ing 2 No. per container	2. Type of Conta	
understand that if this notification of FIFRA and I may be subject to if you have any questions, please of the control of the	is not consistent with the trenforcement action and percontact me at 703-922-667 Unit Packaging Yes No If "Yes" Unit Packaging wgt. Unit Packaging wgt. 4 Size(s) Retainer 6 ounces an	rms of PR Not nalties under se 7 or at my emai Section – I Wate No. per If "Ye container at 32 ounces container a	er Soluble Packag Yes No s'' ckage wgt	4 of FIFRA. @gmail.com. ling 2 No. per	2. Type of Conta	
understand that if this notification of FIFRA and I may be subject to if you have any questions, please of the control of the	is not consistent with the trenforcement action and percontact me at 703-922-667 Unit Packaging Yes No If "Yes" Unit Packaging wgt. 4 Size(s) Retain	rms of PR Not nalties under se 7 or at my emai Section – I Wate No. per If "Ye container at 32 ounces container a	er Soluble Packag Yes No s'' ckage wgt	No. per container 5. Location of L	2. Type of Conta	iner
conderstand that if this notification of FIFRA and I may be subject to f you have any questions, please of the condense of the	is not consistent with the trenforcement action and percentact me at 703-922-667 Unit Packaging Yes No If "Yes" Unit Packaging wgt. contact me at 703-922-667	rms of PR Not nalties under se 7 or at my emai Section – I No. per If "Ye container Pail Container Id 32 ounces contiduct	er Soluble Packag Yes No s'' ckage wgt	No. per container 5. Location of L	2. Type of Conta	tiner
conderstand that if this notification of FIFRA and I may be subject to if you have any questions, please of the condense of th	is not consistent with the trenforcement action and percentact me at 703-922-667 Unit Packaging Yes No If "Yes" Unit Packaging wgt. on A Size(s) Retainer ounces of pro	rms of PR Not nalties under se 7 or at my emai Section – I No. per If "Ye container Pail Container Id 32 ounces contiduct	er Soluble Packag Yes No s'' ckage wgt aining 0.5	No. per container 5. Location of L	2. Type of Conta	iner
No No Location of Net Contents Informatio	Is not consistent with the trenforcement action and percontact me at 703-922-667 Unit Packaging Yes No If "Yes" Unit Packaging wgt. On 4. Size(s) Retainer 6 ounces an ounces of process	rms of PR Not nalties under se 7 or at my emai Section – I No. per If "Ye Pail Container and 32 ounces contoduct ph Section – I'	ctions 12 and 14 l at brennis.bob II der Soluble Packag Yes No s ckage wgt aining 0.5	No. per container 5. Location of L On Label Cassary, to process	2. Type of Conta Metal Plastic abel Directions el ling accompanyin	ng product
understand that if this notification of FIFRA and I may be subject to If you have any questions, please of the content of the	Is not consistent with the trenforcement action and percontact me at 703-922-667 Unit Packaging Yes No If "Yes" Vnit Packaging wgt. con a Size(s) Retainer ounces of property of Product Product It it is not consistent with the trends and ounce and ounce of product It it is not consistent with the trends and it is not consistent with the trends and the product of the product of the product It is not consistent with the trends and percontact in the product of the pro	Section - I Section - I Wate No. per If "Ye container and 32 ounces container and 32 ounces container and 35 ounces container and 36 ounces container and 37 ounces container and 38 ounces container and 39 ounces container and 39 ounces container and 30 ounces contain	er Soluble Packag Yes No is" ckage wgt aining 0.5	No. per container 5. Location of L On Labe On label	2. Type of Conta Metal Plastic abel Directions el ling accompanyin this application) elephone No. (In	ng product
understand that if this notification of FIFRA and I may be subject to If you have any questions, please of Child-Resistant Packaging Child-Resistant Packaging Yes* No Location of Net Contents Informatio Label Con Manner in Which Label is Affixed to 1. Contact Point (Complete items did	Is not consistent with the trenforcement action and percontact me at 703-922-667 Unit Packaging Yes No If "Yes" Vnit Packaging wgt. con a Size(s) Retainer ounces of property of Product Product It it is not consistent with the trends and ounce and ounce of product It it is not consistent with the trends and it is not consistent with the trends and the product of the product of the product It is not consistent with the trends and percontact in the product of the pro	Section - I Section - I Wate No. per If "Ye container and 32 ounces container and 32 ounces container and 35 ounces container and 36 ounces container and 37 ounces container and 38 ounces container and 39 ounces container and 39 ounces container and 30 ounces contain	ctions 12 and 14 l at brennis.bob II der Soluble Packag Yes No s ckage wgt aining 0.5	No. per container 5. Location of L On Labe On label	2. Type of Conta Metal Plastic abel Directions el ling accompanyin this application) elephone No. (In	ng product
understand that if this notification of FIFRA and I may be subject to If you have any questions, please of the content of the	Is not consistent with the trenforcement action and percontact me at 703-922-667 Unit Packaging Yes No If "Yes" Vnit Packaging wgt. con a Size(s) Retainer ounces of property of Product Product It it is not consistent with the trends and ounce and ounce of product It it is not consistent with the trends and it is not consistent with the trends and the product of the product of the product It is not consistent with the trends and percontact in the product of the pro	rems of PR Not nalties under se 7 or at my emai Section – I No. per If "Ye Pa il Container ad 32 ounces contoduct ph Section – I' of individual to be Agent for Section Section - I'	er Soluble Packag Yes No is" ckage wgt aining 0.5	No. per container 5. Location of L On Labe On label	2. Type of Conta Metal Plastic abel Directions el ling accompanyin this application) elephone No. (In	ainer ng product clude Area Code 22-667.7
Inderstand that if this notification of FIFRA and I may be subject to f you have any questions, please of the following please	Is not consistent with the treenforcement action and percent at 703-922-667 Unit Packaging Yes No If "Yes" Vinit Packaging wgt. In 4 Size(s) Retainer 6 ounces an ounces of property Carterial Certification of the control of the co	rems of PR Not nalties under se 7 or at my emai Section – I Wate No. per If "Ye Pa il Container ad 32 ounces contoduct ph Section – I' of individual to be Agent for Suchments thereto ac necessity of the section of th	ctions 12 and 14 l at brennis.bob II II II II II II II II II	No. per container 5. Location of L On Labe On label essary, to process I Corp.	2. Type of Conta Metal Plastic abel Directions elling accompanyin this application) elephone No. (In 703-9	ng product clude Area Code 22-667.7
Inderstand that if this notification of FIFRA and I may be subject to f you have any questions, please of the following please	Is not consistent with the treenforcement action and percent at 703-922-667 Unit Packaging Yes No If "Yes" Vinit Packaging wgt. In 4 Size(s) Retainer 6 ounces an ounces of property Carterial Certification of the control of the co	rems of PR Not nalties under se 7 or at my emai Section – I Wate No. per If "Ye Pa il Container ad 32 ounces contoduct ph Section – I' of individual to be Agent for Suchments thereto ac necessity of the section of th	ctions 12 and 14 l at brennis.bob II II II II II II II II II	No. per container 5. Location of L On Labe On label essary, to process I Corp.	2. Type of Conta Metal Plastic abel Directions el ling accompanyin this application) elephone No. (In 703-9 6. Date Appl Received	ng product clude Area Code 22-6677
anderstand that if this notification of FIFRA and I may be subject to if you have any questions, please of the first pour have any questions and first pour have any questions, please of the first please o	Is not consistent with the treenforcement action and percent at 703-922-667 Unit Packaging Yes No If "Yes" Vinit Packaging wgt. In 4 Size(s) Retainer 6 ounces an ounces of property Carterial Certification of the control of the co	Section – I Section – I Wate No. per If "Ye Pa il Container ad 32 ounces contoduct ph Section – I' of individual to be Agent for Section analy be punishable	ctions 12 and 14 l at brennis.bob II II II II II II II II II	No. per container 5. Location of L On Labe On label essary, to process I Corp.	2. Type of Conta Metal Plastic abel Directions el ling accompanyin this application) elephone No. (In 703-9 6. Date Appl Received	ainer ng product clude Area Code 22-667.7 ication
anderstand that if this notification of FIFRA and I may be subject to if you have any questions, please of the first pour have any questions and first pour have any questions, please of the first please o	Is not consistent with the treenforcement action and percontact me at 703-922-667 Unit Packaging Yes No If "Yes" Vnit Packaging wgt. of a Size(s) Retainer Of Product Certification of the contact of	rems of PR Not nalties under se 7 or at my emai Section – I Wate No. per If "Ye Pa il Container ad 32 ounces contoduct ph Section – I' of individual to be Agent for Sun any be punishable ittle	ctions 12 and 14 l at brennis.bob II II II II II II II II II	No. per container 5. Location of L On Labe On label essary, to process I Corp. To	2. Type of Conta Metal Plastic abel Directions ing accompanyin this application) elephone No. (In 703-9 6. Date Appl Received (Si	clude Area Code 22-6677
understand that if this notification of FIFRA and I may be subject to If you have any questions, please of the content of the	Is not consistent with the treenforcement action and percent action ac	rems of PR Not nalties under se 7 or at my emai Section – I Wate Section – I Wate Solve Parish and 32 ounces control of individual to be Agent for Section – I Chments thereto a may be punishable little Agent for Section – I Section – I Chments thereto a may be punishable sittle Agent for Section – I Section – I Chments thereto a may be punishable sittle Agent for Section – I	re true, accurate as by fine or imprise	No. per container 5. Location of L On Labe On label essary, to process I Corp. To	2. Type of Conta Metal Plastic abel Directions ing accompanyin this application) elephone No. (In 703-9 6. Date Appl Received (Si	ng product clude Area Code 22-6677
understand that if this notification of FIFRA and I may be subject to If you have any questions, please of Child-Resistant Packaging Child-Resistant Packaging Yes* No Location of Net Contents Informatio Label Con Contact Point (Complete items diale) Name: Robert S. Brennis 6628 Birchleigh Way, Alexandr I certify that the statements I have not acknowledge that any knowingly face.	Is not consistent with the treenforcement action and percent action	rems of PR Not nalties under se 7 or at my emai Section – I No. per If "Ye Pa il Container ad 32 ounces contoduct och Section – I' of individual to be Agent for Section analy be punishable ittle Agent for Section Section Section Section Agent for Section Sectio	re true, accurate as by fine or imprise	No. per container 5. Location of L On Labe On label essary, to process I Corp. To	2. Type of Conta Metal Plastic abel Directions ing accompanyin this application) elephone No. (In 703-9 6. Date Appl Received (Si	clude Area Code 22-6677 ication

Brennis Consulting Services LLC

6628 Birchleigh Way, Alexandria, VA 22315 703-922-6677 Brennis.bob@gmail.com

July 5, 2011

Document Processing Desk Simple Formula Amendment Office of Pesticide Program (7504P) US EPA 1200 Pennsylvania Ave. NW Washington, DC 20460

Dear Ms. Henson:

Subject:

Sunbelt Chemical Corp.

Smart Chlorinating Solution (EPA Reg. No. 84517-3)

Notification

Enclosed is a notification to add the acceptable NSF logo to the label.

This notification is consistent with the provisions of PR Notice 95-2 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 95-2 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If you have any questions, please contact me at 703-922-6677 or at my email at brennis.bob@gmail.com.

Sincerely,

Robert S. Brennis

Agent for Sunbelt Chemical Corp.



VENTED CAP - DO NOT TIP BOTTLE - CAP WILL LEAK PRODUCT WILL DAMAGE CARPET, CLOTH ON CONTACT

CHLORINATING SOLUTION KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

Route of Exposure	FIRST AID STATEMENT
If on skin or clothing:	Take off all contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with plenty of water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for further treatment advice.
If swallowed:	Call poison control center or doctor immediately for treatment advice. Have persons fip a glass of variet if able to swallow. Do NOT INDUCE VOMITING unless fold to do so by poison control center or doctor. DO NOT give anything by mouth to an unconscious person. Have the product container label with you when calling a poison control center or doctor, or going for treatment.
If inhaled:	Move exposed person to fresh air If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Note to Physician:	Probable mucosal damage may contraindicate the use of gastric lavage

EPA Reg. No. 84517-3

FOR SWIMMING POOL CHLORINATION PARA CLORACIÓN DE PISCINAS Liaui-Shock

STORE BEF©I LEAVII

> Balanceado para piscinas limpias **Balanced For Clean Pools**

TAPA VENTILADA – NO INCLINE LA BOTELLA – LA TAPA GOTEARÁ EL PRODUCTO DAÑARÁ LA ALFORMBRA Y TELA AL CONTACTO. SOLUTIÓN PARA CLORAR MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS PELIGRO

PRIMEROS AUXILIOS

Via de Exposición	PRIMEROS AUXILIOS
Si entra en contacto con la piel o la ropa:	Outlesé la ropa contaminada. Lave la piel inmediatamente con abundate ague durante 15-20 minutos. Llarne a un centro de control de envenenamiento o a un doctor para obtener tratamiento.
Si entra en contacto con los ojos:	Mantenga et ojo abterto y anjuágueto fentamente y suavemente con abundante agua durante 15-20 mínutes. Renueva tos lentes de contacto, si presentes, después de los primeros 5 mínutos, luego continue lavando et ojo. Llame a un centro de control de enveneramiento o a un doctor para consejo adicional de tratamiento medico.
Si se ingiere:	Llame a un centro de control de enverenamiento o un doctor de inmediato para abrente para baste de sobre un vaso de agua en escretar en caracter de control de enveneramiento a menos de agua si está en capacidad de tagas. NO INDUZCA AL VÓMITO a menos que se lo haya recomendado el centro de control de enveneramiento o un coroxi. O A AMNINSTRE, ensa por la bosa a una persona inconsciente, escrito de elfunia del producto cuando llame al centro de control de enveneramiento o doctor o al ir por tralamiento medico.
Si se inhala:	Traslade a la persona expuesta al aire fresco. Si la persona no està respirando, lame 91 to a una ambilancia, y administre respiración artificial preferiblemente boca a boca si es posible. Lama a un cestro de control de envenenamiento o a un doctor para consejo adicional de tratamiento médico.
Nota para el Medico:	Nota para el Medico: El daño probable de mucosal puede contraindicar el uso de lavado gástrico

EPA Est. No. 84517-FL-001



TENTION VAN and SUV owners:

ATENCIÓN propietarios de VEHÍCULOS UTILITARIOS y CAMIONETAS FAMILLIÁFIES After tightening cap - Transport in rear storage area of vehicle in plastic milk crate or cardboard box, blocked to hold upright.

Después de apretar la tapa – transpo⁄⁄ate₃en e∮ área de almacenaje trasera del vehículo en un cajón plástico para leche o caja de คลาห์คัก, bloqueada para sostenerse en posเ็อเ่งที่ vêriiเร็จไ

993333

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

IGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in s, or skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling this product. Wash throughly soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Avoid breathing vapors. Vacate ty verifiabed areas as soon as possible. Do not return until odors have dissipated. Remove and wash confaminated

CONTAINER STORAGE: Store this product in a cool dry area away from direct sunlight and heat to avoid deterioration. In case if spill, flood areas with large quantities of water. Product or rinsales that cannot be used should be diluted with water before

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available or place in trash collection. Do not contaminate food or feed by storage, disposal, or cleaning of equipment.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT Mix only with water according to label directions. Mixing this product with gass filts work as feeces, unkine, etc., or with ammonia, acids, detergents or other chemicals, may release hazardous gases irritating to eyes, lungs and mucous membranes.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into labels, streams, proms, estuaries, oceans or other waters, intension and occidence with the requirements of a National Poliulant Discharge Elimmation System (RPDES) permit and the permitting authority has been notified in writing prior to the discharge. Do not discharge effluent containing this product to sewer systems without notifying the local sewage frealment oplant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTION FOR USE: IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING, FOLLOW DIRECTIONS BELOW FOR SWIMMING POOL CHLORINATION.

SWIMMING POOL WATER DISINFECTION: For a new pool or spring start-up, super chlorinate with 52 to 104 ft, oz. of product for each 70,000 gallors of water to yield an available chlorine residual between 0.6 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimers. Every 1 days of as necessary, super chlorinate the pool with 55 to 104 th, oz. of product for each (1.000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine the sit is 0.000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not re-enter pool risk of bodility harm. At the end of the swirming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from the treated pool water brother also. Do not chlorinate the pool within 24 hours pino to discharge. NOTE: This product degrades with age. Use a chlorine test kit and increase dosage as necessary to obtain the required level

Warning - Attention customer - for Your Safety - CHECK CAP FOR TIGHTNESS BEFORE LEAVING STORE. Transport in an upright position in Trunk Only. Do not transport inside car, product will

TABLE OF PROPORTIONS - AVAILABLE CHLORINE

1000 ppm - Use 4 fl. oz. In 2.5 gatlons of water 200 ppm - Use 1 fl. oz. In 3.5 gatlons of water 1 ppm - Use 1 fl. oz. In 750 gatlons of water 0.5 ppm - Use 1 fl. oz. In 1,500 gatlons of water



MAXIMUM USE IN POTABLE WATER IS 105 mg/L

PELIGRO: Corrosivo, puede causar severa irritación en la piel o quemaduras químicas en la piel cortada. Cuasa diáno en los ojos. No lo ponga en los ojos, en la piel o en las ropa. Use gafas o lentes de seguridad y guantes de hute cuando maneje este poducto. Lavar mintuciosamente con labory y agua después de manejar y antes de comer, beber, mascar goma o usar labacco. Evite respirar los vapores. Desaloje las áreas cerradas lo antes posible. No regrese hasta que los olores hayan desciparecido. Remueva y lave ropa contaminada antes de usar. PELIGROS PARA HUMANOS Y ÁRIGALES DOMÉSTICOS COMUNICADOS PREVENTIVOS

ALMACENAMIENTO DE CONTENEDOR:Almacena en un área fresca y seca alejada de la luz del sol y el calor para evitar approarmiento. En caso de derrame, la we con grandes candidades de agua. El producto or virsates que no prueden ser utilizados deben ser diluidos con agua antes de disposición en una alcantarila sanitaria. DISPOSICION DE CONTINEDOR. Contenedor no-relienable, No vuelva a emplear ni rellene este contenedor. Offrezca para reciclar si disponible o ponga en lugar de colección del basura. El quege in triplique el contenedor (o le queviablemente) inmedialamente después de vaciar. No contamine, alimento contrinda por annacenamiento, la disposicion o limpiar de equipo.

PELIGROS FÍSICOS Y QUÍMICOS: FUERTE AGENTE OXIDANTE Mezde sólo con agua según las instrucciones "a la eliqueta. Mezclar este producto con suciedad bruta fales como escremento, orina, etc. o con amoniaco, acidos, deterge nes totros químicos, puede emitir gases peligrosos irritantes a los ojos, pulmones y membranas mucosas.

estido de dotto disponible y autalimicare un ergani, producire de 5 di porte de consistente, superiorie a prische con insighe de la temperatura y número de naria para producire de 5 di porte de coro disponible por pasto. Revise 52 a 104 fl. oz. de producio por cada 10,000 galones degrese a la pische hasta que el cloro residual este entre 1.0 a 3.00 ppm. El reingreso en pischenas tratadas es prohibido cueva a ser drenada ela pische de cario de perminire a el coro disponible con caria para la compania de propriato de propriato de dario físico. Al final de la temporada de pisches o cuando el agues pische de las 24 horas previas al vertimiento. DE LA PISCINA.

BESINECTRANDO DEL AGUA DE LA PISCINA: Para_{tia} para producir un residuo de afranque de primavera, superdicire com 52 BESINECTRANDO DEL AGUA DE LA PISCINA: Para_{tia} para producir un residuo de doro disponible entre 0,6 st 1,0 ppm an 104 ft, oz. de producio por cada 10,000 galones de rer un residuo de 1,0 a 15 ppm de choro disponible. Examine el ph. por peso. Las piscinas estabilizadas deben de maniertemente con Altri de pureba apropiados. La frecuencia del tratamiento residuo de choro disponible y alcalindad del agua frecuendates. Cada 7 das o como sea necesario, superciore la piscine considera del como sea necesario, superciore la piscine considera del como sea necesario.

para oblemer el nivel requerido de cloro disponible. "URIDAD-REVISE QUE LA TAPA, ESTÉ APRETADA ALITES DE ADVERTENCIA-ATENDIO. CLIENTE-ARA SU SENTE EN UNA POSICIÓN VERTICAL EN LA CAJUELA. NO SALIR DE LA FIENDA. TRANSPORTE DENTRO DEL CARRO. EL PRODUC. PART # 120 DISTRIBUIDO POR: SUNBETT CHEMICAE. PALM COAST, FL. 32137

HARGROVE GRAFT O DISPONIBLE 1000 ppm - Use 4 fl. oz. en 2.5 cones de agua 200 ppm - Use 1 fl. oz. en 3.5 giones de agua 1 ppm - Use 1 fl. oz. en 750 giones de agua 0.5 ppm - Use 1 fl. oz. en 750 giones de agua FABLA DE PROPORCIONES – CI