116 2011



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

JAN - 6 2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Technology Sciences Group Inc. c/o for sBioMed. LLC 1150 18th Street, NW Suite 1000 Washington, DC 20036

Attention: Erin Tesch Regulatory Specialist

Subject: PeraDox HC Activator Solution Part B EPA Reg. No. 84545-5 Notification Letter Dated December 15, 2010

This will acknowledge receipt of your notification submitted under the provisions of FIFRA Section 3(c) (9). Based on a review of the submitted material, the following apply:

• Clarifying the directions for use by identifying the specific ratio of mixture

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Demson Fuller at (703) 308-8062.

Sincerely,

Marshall Swindell Product Manager (33) Regulatory Management Branch 1 Antimicrobials Division (7510C)

_Please read instructions on reverse before completi	ng)1.		Form Appr	oved	. ON 5.2	070-006	2. Approval expires 2-28-95
Environmental	ited States Protection gton, DC 20460		· · · · ·	 ✓ 	Registra Amendn Other		OPP Identifier Number
٩٩	pplication	for Pesticio	le - Secti	ion	I		
1. Company/Product Number 84545-5 4. Company/Product (Name)			Product Mana all Swindell	ger		3. Pro	pposed Classification
PeraDox HC Activator Solution Part B		33					
5. Name and Address of Applicant <i>(Include ZIP Cod</i> sBioMed, LLC 1272 South 1380 W Orem, Utah 84058	ie)	(b)(i), m to: EPA F	eg. No. $\frac{5^2}{2}$; sim 428	ilar or identi 9-4		FIFRA Section 3(c)(3) mposition and labeling
Check if this is a new address		Produ	ct Name P	era			
		Section - I					
Amendment - Explain below. Resubmission in response to Agency letter d V Notification - Explain below. Explanation: Use additional page(s) if necessary.		and Section II.)	Final printed Agency lette "Me Too" Aj Other - Expla	r dati pplica	ition.	• to	
fax (202) 872-0745. This notification is consistent with the provisions of PR Notice 98-10 and this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to 40 CFR 152.46, this product may be in violation of FIFRA and I may be	willfully make any fals	e statement to EPA. I fu	rther understand th nder sections 12 a	nat if thi	s notification is not		
1. Material This Product Will Be Packaged In:					· · · · · · · · · · · · · · · · · · ·		
Child-Resistant Packaging Ves No Ves No Ves Ves Ves Vo No Ves Ves Ves Ves Ves Ves Ves Ves	No. per	Water Soluble Pa Yes V No If "Yes" Package wgt	No. per container		2. Type of 0	Container Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents Information 4 ✓ Label Container	4. Size(s) Retail	Container 4 oz, 12 oz		5. Loo	Lation of Lab	el Directio	ns
6. Manner in Which Label is Affixed to Product	Lithograp Paper glu Stenciled	oh Jed	Other				
		Section - IN	/				
1. Contact Point (Complete items directly below for		· · · · · · · · · · · · · · · · · · ·		f nece	assary, to pro	cess this	application.)
Name Erin M. Tesch,Technology Sciences Group, Inc		tle egulatory Consi	ultant			•	-89ງ້ຽ່ງ ເມີດເພde Area Code)
I certify that the statements I have made on t I acknowledge that any knowlinglly false or m both under applicable law.		attachments the					6. Date Application Seceived (Stamped) 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5
2. Signature Com M Fesch	- R	Title egulatory Consult	ant to sBioMed	d, LLC		נכן נ ו נ נ נ נ נ	د د د د د ر ر
4. Typed Name Erin M. Tesch	5.	Date 12/1	5/2010				, , , , , , , , , , , , , , , , , , ,



December 15, 2010

WASHINGTON

1150 18th Street, N.W. Suite 1000 Washington, D.C. 20036 Telephone 202 223-4392 Fax 202 872-0745

Mr. Marshall Swindell Office of Pesticide Programs Antimicrobial Division (7504P) Office of Pesticide Products U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

SACRAMENTO

712 Fifth Street Suite A

Davis, CA 95616 Telephone 530 757-1298

Fax 530 757-1299

CANADA

275 Slater Street

Suite 900

Ottawa, Ontario

K1P 5H9

Telephone 613 247-6285

Fax 613 236-3754

Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501

RE: sBioMed, LLC: PeraDox HC Activator Solution Part B (EPA Reg. No. 84545-5) Notification for Label Changes per PR Notice 98-10

Dear Mr. Swindell:

Technology Sciences Group Inc., on behalf of sBioMed, LLC, is submitting the enclosed notification to clarify the directions for use by identifying the specific ratio of the mixture (refer to page 4). The current directions for use simply indicate to mix the contents of one bottle into another bottle. During the process of seeking state registration, the states have requested the specific amount of product in the bottles be identified on the directions for use. Therefore, sBioMed have clarified the directions for use to indicate one bottle (containing 2.2 oz of product) should be mixed with the larger bottle (containing one gallon product).

You will find the following included with this submission:

- 1) EPA Application Form,
- 2) One redline version of the revised label, and
- 3) Three clean copies of the revised label.

Please do not hesitate to contact me directly with any questions and/ or concerns at (202) 828-8966 or via e-mail: etesch@tsgusa.com.

Sincerely.

M. Fesch

Erin M. Tesch Regulatory Agent for sBioMed, LLC



E-mail tsg@tsgusa.com http://www.tsgusa.com

Steriplex HC ActivatorTM (Part B)

(Peroxyacetic Acid Solution) [Alternate Brand Name: Steriplex HC[™] Activator Solution Part B]

BEFORE USING THIS PRODUCT, READ THIS ENTIRE LABEL CAREFULLY

Steriplex HC[™] is a two-part system and, when Part A and Part B are combined, create an effective Sterilant/Sporicide, Tuberculocide, and Bactericide.

OR:

Steriplex HC Activator (Part B) is one component of a two-part system and therefore must not be used alone as a Disinfectant or Sterilant. When combined with Part A, the Steriplex HC Mixed Solution creates an effective Sterilant/Sporicide, Tuberculocide and Bactericide.

ACTIVE INGREDIENTS:

Hydrogen Peroxide	22.00 %
Peroxyacetic Acid	15.00%
Inert Ingredients	63.00%
Total	

DANGER

KEEP OUT OF REACH OF CHILDREN

READ ENTIRE PANEL [AND INSERT] FOR [DIRECTIONS FOR USE AND] ADDITIONAL PRECAUTIONARY STATEMENTS

[Activate Steriplex HC prior to use by combining Steriplex HC Activator (Part B) with Steriplex HC (PartA) (as instructed in the insert)].

E.P.A. Reg. No. 84545-5

E.P.A. Est. No. 84545-UT-001

Net Contents: (as indicated on Container)

(Note to Reviewer: Language in () is optional or interchangeable)

40f 14



1272 South 1380 West Orem, Utah 84058 TEL: 801-922-1111 FAX: 801-922-1100

[Note to Reviewer: The following is considered optional marketing language]

- Steriplex HC[™] is a two part system, when Part A (Steriplex HC[™] (Part A)) and Part B (Steriplex HC Activator [™] (Part B)) are combined, create an effective Sporicide, (Sterilant), (Disinfectant), (Antibacterial), (Deodorizer)
- Kills, (destroys), (eliminates) 99.999% of the following germs: Bacillus subtillus, Clostridium sporogenes, Mycobacterium (at 20° C), Pseudomonas aeruginosa, Salmonella enterica, and Staphylococcus aureus.
- When used as directed, Steriplex HC[™] is effective against the following pathogens on hard non-porous, non-food contact surfaces:

As a Sporicide:	Bacillus subtillus Clostridium sporogenes
As a Tuberculocide:	Mycobacterium (Tuberculosis)(at 20°C)
As a Bactericide:	Pseudomonas aeruginosa (Pseudomonas) Salmonella enterica (Salmonella) Staphylococcus aureus (Staph)

- Steriplex HC[™] mixed solution is a broad spectrum Sporicide (Disinfectant)(Sterilant) (Antibacterial)(and)(Deodorizer), proven to kill (destroy)(eliminate)(deodorize) Bacillus subtillus, Clostridium sporogenes, Mycobacterium (at 20° C), Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus, on non-porous hard surfaces.
- General Uses: Steriplex HC[™] mixed solution is effective on non-porous hard surfaces in (Homes), (Hospitals), (Laboratories), (Nursing Homes), (Day Care Centers), (Medical and Dental Offices), (Animal Shelters), (Kennels), (Hotels), (Motels), (Restaurants), (Offices), (Beauty Salons & Barber Shops), (Subways), (Trains), (Airplanes), (Cruise Lines), (Busses) and (other public transportation

vehicles), (Locker Rooms), (Gyms), (Restrooms), (correctional facilities), (funeral homes), (morgues), (spas), (health clubs), (salons), (schools and school medical facilities), and (school buses).

- Home Uses: Steriplex HCTM mixed solution has been formulated to effectively destroy (kill)(eliminate)(deodorize) *Bacillus subtillus, Clostridium sporogenes, Mycobacterium* (at 20° C), *Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus,* on hard, non-porous surfaces (in)(on): Kitchen (Stove Tops), (Sinks), (drain boards), (Cabinets), (Refrigerator exterior surfaces), (floors), and (window sills), Laundry Room Surfaces, Bathroom (counter tops), (tubs), (showers), (glazed tiles), (toilet surfaces), (walls), (floors), (hampers), (diaper pails), (scales), (mirrors), (door knobs), (handles), and (faucet fixtures).
- [Applicance Uses. Steriplex HC[™] mixed solution can be used] [Use] on (appliances), (telephones), (cell phones), (mobile phones) (light switch covers), (computer keyboards), (computer mouse) and (remote controls).
- Nursery Uses: Steriplex HC[™] mixed solution is effective (when used as directed) on (children's toys), (toys), (toy boxes), (diaper changing tables), (cribs), (strollers), (baby car seats), (play pens), (activity centers), (desks), (play table & chairs), (children's play sets), (riding toys), and (bath toys).
- Medical Industry Uses: Steriplex HC[™] mixed solution is an effective Sporicide . (disinfectant)(sterilant) (antibacterial)(deodorizer) on hard non-porous surfaces within the medical industry including (surfaces such as) (chairs), (stools), (counter tops), (drawer pulls), (door knobs and handles), (carts), (baskets), (pans), (pails), (IV poles), (tables), (cabinets), (lighting fixtures), (bassinets), (bed rails), (incubators), (physical therapy equipment), (shower stalls), (toilet exteriors and toilet seats), (telephones and other related hard surfaces in hospitals), (operating and surgical rooms), (stretchers), (examination tables), (intensive and critical care units), (emergency units), (dental and veterinary offices), (surgery), (recovery), (anesthesia), (X-Ray), (Cat. Lab), (blood collection and donation centers), (isolation units), (orthopedics), (newborn nursery), (respiratory therapy), (radiology), (pediatrics), (physical therapy), (rehabilitation), (ophthalmology), (optometry), (hospices), (central supply), (emergency medical vehicles), (police and fire vehicles), (correctional facilities), (funeral homes), (morgues), (spas), (health clubs), (salons), (schools and school medical facilities), (school buses), and (day care).
- General Surfaces Uses: Steriplex HC[™] mixed solution is effective on these types of surfaces as well: (Formica), (Glazed Ceramic), (Glazed enameled surfaces), (Glazed Porcelain), (Metal), (Plastic), (Sealed Granite), (Sealed Limestone), (Sealed Marble), (Sealed Slate), (Sealed Stone), (Sealed Terra Cotta), (Sealed Terrazzo), (Stainless Steel), (Upholstery), (Vinyl) and (finished Woodwork).

100F14

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Use Statement

Steriplex HC ActivatorTM (Part B) is (formulated as) one component of a two-part system and therefore must not be used alone as a disinfectant or as a sterilant. Activate Steriplex HCTM prior to use by, combining Steriplex HCTM (Part A), with the Steriplex HC ActivatorTM (Part B) (enclosed) [, into a one-gallon container] [, into a 5-gallon container] as instructed below.

Preparation for Steriplex HC[™], two-part disinfectant or sterilant system: Part A (Steriplex HC[™] (Part A)): Main portion of one (1) gallon container, and

Part B (Steriplex HC Activator [™] (Part B)): Small <u>bottle (containing 2.2 oz of</u> <u>product)</u> 4 oz inside of gallon—container.

- Using appropriate personal protective equipment (PPE), obtain the Steriplex HC Activator TM (Part B) with protective seal under the large child protective cap. Remove the smaller cap on the main container, as well, to expose the opening with threaded insert.
- 2. Screw the Steriplex HC Activator [™] (Part B) container fully into the threaded insert, breaking the seal and emptying the contents into the container. WITH ACTIVATOR BOTTLE STILL ATTACHED, shake the container to release entire contents.
- 3. Safely remove and discard the spent Steriplex HC Activator [™] (Part B) container in an approved waste disposal receptacle as directed (see below). Replace both caps back onto the main container.
- 4. Thoroughly mix the combined solution for approximately 15 seconds.

OR

{for packaging when Part B container is not physically located inside of Part A container}

Preparation for Steriplex HC[™], two-part disinfectant or sterilant system: Part A (Steriplex HC[™] (Part A)): Main ingredient of five (5) gallon container, and

Part B (Steriplex HCTM Activator (Part B)): <u>Small bottle (containing 11 oz of</u> <u>product)</u>12 oz container.

- 1. Using appropriate personal protective equipment (PPE), remove the cap on the Steriplex HC[™] (Part A) container to expose the opening.
- 2. Obtain the Steriplex HCTM Activator (Part B) and remove the child protective cap. CAREFULLY pour the Steriplex HCTM Activator (Part B) into the main container and shake small bottle to release entire contents.

(Note to Reviewer: Language in () is optional or interchangeable)

- 3. Replace cap and safely discard the spent Steriplex HC[™] Activator (Part B) container in an approved waste disposal receptacle as directed (see below). Replace the cap on the main container.
- 4. Thoroughly mix the combined solution for approximately 15 seconds.

Application Methods – For use on Hard, Non-Porous, Non-Food Contact Surfaces Steriplex HC[™] mixed solution can be applied to surfaces by conventional (spray) (mopping) (cloth) or (sponge) method.

To Fill or (refill) empty spray bottle:

- 1. Remove trigger sprayer (or cap) from empty bottle.
- 2. Unscrew cap (or open spigot) and pour contents into empty bottle.
- 3. Replace trigger sprayer (or cap) and use as instructed

Refill sprayer only with Steriplex HC[™] [mixture] [mixed solution].

Once Part A and Part B are mixed, the mixed solution can only be used as a sporicide for 10 days and as a disinfectant for 40 days. Dispose of any solution that has exceeded these timeframes after activation. Mark the date that the solution was mixed on the container with a permanent marker in the space provided.

Cleaning and Deodorization Directions – Pre-clean surfaces prior to application of the activated product.

- 1. Apply a generous amount of the mixed solution using a cloth, mop or spray device so as to thoroughly wet the surface to be cleaned.
- 2. Allow surfaces to remain wet for 30 seconds.
- 3. For clean up, rinse the surface(s) with a clean cloth or sponge several times with potable water.
- 4. Prepare a fresh solution when it becomes visibly dirty or diluted.

Disinfecting Directions

As a Disinfectant – Pre-clean surfaces prior to application of the activated product.

- 1. Thoroughly apply the solution to the target surface(s) using a prescribed method, covering the surface(s), until wet, of product at room temperature.
- 2. Allow the product to remain on the surface(s) to dry or for 5 minutes.
- 3. For clean up, rinse the surface(s) with a clean cloth or sponge several times with potable water.

As a Tuberculocide – Pre-clean surfaces prior to application of the activated product.

- 1. Thoroughly apply the solution to the target surface(s) using a prescribed method, covering the surface(s), until wet, of product at room temperature.
- 2. Allow the product to remain on the surface(s) to dry or for 15 minutes.
- 3. For clean up, rinse the surface(s) with a clean cloth or sponge several times with potable water.

(Note to Reviewer: Language in () is optional or interchangeable)

40£11

Application Methods – For use with non-electrical or non-critical/semi-critical Medical Devices

As a Sporicide (Sterilant) – Pre-clean equipment surfaces prior to immersing equipment. Dismantle devices prior to pre-cleaning, if necessary.

- 1. Pour desired amount of solution into a tray or receptacle that will hold the targeted items and allow for complete immersion in solution.
- 2. Immerse equipment or targeted items for a minimum of 180 minutes.
- 3. Transfer equipment or targeted items to a rinse bath to remove the solution. Dipping them a couple of times into the rinse bath will thoroughly remove any solution.
- 4. Place on a clean surface to allow items to air dry prior to reuse.

As a Disinfectant – Pre-clean equipment surfaces prior to immersing equipment. Dismantle devices prior to pre-cleaning, if necessary.

- 1. Pour desired amount of solution into a tray or receptacle that will hold the targeted items and allow for complete immersion in solution.
- 2. Immerse equipment or targeted items for a minimum of 5 minutes.
- 3. Transfer equipment or targeted items to a rinse bath to remove the solution. Dipping them a couple of times into the rinse bath will thoroughly remove any solution.
- 4. Place on a clean surface to allow items to air dry prior to reuse.

As a Tuberculocide– Pre-clean equipment surfaces prior to immersing equipment. Dismantle devices prior to pre-cleaning, if necessary.

- 1. Thoroughly apply the solution to the target surface(s) using a prescribed method, covering the surface(s), until wet, of product at room temperature.
- 2. Allow the product to remain on the surface(s) to dry or for 15 minutes.
- 3. For clean up, rinse the surface(s) with a clean cloth or sponge several times with potable water.
- 4. Place on a clean surface to allow items to air dry prior to reuse.

NOTE: The following language will be printed on the label of products intended to be sold to health facilities:

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the human body, either into or in contact with the bloodstream, or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not normally penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

(Note to Reviewer: Language in () is optional or interchangeable)

90F14

(Note to Reviewer: Language in () is optional or interchangeable)

`)

100414

)

PRECAUTIONARY STATEMENTS FOR STERIPLEX HC ACTIVATOR™ ONLY

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if inhaled or absorbed through the skin. Harmful if swallowed. Do not breathe vapors or spray mist. Do not get in eyes, on skin or on clothing. Wear goggles and/or face shield and rubber gloves when handling. Do not enter an enclosed area without proper respiratory protection. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL EFFECTS

STRONG OXIDIZING AGENT. Corrosive. Mix only with Steriplex[™] disinfectant solutions. Product must be diluted in accordance with label directions prior to use. STERIPLEX HC ACTIVATOR (Part B) is not combustible; however, at temperatures exceeding 156°F, decomposition occurs releasing oxygen. The oxygen released could initiate combustion.

ENVIRONMENTAL EFFECTS

This pesticide is toxic to birds, fish, and aquatic invertebrates. Caution should be used when applying indoors because pets may be at risk. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the US Environmental Protection Agency.

110914

FIRST AID FOR STERIPLEX HC ACTIVATOR TM SOLUTION ONLY				
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or physician for treatment advice.			
IF SWALLOWED	Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call poison control center or doctor for treatment advice.			
IF INHALED	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to- mouth, if possible. Call a poison control center or doctor for further treatment advice.			
	bable mucosal damage may contraindicate the use of gastric lavage.			
	iner with you when calling a poison control center or going for treatment. MEDICAL INFORMATION CALL TOLL FREE: 1-800-222-1222			

Personal Protective Equipment (PPE)

User Safety

Some active ingredients of this product can cause eye damage or skin irritation. Prolonged exposure to spray mist or vapor may cause allergic reactions to some individuals. User should wash hands before eating, drinking, or using the toilet. User should be familiar with prescribed safety and usage instructions prior to using this product.

Eyes and Face

Use cup type chemical goggles. Full-face shield should be used when mixing and applying this product to the intended surfaces.

Protective Clothing

Use of rubber or neoprene footwear is recommended. Rubber or neoprene aprons or full protective clothing should be used. Hydrogen peroxide is an ingredient of this product. Completely submerge hydrogen peroxide contaminated clothing or other materials in water prior to drying. Residual hydrogen peroxide, if allowed to dry on materials such as fabrics, cotton, leather, wood, paper, or other combustibles can cause the material to ignite and result in a fire.

120f14

)

Gloves

Rubber or neoprene gloves are recommended when mixing and applying product. Thoroughly wash the outside of gloves with soap and water prior to removal. Inspect regularly for leaks.

Respiratory

For normal use as directed, respiratory protection is not required. However, if exposures are anticipated to be above normal limits or if concentrations are unknown (e.g., significant spill or other emergencies), or if they are anticipated to be above 5 ppm for hydrogen peroxide or 50 ppm for acetic acid, the use of a self-contained breathing apparatus (SCBA) is recommended.

STORAGE AND DISPOSAL

Storage

Never return Steriplex HCTM Activator (Part B) to the original container after it has been removed. Avoid all contaminants, especially dirt, caustic reducing agents, and metals. Contamination and impurities will reduce shelf life and can induce decomposition. In case of decomposition, isolate container, douse container with cool water and dilute Steriplex HCTM Activator (Part B) with large volumes of water. Avoid damage to containers. Keep container closed at all times when not in use. Keep container out of direct sunlight. To maintain product quality, store at temperatures below 86 °F. Do not store on wooden pallets.

Container Disposal and Pesticide Residue Removal

Pesticide Disposal

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. If material has been spilled, an acceptable method of disposal is to dilute with at least 20 volumes of water followed by discharge into suitable treatment system in accordance with all local, state, and Federal environmental laws, rules, regulations, standards, and other requirements. Because acceptable methods of disposal may vary by location, regulatory agencies should be contacted prior to disposal. Steriplex Activator, which is to be discarded, should be disposed of as hazardous waste after contacting the appropriate local, state, or Federal agency to determine proper procedures.

Container Disposal

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¹/₄ full with water and recap and shake for 10 seconds, then uncap and discard rinsate. Drain for 10

(Note to Reviewer: Language in () is optional or interchangeable)

130814

seconds after the flow begins to drip. Repeat this procedure two more times, and then discard container and cap.

[`])

Lot Number: Not for sale or use after:

sBioMed

1272 South 1380 West Orem, Utah 84058 TEL: 801-922-1111 FAX: 801-922-1100

(Note to Reviewer: Language in () is optional or interchangeable)

140414