

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

May 3, 2021

Cynthia Smith Agent of Bull Run Scientific, VBT Conn & Smith Inc. 6713 Catskill Road Lorton, VA 22079-1113

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling Amendment – Add

Graphics with explanatory text and revisions to optional claims.

Product Name: DISPOSABLE BULL RUN YELLOWJACKET TRAPw

EPA Registration Number: 84565-6

Application Date: 3/12/2021 OPP Case Number: 00294886

Dear Ms. Smith:

The amended labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

This approval does not affect any terms or conditions that were previously imposed on this registration. You continue to be subject to existing terms or conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR § 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR § 152.3.

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the U.S. Environmental Protection Agency (EPA). If the website is false or misleading, the product will be considered to be misbranded and sale or distribution of the product is unlawful under FIFRA section 12(a)(1)(E). 40 CFR § 156.10(a)(5) lists examples of statements the EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the EPA find or if it is brought to our attention that a website contains false

Page 2 of 2 EPA Reg. No. 84565-6 OPP Case No. 00294886

or misleading statements or claims substantially differing from the EPA-approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Sydnie Hetzel by phone at (703) 347-0220 or via email at Hetzel.sydnie@epa.gov.

Sincerely,

Andrew Bryceland, Team Leader Biochemical Pesticides Branch Biopesticides and Pollution Prevention Division (7511P) Office of Pesticide Programs

Enclosure

084565-00006.20210312.Changes_IMPLEMENTED.pdf Disposable Bull Run YELLOWJACKET TRAP $_{\rm W}$ (EPA Registration No. 84565-6) March 12, 2021 proposed label - Changes IMPLEMENTED Based upon the July 5, 2019 stamped ACCEPTED label Adds optional graphics.

Disposable Bull Run YELLOWJACKET TRAP $_{\rm W}$ Proposed Master Label

(EPA Registration No. 84565-6)

Alternate brand names: Tubular Bull Run Yellowjacket Trap $_{\rm W}$ Tubular Bull Run Yellowjacket Trap Insert $_{\rm W}$

ACCEPTED

05/03/2021

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. DAFCE C

84565-6

Contents

F	Page
Disposable Bull Run Yellowjacket Trap w	2
Front Panel	
Top Panel	
Back Panel	
Optional statements, for any panel	
Optional graphics, for any panel	
Optional graphics, for inclusion with the Directions for Use	ɔ
Tubular Bull Run Yellowjacket Trap w Pedestal Label	6
Pedestal Front Panel	
Pedestal Left Panel	
Pedestal Right Panel	7
Optional graphics, for any panel	8
Tubular Bull Run Yellowjacket Trap w	
(Trap w Containing Attractant and Decorative Cover)	Q
Back Panel	
Optional graphics, for any panel	
Tubular Bull Dun Vallawiaakat Tran Incart	
Tubular Bull Run Yellowjacket Trap Insert w	
(Refill Trap w Containing Attractant, without the Decorative Cover)	
Front Panel	
Back Panel	

Page 2 of 14

Disposable Bull Run Yellowjacket Trap w

(Label is printed directly in the plastic used to make the disposable trap bag)
(Original product)

{Front Panel}

INGREDIENTS	
Active Ingredient:	
Heptyl Butyrate 18.9%	
Other Ingredients	
Total	

KEEP OUT OF REACH OF CHILDREN CAUTION

NET WT: 0.45 oz

Yellowjacket gauge: 1/2" equals approximately 300 yellowjackets

{Top Panel}
Read instructions before opening.
Cut here on dotted line.

Page 3 of 14

{Back Panel}

The Bull Run Disposable Yellowjacket Trap is proven to lure the following species: Western Yellowjacket (*Vespula pensylvanica*), Prairie Yellowjacket (*V. atropilosa*), California Yellowjacket (*V. sulphurea*), Blackjacket (*V. consobrina*), Forest Yellowjacket (*V. acadica*), Southern Yellowjacket (*V. squamosa*), Northeastern Yellowjacket (*V. vidua*), Common Yellowjacket (*V. vulgaris*), Eastern Yellowjacket (*V. maculifrons*), and German Yellowjacket (*V. germanica*).



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

{Graphics}

- 1. Cut plastic on top at dotted line.
- 2. Pull open and attach string or wire.
- 3. Add water to fill line on bag. Attractant pouch inside will dissolve and activate within 2-5 hours.
- 4. Hang outdoors away from human activity, and at least 20 feet from a known yellowjacket nest.

Use Rate: Use 2-4 traps for a 10,000 square foot area or 8 to 16 traps per acre. For areas with heavy infestation, use a maximum of 48 traps per acre.

CAUTION: Due to the extreme effectiveness of the attractant, use caution when hanging traps. Place traps in late evening or early morning when yellowjackets are less active. People allergic to yellowjacket stings should allow others to hang traps. Yellowjacket stings can be fatal.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry, well-ventilated location out of reach of children and pets. DISPOSAL: Close trap and deposit in trash for collection. Wash hands with soap and water.

Page 4 of 14

Model	
-------	--

Bull Run Scientific, VBT
3900 Westerre Parkway, Suite 300
Richmond, VA 23233
1-800-___-
© ____, ___

EPA Reg. No. 84565-6
EPA Est. No. _____

{Optional statements, for any panel}

- Catches ten yellowjacket species
- No killing agents


www.____.com

- More effective than traps baited with food alone
- Effective and responsible
- Complete with attractant
- Just add water & hang
- Non-toxic mode of action
- Will not trap beneficial honeybees
- Spring a trap on every yellowjacket.
- Lure yellowjackets away
- Easy to use, just add water
- Quick and clean disposal

{Optional graphics, for any panel}



{Optional graphics, for inclusion with the Directions for Use}



Page 6 of 14

Tubular Bull Run Yellowjacket Trap w Pedestal Label

{Pedestal Front Panel}

Tubular Bull Run YELLOWJACKET TRAP w

Complete with attractant

INGREDIENTS
Active Ingredient:
Heptyl Butyrate 18.9%
Other Ingredients <u>81.1%</u>
Total

KEEP OUT OF REACH OF CHILDREN CAUTION

NET WT: 0.45 oz

Made in USA

Bull Run Scientific, VBT

{Pedestal Left Panel}

Provide the consumer with an easy, effective, economical and responsible way to control insect pests: That's the mission we set out to fulfill over 30 years ago. With the Tubular Trap, we've added another objective: Make it decorative, for the discerning customer who wants to beautify the outdoor landscape.

Page 7 of 14

{Pedestal Right Panel}

{Optional text:}
Comes with one Yellowjacket Trap Insert _w
Decorative cover is reusable with either Yellowjacket Trap or Fly Trap Inserts
Reusable with either Yellowjacket Trap or Fly Trap Inserts
Reusable with either Yellowjacket or Fly Trap Inserts
No killing agents - insects drown
Non-toxic mode of action
Will not trap beneficial honeybees

{Pedestal Back Panel}

{Optional Text and Graphics:}
Established in,offers traps and attractants for wasps, hornets, yellowjackets, flies, stink bugs, Japanese beetles and more. Look for these products at home improvement centers, hardware stores and lawn and garden retailers throughout the U.S. and beyond. For more information, visit our web site at wwwcom.
wwwcom [Facebook F icon] [twitter bird icon] @
Made in USA


Bull Run Scientific, VBT 3900 Westerre Parkway, Suite 300 Richmond, VA 23233 1-800-___--____
EPA Reg. No. 84565-6
EPA Est. No. ______

{Optional Text:}		
© 2019		
© 2021		
Patents Pending		
Model		

{Optional graphics, for any panel}









Page 9 of 14

Tubular Bull Run Yellowjacket Trap_w (Trap $_w$ Containing Attractant and Decorative Cover)

(Label text is printed directly on a plastic pouch that contains the trap insert)

{Front Panel}

Tubular Bull Run YELLOWJACKET TRAP Insert w

	.		1	T	4)
{ (ומנ	TIOI	าลเ	Tex	T:}

For use in the Tubular Bull Run YELLOWJACKET TRAP $_{\rm W}$ from $___$.

- Proven to trap ten yellowjacket species common in the Western U.S.
- · More effective than traps baited with food alone
- Will not trap beneficial honeybees
- No killing agents
- No killing agents insects drown
- Non-toxic mode of action
- Will not trap beneficial honeybees
- Comes with one Yellowjacket Trap Insert w
- Decorative cover is reusable with either Yellowjacket Trap or Fly Trap Inserts
- Complete with attractant

Made in USA

INGREDIEN 13	
Active Ingredient:	
Heptyl Butyrate	18.9%
Other Ingredients	21 1%

KEEP OUT OF REACH OF CHILDREN CAUTION

NET WT: 0.45 oz

Bull Run Scientific, VBT

084565-00006.20210312.Changes_IMPLEMENTED.pdf Disposable Bull Run YELLOWJACKET TRAP $_{\rm W}$ (EPA Registration No. 84565-6) March 12, 2021 proposed label - Changes IMPLEMENTED Based upon the July 5, 2019 stamped ACCEPTED label Adds optional graphics.

{Back Panel}

Tubular Bull Run Yellowjacket Trap Insert w

{Optional text:}

GENERAL INFORMATION

The Tubular Bull Run YELLOWJACKET TRAP $_{\rm W}$ is proven to trap the following species: Western Yellowjacket (*V. supula pensylvanica*), Prairie Yellowjacket (*V. atropilosa*), California Yellowjacket (*V. sulphurea*), Blackjacket (*V. consobrina*), Forest Yellowjacket (*V. acadica*), Southern Yellowjacket (*V. squamosa*), Northeastern Yellowjacket (*V. vidua*), Common Yellowjacket (*V. vulgaris*), Eastern Yellowjacket (*V. maculifrons*), and German Yellowjacket (*V. germanica*).

Provide the consumer with an easy, effective, economical and responsible way to control insect pests: That's the mission we set out to fulfill over 30 years ago. With the Tubular Trap, we've added another objective: Make it decorative, for the discerning customer who wants to beautify the outdoor landscape.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- 1. Tear open pouch and remove Yellowjacket Trap Insert w.
- 2. Straighten bag and make sure attractant is at the bottom.
- 3. Pull up on center tab of top cap until it snaps into place.
- 4. Place insert, bag first, into threaded end of decorative cover. Screw top cap in place.
- 5. Fill trap outdoors using warm water. Add 1 cup water to the "dissolve" line and wait 5 minutes for attractant packet to dissolve. Then add 3/4 cup more water to the "activate" line.
- 6. Hang trap outdoors in late evening or early morning when yellowjackets are less active. For best results, hang 20 feet from building entries and any known yellowjacket nests.
- 7. Replace Yellowjacket Trap Insert w when full, when contents dry out, or after 2 weeks whichever comes first.
- 8. Wash hands with soap and water.

Use Rate: Use 2-4 traps for a 10,000 square foot area or 8 to 16 traps per acre. For areas with heavy infestation, use a maximum of 48 traps per acre.

CAUTION: Due to the extreme effectiveness of the attractant, use caution when hanging traps. Place traps in late evening or early morning when yellowjackets are less active. People allergic to yellowjacket stings should allow others to hang traps. Yellowjacket stings can be fatal.

Page 11 of 14

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry, well-ventilated location out of reach of children and pets.

DISPOSAL: Push down on top cap to close trap, unscrew from decorative cover, and

deposit in trash for collection. Wash hands with soap and water.

{Optional text and graphics:}
Established in,offers traps and attractants for wasps, hornets, yellowjackets, flies, stink bugs, Japanese beetles and more. Look for these products at home improvement centers, hardware stores and lawn and garden retailers throughout the U.S. and beyond. For more information, visit our website at wwwcom.
wwwcom
[Facebook F icon]
[twitter bird icon] @
Made in USA
Bull Run Scientific, VBT 3900 Westerre Parkway, Suite 300 Richmond, VA 23233 1-800 EPA Reg. No. 84565-6 EPA Est. No
{Optional Text:}
© 2019
© 2021
Patents Pending
Model

{Optional graphics, for any panel}









Page 12 of 14

Tubular Bull Run Yellowjacket Trap Insert $_{\rm W}$ (Refill Trap $_{\rm W}$ Containing Attractant, without the Decorative Cover)

{Label text is printed directly on a plastic pouch that contains the trap insert}

{Front Panel}

Tubular Bull Run YELLOWJACKET TRAP Insert w

	_		
J	11	ntional	Invt
١	$\boldsymbol{\mathcal{C}}$	ptional	ICAL

For use in the Tubular Bull Run YELLOWJACKET TRAP $_{\rm W}$ from $___$.

- Proven to trap ten yellowjacket species common in the Western U.S.
- · More effective than traps baited with food alone
- Will not trap beneficial honeybees
- No killing agents
- No killing agents insects drown
- Non-toxic mode of action
- Will not trap beneficial honeybees
- Comes with one Yellowjacket Trap Insert w
- Enhances your surroundings
- Decorative cover is reusable with either Yellowjacket Trap or Fly Trap Inserts
- Complete with attractant

Made in USA

INGREDIENTS			
Active Ingredient:			
Heptyl Butyrate	18.9%		
Other Ingredients	81.1%		
Total	100.0%		

KEEP OUT OF REACH OF CHILDREN CAUTION

NET WT: 0.45 oz

Bull Run Scientific, VBT

Page 13 of 14

{Back Panel}

Tubular Bull Run Yellowjacket Trap Insert w

{Optional text:}

GENERAL INFORMATION

The Tubular Bull Run Yellowjacket Trap $_{\rm W}$ is proven to trap the following species: Western Yellowjacket (*Vespula pensylvanica*), Prairie Yellowjacket (*V. atropilosa*), California Yellowjacket (*V. sulphurea*), Blackjacket (*V. consobrina*), Forest Yellowjacket (*V. acadica*), Southern Yellowjacket (*V. squamosa*), Northeastern Yellowjacket (*V. vidua*), Common Yellowjacket (*V. vulgaris*), Eastern Yellowjacket (*V. maculifrons*), and German Yellowjacket (*V. germanica*).

Provide the consumer with an easy, effective, economical and responsible way to control insect pests: That's the mission we set out to fulfill over 30 years ago. With the Tubular Trap, we've added another objective: Make it decorative, for the discerning customer who wants to beautify the outdoor landscape.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- 1. Tear open pouch and remove Yellowjacket Trap Insert w.
- 2. Straighten bag and make sure attractant is at the bottom.
- 3. Pull up on center tab of top cap until it snaps into place.
- 4. Place insert, bag first, into threaded end of decorative cover. Screw top cap in place.
- 5. Fill trap outdoors using warm water. Add 1 cup water to the "dissolve" line and wait 5 minutes for attractant packet to dissolve. Then add 3/4 cup more water to the "activate" line.
- 6. Hang trap outdoors in late evening or early morning when yellowjackets are less active. For best results, hang 20 feet from building entries and any known yellowjacket nests.
- 7. Replace the Yellowjacket Trap Insert when full, when contents dry out, or after 2 weeks whichever comes first.
- 8. Wash hands with soap and water.

Use Rate: Use 2-4 traps for a 10,000 square foot area or 8 to 16 traps per acre. For areas with heavy infestation, use a maximum of 48 traps per acre.

CAUTION: Due to the extreme effectiveness of the attractant, use caution when hanging traps. Place traps in late evening or early morning when yellowjackets are less active. People allergic to yellowjacket stings should allow others to hang traps. Yellowjacket stings can be fatal.

Page 14 of 14

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry, well-ventilated location out of reach of children and pets.

DISPOSAL: Push down on top cap to close trap, unscrew from decorative cover, and

deposit in trash for collection. Wash hands with soap and water.

{Optional text and graphics:}
Established in,offers traps and attractants for wasps, hornets, yellowjackets, flies, stink bugs, Japanese beetles and more. Look for these products at home improvement centers, hardware stores and lawn and garden retailers throughout the U.S. and beyond. For more information, visit our website at wwwcom.
wwwcom
[Facebook F icon]
[twitter bird icon] @
Made in USA
Bull Run Scientific, VBT 3900 Westerre Parkway, Suite 300 Richmond, VA 23233 1-800 EPA Reg. No. 84565-6 EPA Est. No
{Optional Text:}
© 2019
© 2021
Patents Pending
Model

{Optional graphics, for any label panel}







